


11:41:16 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- Hot
 REF 85.0 dBμV AT 10 dB



START 450 KHz #RES BW 10 KHz
 STOP 1.705 MHz #SWP 20.0 sec
 #VBW 30 KHz


Customer:	Beyerdynamic
Test Sample:	MCW Control Unit
Model No.:	MCW 100
Test Method:	FCC 15.207 (a) Conducted Emissions
Notes:	Lead Tested: Hot Detector Function: Peak (* = see tabular p.7)
Date:	October 20, 1999
Tech:	N. Dragotta
Sheet	1 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

11:38:03 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- NEUTRAL
 REF 85.0 dBµV AT 10 dB



START 450 kHz #RES BW 10 kHz
 STOP 1.705 MHz #SWP 20.0 sec
 #VBW 30 kHz


Customer:	Beyerdynamic
Test Sample:	MCW Control Unit
Model No.:	MCW 100
Test Method:	FCC 15.207 (a) Conducted Emissions
Notes:	Lead Tested: Neutral Detector Function: Peak (* = see tabular p.7)
Date:	October 20, 1999
Tech:	N. Dragotta
Sheet	2 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

11:45:25 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- Hot
 REF 85.0 dBµV AT 10 dB



START 1.705 MHz #RES BW 10 kHz
 STOP 5.000 MHz #SWP 20.0 sec
 #VBW 30 kHz


Customer: Beyerdynamic
 Test Sample: MCW Control Unit
 Model No.: MCW 100
 Test Method: FCC 15.207 (a) Conducted Emissions
 Notes: Lead Tested: Hot
 Detector Function: Peak
 Date: October 20, 1999 Tech: N. Dragotta Sheet 3 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

11:48:23 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- NEUTRAL
 REF 85.0 dBµV AT 10 dB



PEAK
 LOG
 10
 dB/
 OFFST
 10.0
 dB
 DL
 48.0
 dBµV
 VA SB
 SC FC
 CORR

START 1.705 MHz #RES BW 10 kHz
 STOP 5.000 MHz #SWP 20.0 sec
 #VBW 30 kHz


Customer:	Beyerdynamic
Test Sample:	MCW Control Unit
Model No.:	MCW 100
Test Method:	FCC 15.207 (a) Conducted Emissions
Notes:	Lead Tested: Neutral Detector Function: Peak
Date:	October 20, 1999
Tech:	N. Dragotta
Sheet	4 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

11:53:07 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- Hot
 REF 85.0 dBµV AT 10 dB



START 5.00 MHz #RES BW 10 kHz
 STOP 30.00 MHz #SWP 20.0 sec
 #VBW 30 kHz


Customer:	Beyerdynamic
Test Sample:	MCW Control Unit
Model No.:	MCW 100
Test Method:	FCC 15.207 (a) Conducted Emissions
Notes:	Lead Tested: Hot Detector Function: Peak
Date:	October 20, 1999
Tech:	N. Dragotta
Sheet	5 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

11:55:26 OCT 20, 1999
 R-8170-2A MCW100 Tx FCC 15.231 C.E. ND Lead- NEUTRAL
 REF 85.0 dBµV AT 10 dB



START 5.00 MHz #RES BW 10 kHz
 #VBW 30 kHz #SWP 20.0 sec
 STOP 30.00 MHz

Customer:	Beyerdynamic
Test Sample:	MCW Control Unit
Model No.:	MCW 100
Test Method:	FCC 15.207 (a) Conducted Emissions
Notes:	Lead Tested: Neutral Detector Function: Peak
Date:	October 20, 1999
Tech:	N. Dragotta
Sheet:	6 of 7



Retlif Testing Laboratories

Report No. R-8170-2A

