

## Cover Letter-Wireless Charger Approval

**FCC ID: OSLOKA-210W**

**Date: 12 Feb, 2018**

Gentlemen:

There's a OKA-210W that would like to have your authorization as an Inductive wireless power transfer applications approval.

The specific product as below, OKA-210W, with its designed features and specified description, considers special requirements for KDB 680106 D01 section 5.2 requirements.

<b>Company:</b>	Omron Automotive Electronics Korea Co., Ltd.
<b>Product Name:</b>	Unit ASSY - WIRELESS CHARGING
<b>Model Number:</b>	OKA-210W
<b>FCC ID:</b>	OSLOKA-210W

<b>KDB 680106 D01 Section 5.2 Requirements:</b>	<b>Product Technical Specification:</b>	<b>Result:</b>
a) Power transfer frequency is less than 1 MHz	0.111 MHz	Complied
b) Output power from each primary coil is less than 5 Watts	5 Watts	Not Complied
c) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils	The transfer system including a charging system with one primary coil is to detect and allow only between individual pairs of coils.	Complied
d) Client device is inserted in or placed directly in contact with the transmitter	Client device is placed directly in contact with the transmitter.	Complied
e) The maximum coupling surface area of the transmit (charging) device is between 60 cm <sup>2</sup> and 400 cm <sup>2</sup> .	EUT coupling surface area of device is 103.500 cm <sup>2</sup>	Complied
f) Aggregate leakage fields at 10 cm surrounding the device from all simultaneous transmitting coils are demonstrated to be less than 30% of the MPE limit.	E-Field: 59.20 V/m (max. at 4 cm) < 184.20 V/m (30% of the limit) H-Field: 1.530 A/m (max. at 4 cm) > 0.489 A/m (30% of the limit)	Not Complied

Sincerely,

By: \_\_\_\_\_



(Signature)

Hyunchoe You \_\_\_\_\_

(Print name)

Title: \_\_\_\_\_

Technical Manager

On behalf of: SGS Korea Co., Ltd. (Company Name)

Telephone: +82-31-428-0903