

American Telecommunications Certification Body Inc.

6731 Whittier Ave, McLean, VA 22101

April 29, 2005

RE: Xanboo/Core Technologies

FCC ID: OU4-XHA750

After a review of the submitted information, I have a few comments on the above referenced Application.

- 1) The FCC label should still include the 2 part FCC statement:
 - Operation is subject to the following two conditions: 1) This device may not cause harmful interference, and 2) This device must accept any interference received, including interference that may cause undesired operation.
- 2) It appears that the timing plots provided are for the 19 msec keep alive packet. However, how about the normal Arm/Disarm transations. Please provide a plot over 1-2 seconds showing these transactions. Additionally, it can not be adequately determined how many packets get sent over a 100 msec period of time for purposes of averaging.
- 3) Please explain the nature/theory of operation of the electronic key. Is this device RF or inductive in nature? Is it wireless, even if only a few cm? Note that either RF or inductive may require testing and approval as a RF TX if this is a wireless interface of RF or inductive nature. Please provide further information as necessary such as theory or schematics of electric eye as necessary.

Timothy R. Johnson Examining Engineer

mailto: tjohnson@AmericanTCB.com

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.