





### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p><b>EUT Housing and Board View 1</b></p>	 A photograph showing the internal components of an EUT housing. On the left is the green printed circuit board (PCB) with a white battery pack mounted on it. The battery has the following text: "SL 509048 3.7V 850mAh 2.2ZWH 422528". To the right of the PCB is the white plastic housing. Both are placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows a scale from 0 to 100 mm.
<p><b>Solder Board-Component View 1</b></p>	 A photograph showing the soldered components on the green PCB. The board is populated with various electronic components, including a microcontroller, memory chips, and other surface-mount devices. The board is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows a scale from 0 to 100 mm.

<p><b>Solder Board-Component View 2</b></p>	 <p>A photograph of a green PCB component with a USB connector and a multi-pin connector. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 60 mm. The PCB has labels: 'VIBAT', 'NTC', and 'GND'. At the top, there is a QR code and the text '2022-09-08' and 'C1A-88-EM-881-10210110-113'.</p>
<p><b>Solder Board-Component View 3</b></p>	 <p>A photograph of a white battery component with three wires (red, yellow, black) extending from it. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 60 mm. The battery has a QR code and the text 'SL 503048 3.7V', '1500mAh 2.22Wh', and '+23359'.</p>

