
AnyHub User Manual





Contents

ntroduction ————————————————————————————————————	1
Inside The Box	2
Halo Light Color ———————————————————————————————————	3
Installation ————————————————————————————————————	4
Connect and Sync	5
Technical Specification	6
Contact —	7
Regulatory Compliance Information	9

Introduction

General Description

MioConnect AnyHub is a gateway device designed for Telehealth.

AnyHub connects with Bluetooth device seamlessly, sends data back to caregiver, and receives notifications remotely, in the form of halo light.



No Pairing Needed



Global Cellular Network




Instant Data Transmission



Inside The Box


MioConnect AnyHub




Power Cable



Power Adaptor




Halo Light Color



8


Installation

- 01. Connect power cable, AnyHub will blink White.
- 02. After start up, AnyHub will turn White.



Connect and Sync

- O1. AnyHub automatically connects and synchronizes with compatible devices around.
- 02. During the sync, AnyHub will blink White.
- 03. After the sync, AnyHub will turn White.



Technical Specification

Dimensions: 1.9 inches high (49 mm) 3.9 inches wide (100 mm)

Weight: 130 g

Color: White

Accessory: 5V/2A power adapter, USB-TypeC cable

Bluetooth: Bluetooth 5.0

Bluetooth Range: Up to 30 meters

Connection: Up to 10 simultaneous connections

LED Light: RGB color, customizable (white/red reserved)

IoT Platform: MioConnect IoT

Cellular: 2G+Cat-M1, Global Roaming Network

Button/Control: Sync Button, Reset Button

Contact

For more information, please visit **www.mio-labs.com/anyhub**

Mio Labs Inc. 4500 Great America Pkwy, Santa Clara, CA 95054

Regulatory Compliance Information

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (i) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

