



# ONETECH Corp.

#505 SK APT. Factory 223-28, Sangdaewon 1 Dong, Jungwon-Gu, Seongnam-City,  
Kyunggi-Do, 462-121, Korea. (TEL: 82-342-746-8500 FAX: 82-342-746-8700)

## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

<p>SUPERREGENERATIVE RECEIVER CERTIFICATION TO FCC PART 15 REQUIREMENT</p>
--

PRODUCT	REMOTE & PROGRAMABLE VEHICLE STARTING SYSTEM		
FCC ID	OUGRS905M		
MODEL NO.	RS-905M	SERIAL NO.	N/A
APPLICANT & ADDRESS	PROMISE ENGINEERING INC. 1102 N. VASSAULT STREET TACOMA, WA 98406		

REPORT NO.	E99DR-028	ISSUE DATE	December 22, 1999
PREPARED BY: ONETECH CORP. #505 SK APT. FACTORY 223-28, SANGDAEWON 1 DONG, JUNGWON-GU, SEONGNAM-CITY, KYUNGGI-DO, 462-121, KOREA. (TEL: 82-342-746-8500 FAX: 82-342-746-8700)			

## LIST OF EXHIBITS

**FCC ID : OUGRS-905M**

**MODEL : RS-905M**

EXHIBIT 1. IDENTIFICATION LABEL

2. AGENT AUTHORIZATION

3. TECHNICAL INFORMATION

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

4. PHOTO REPORT

5. USER'S MANUAL & SCHEMATIC (BLOCK DIAGRAM)

PREPARED BY : ONETECH CORP.

#505 SK APT. Factory 223-28, Sangdaewon 1 Dong, Jungwon-Gu,  
Seongnam-City, Kyunggi-Do, 462-121, Korea.

(TEL: 82-342-746-8500 FAX: 82-342-746-8700)

**EXHIBIT 1. IDENTIFICATION LABEL:****PROPOSED FCC LABEL (Part15 sec. 15.19)**

The label included following statement will be attached on bottom side of product.

<b>FCC ID : OSLRS-905M</b>
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operations.
Made in korea

“Please find an ID Label for EUT at ID Label/Location Info in Exhibit Type”

## **EXHIBIT 2. AGENT AUTHORIZATION:**

**“Please find an Agent Authorization Letter at Cover Letters in Exhibit Type”**

**EXHIBIT 3. TECHNICAL INFORMATION:****ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

<b>SUPERREGENERATIVE RECEIVER CERTIFICATION TO FCC PART 15 REQUIREMENT</b>
--

PRODUCT	REMOTE & PROGRAMABLE VEHICLE STARTING SYSTEM		
FCC ID	OUGRS905M		
MODEL NO.	RS-905M	SERIAL NO.	N/A
APPLICANT & ADDRESS	PROMISE ENGINEERING INC. 1102 N. VASSAULT STREET TACOMA, WA 98406		

REPORT NO.	E99DR-028	ISSUE DATE	December 22, 1999
PREPARED BY: ONETECH CORP. #505 SK APT. FACTORY 223-28, SANGDAEWON 1 DONG, JUNGWON-GU, SEONGNAM-CITY, KYUNGGI-DO, 462-121, KOREA. (TEL: 82-342-746-8500 FAX: 82-342-746-8700)			

## TABLE OF CONTENTS


	Page
<b>1. VERIFICATION OF COMPLIANCE .....</b>	<b>1</b>
<b>2. GENERAL INFORMATION .....</b>	<b>2</b>
<b>2.1 Product Description .....</b>	<b>2</b>
<b>2.2 Related Submittal(s) / Grant(s) .....</b>	<b>2</b>
<b>2.3 Test System Details.....</b>	<b>2</b>
<b>2.4 Test Methodology .....</b>	<b>2</b>
<b>2.5 Test Facility.....</b>	<b>2</b>
<b>3. SYSTEM TEST CONFIGURATION .....</b>	<b>3</b>
<b>3.1 Justification.....</b>	<b>3</b>
<b>3.2 Equipment Modifications .....</b>	<b>3</b>
<b>3.3 Mode of operation during the test.....</b>	<b>3</b>
<b>3.4 Configuration of Test System .....</b>	<b>3</b>
<b>4. PRELIMINARY TESTS .....</b>	<b>4</b>
<b>4.1 AC Power line Conducted Emissions Tests.....</b>	<b>4</b>
<b>4.2 Radiated Emissions Tests.....</b>	<b>4</b>
<b>5. RADIATED MEASUREMENT PHOTOS.....</b>	<b>5</b>
<b>6. FINAL RESULT OF MEASUREMENT.....</b>	<b>6</b>
<b>6.1 Conducted Emissions Tests .....</b>	<b>6</b>
<b>6.2 Radiated Emission Test.....</b>	<b>7</b>
<b>7. FIELD STRENGTH CALCULATION .....</b>	<b>7</b>
<b>8. LIST OF TEST EQUIPMENT .....</b>	<b>9</b>

**1. VERIFICATION OF COMPLIANCE**

APPLICANT : PROMISE ENGINEERING , INCORPORATION.  
ADDRESS : 1102 N. VASSAULT STREET TACOMA WA 98046  
CONTACT PERSON : BOIN CHOI / PRESIDENT  
TELEPHONE NO : 253-752-7704  
FCC ID : OUGRS905M MODEL NO/NAME: RS-905M  
SERIAL NUMBER : N/A  
DATE : December 22, 1999

DEVICE TYPE	UNINTENTIONAL RADIATOR (SUPERREGENERATIVE RECEIVER)
E.U.T. DESCRIPTION	REMOTE & PROGRAMABLE VEHICLE STARTING SYSTEM
THIS REPORT CONCERNS	ORIGINAL GRANT
MEASUREMENT PROCEDURES	ANSI C63.4/1992
TYPE OF EQUIPMENT TESTED	PRE-PRODUCTION
KIND OF EQUIPMENT AUTHORIZATION REQUESTED	CERTIFICATION
EQUIPMENT WILL BE OPERATED UNDER FCC RULES PART(S)	PART 15 SUBPART B <input type="checkbox"/> 15.101
MODIFICATIONS ON THE EQUIPMENT TO ACHIEVE COMPLIANCE	NO
FINAL TESTS WERE CONDUCTED ON	3 METER OPEN TEST SITE

The above equipment was tested by ONETECH Corp. for compliance with the requirement set forth in the FCC Rules and Regulations. This said equipment in the configuration described in this report, shows the maximum emission levels emanating from equipment are within the compliance requirements.



YONG KWANG, KWON / CHIEF ENGINEER  
EMC TESTING DEPARTMENT  
ONETECH Testing & Eval. Lab.  
SEOUL KOREA

## 2. GENERAL INFORMATION

### 2.1 Product Description

The PROMISE ENGINEERING INC., Model RS-905M (referred to as the EUT in this report) is a receiver that is fixed inside the vehicle, and receives the signal from the transmitter, FCC ID: OUGRS-905R and then decide locking and unlocking the door of the vehicle. The EUT has several functions for controlling the heater, the air conditioner and sensing low battery etc. The product specification information described herein was obtained from product data sheet or user's manual.

CHASSIS TYPE	Plastic
LOCAL CLOCK FREQUENCY	447.725 MHz
MODULATION SCHEME	FM (Single Superheterodyne)
LIST OF EACH OSC. OR CRY. FREQ. $\geq 1$ MHz	89.454 MHz
ANTENNA TYPE	Potable Helical Antenna
RF MODULE	M/N: RF447FR, Manufacturer: LG Preceision
POWER REQUIREMENTS	DC 12V, 50mA from Car Battery
NUMBER OF LAYERS	2 LAYERS

### 2.2 Related Submittal(s) / Grant(s)

ORIGINAL SUBMITTAL ONLY

### 2.3 Test System Details

The EUT was tested with the following all equipment used in the tested system are:

Model	Manufacturer	FCC ID	Description	Connected to
RS-905M	SUNG WON ELECTRONICS	OUGRS-905M	EUT	N/A
RS-905D	SUNG WON ELECTRONICS	N/A	DISPLAY MODULE	EUT
N/A	SUNG WON ELECTRONICS	N/A	JIG	EUT

### 2.4 Test Methodology

Both Radiated emission testing and Bandwidth of operating frequency were performed according to the procedures in ANSI C63.4/1992. Radiated testing was performed at an antenna to EUT distance of 3 meters.

### 2.5 Test Facility

The open area test site and conducted measurement facility used to collect the radiated data is located on at 426-1 Daessangryung-Ri, Chowol-Myun, Kwangju-Kun, Kyunggi-Do 464-080 Korea. Detailed description of test facility was submitted to the Commission on January 12, 1999. (Registration Number: 92819)



### 3. SYSTEM TEST CONFIGURATION

#### 3.1 Justification

The system was configured for testing in a typical fashion (as a customer would normally use it). During the tests, the following components inside the EUT were installed.

DEVICE TYPE	MANUFACTURER	MODEL/PART NUMBER	FCC ID
MAIN BOARD	SUNG WON ELECTRONICS CO., LTD.	RS-905M	N/A
RX MODULE	LG Precision Co., Ltd.	RF447FR	N/A
DISPLAY BOARD	SUNG WON ELECTRONICS CO., LTD.	RS-905M	N/A

#### 3.2 Equipment Modifications

To achieve compliance to FCC part 15 rule, the following change(s) were made by OMRON Automotive Electronics Korea Co., Ltd. during compliance testing:

**“There was no Modified items during EMI test”**

#### 3.3 Mode of operation during the test

After connecting the antenna to the antenna input of EUT, the EUT was received the RF signal from the transmitter and the battery of the EUT was fully charged.

#### 3.4 Configuration of Test System

##### Line Conducted Emission Test:

It is not need to test this requirement, because the power of the EUT supplies from a DC battery.

##### Radiated Emission Test:

Preliminary radiated emissions tests were conducted using the procedure in ANSI C63.4/1992, 8.3.1.1 to determine the worse operating conditions. Final radiated emission tests were conducted at 3 meters open area test site.

##### Antenna Power Conduction Test:

This equipment only has a permanently attached antenna, so the radiated emission measurement was performed with the antenna attached.

---

**4. PRELIMINARY TESTS****4.1 AC Power line Conducted Emissions Tests**

During Preliminary Tests, the following operating mode was investigated

<b>Operation Mode</b>	<b>The Worse operating condition (Please check one only)</b>
N/A	N/A

**4.2 Radiated Emissions Tests**


During Preliminary Tests, the following operating modes were investigated

<b>Operation Mode</b>	<b>The Worse operating condition (Please check one only)</b>
RX mode	X
Standby mode	

---

## 5. RADIATED MEASUREMENT PHOTOS

<Radiated Measurement Photos>



## 6. FINAL RESULT OF MEASUREMENT

Per preliminary tests, the following RX mode of operations were selected which shown the maximum emissions level.

### 6.1 Conducted Emissions Tests

Humidity Level :   %   Temperature :   □  

Limits apply to : FCC CFR 47, PART 15, SUBPART C

Result : PASSED BY dB

Operating Condition : Date:

Detector : CISPR Quasi-Peak (6 dB Bandwidth: 9 kHz)

Power Line Conducted Emissions			FCC Limit	
Frequency (MHz)	Amplitude (dBuV)	conductor	Limit (dBuV)	Margin (dB)
It is not need to test this requirement, because the power of the EUT is supplied from a DC battery.				

Line Conducted Emissions Tabulated Data

## 6.2 Radiated Emission Test

The following table shows the highest levels of radiated emissions on both polarizations of horizontal and vertical.

Humidity Level : 41 %      Temperature : 12□

Limits apply to : FCC CFR 47, PART 15, SUBPART B (Section: 15.109)

Result : PASSED BY -6.30 dB at 40.00 MHz

Operating Condition : RX mode

Date: December 10, 1999

Distance : 3 Meter

Radiated Emissions			Ant	Correction Factors		Total	FCC Limit	
Freq. (MHz)	Ampl. (dBuV)	Detect Mode	Pol.	Ant. (dBuV)	Cable (dB)	Ampl (dBuV/m)	Limit (dBuV/m)	Margin (dB)
40.00	19.4	Peak	V	11.60	2.70	33.70	40.00	-6.30
43.13	18.3	Peak	V	11.36	2.76	32.42	40.00	-7.58
59.02	12.4	Peak	V	9.86	3.00	25.26	40.00	-14.74
105.92	13.3	Peak	H	13.12	3.50	29.92	43.50	-13.58
111.56	14.3	Peak	H	13.85	3.47	31.62	43.50	-11.88
118.44	15.2	Peak	H	13.74	3.54	32.48	43.50	-11.02
122.32	14.0	Peak	H	13.53	3.60	31.13	43.50	-12.37
129.12	11.3	Peak	H	12.95	3.76	28.01	43.50	-15.49
182.32	8.8	Peak	H	15.80	4.15	28.75	43.50	-14.75
209.4	10.6	Peak	H	11.69	4.31	26.60	43.50	-16.90
274.4	10.4	Peak	H	14.09	4.89	29.38	46.00	-16.62
447.7	14.7	Peak	H	16.73	6.16	37.59	46.00	-8.41



Measuring by: Gea Won, Lee / Project Engineer

## 7. FIELD STRENGTH CALCULATION

Meter readings are compared to the specification limit correcting for antenna and cable losses

+ Meter reading (dBuV)

+ Cable Loss (dB)

+ Antenna Factor (Loss) (dB/meter)

---

= Corrected Reading (dBuV/meter)

- Specification Limit (dBuV/meter)

= dB Relative to Spec (+/- dB)

---

**8. LIST OF TEST EQUIPMENT**

No.	EQUIPMENTS	MFR.	MODEL	SER. NO.	LAST CAL	DUE CAL	USE
1.	Test receiver	R/S	ESVS 10	827864/005	SEP/99	12MONTH	■
2.	Spectrum analyzer	HP	8568B	3026A0226	SEP/99	12MONTH	■
3.	RF preselector	HP	85685A	3107A01264	SEP/99	12MONTH	■
4.	Quasi-Peak Adapter	HP	85650A	3107A01542	SEP/99	12MONTH	■
5	Signal Generator	Philips	PM5518-TX	N/A	APR./99	12MONTH	
6.	Pattern generator	N/A	LCG-401	SG-0010126	N/A	N/A	
7.	Dipole Antenna	EMCO	3121C	9107-745	FEB/99	12MONTH	
8.	Biconical antenna	EMCO	3104C	9109-4441 9109-4443 9109-4444	MAR/99	12MONTH	■
9.	Log Periodic antenna	EMCO	3146	9109-3213 9109-3214 9109-3217	MAR/99	12MONTH	■
10.	Conical Log spiral Antenna	EATON	93491-2	340	FEB/99	12MONTH	
11.	LISN	EMCO	3825/2	9109-1867 9109-1869	MAR/99	12MONTH	■
12.	RF Amplifier	HP	8447F	3113A04554	AUG/99	N/A	
13.	Spectrum Analyzer	ADVANTEST	R4131BN	91520070	FEB/99	12MONTH	
14.	Computer System	HP	98581C	98543A	N/A	N/A	■
	Hard disk drive		9153C	CMC762Z9153	N/A	N/A	■
15.	Plotter	HP	7475A	30052 22986	N/A	N/A	■
16.	Position Controller	EMCO	1090	9107-1038	N/A	N/A	■
17.	Turn Table	EMCO	1080-1.21	9109-1576	N/A	N/A	■
18.	Antenna Master	EMCO	1070-1	9109-1624	N/A	N/A	■

**EXHIBIT 4. PHOTO REPORT**

<p style="text-align: center;">SUPERREGENERATIVE RECEIVER CERTIFICATION TO FCC PART 15 REQUIREMENT</p>
--

PRODUCT	REMOTE & PROGRAMABLE VEHICLE STARTING SYSTEM		
FCC ID	OUGRS905M		
MODEL NO.	RS-905M	SERIAL NO.	N/A
APPLICANT & ADDRESS	PROMISE ENGINEERING INC. 1102 N. VASSAULT STREET TACOMA, WA 98406		

REPORT NO.	E99DR-028	ISSUE DATE	December 22, 1999
PREPARED BY: ONETECH CORP. #505 SK APT. FACTORY 223-28, SANGDAEWON 1 DONG, JUNGWON-GU, SEONGNAM-CITY, KYUNGGI-DO, 462-121, KOREA. (TEL: 82-342-746-8500 FAX: 82-342-746-8700)			



**“Please find in/outside photos of EUT at External Photos in Exhibit Type”**

**EXHIBIT 5. USER'S MANUAL & SCHEMATIC (BLOCK DIAGRAM)**

<p style="text-align: center;">SUPERREGENERATIVE RECEIVER CERTIFICATION TO FCC PART 15 REQUIREMENT</p>
--

PRODUCT	REMOTE & PROGRAMABLE VEHICLE STARTING SYSTEM		
FCC ID	OUGRS905M		
MODEL NO.	RS-905M	SERIAL NO.	N/A
APPLICANT & ADDRESS	PROMISE ENGINEERING INC. 1102 N. VASSAULT STREET TACOMA, WA 98406		

REPORT NO.	E99DR-028	ISSUE DATE	December 22, 1999
PREPARED BY: ONETECH CORP. #505 SK APT. FACTORY 223-28, SANGDAEWON 1 DONG, JUNGWON-GU, SEONGNAM-CITY, KYUNGGI-DO, 462-121, KOREA. (TEL: 82-342-746-8500 FAX: 82-342-746-8700)			

**“Please find a manual and block diagram for EUT at User Manual in Exhibit Type”**