

Info	t1	t2	t3/t4	V1	V2	In-A	In-B	
1								
2								
9								





Info	t1	t2	t3/t4	V1	V2	In-A	In-B	
	1							t1 > 185 °C
		1						t2 > 185 °C
			1					t3/t4 > 185 °C
	2							t1 < 0 °C
		2						t2 < 0 °C
			2					t3/t4 < 0 °C
	9	9						$\Delta t (t1-t2) = \text{X}$



Info	t1	t2	t3/t4	V1	V2	In-A	In-B	
				1				V1:
					1			V2:
				2				V1: $p/I = \text{X}$
					2			V2: $p/I = \text{X}$
				3				V1:
					3			V2:
				4				V1:








Info	t1	t2	t3/t4	V1	V2	In-A	In-B
					4		
				6			$V1 > qs$
				6			$V2 > qs$
				7			
				7			
				8			
				8			



Info	t1	t2	t3/t4	V1	V2	In-A	In-B
						7	A2:
						8	A1:
						9	A1/A2:
						7	B2:
						8	B1:
						9	B1/B2:





230 VAC / 50-60 Hz



230 VAC / 50-60 Hz / 1 W

230 VAC / 50-60 Hz / 7 W


24 VAC / 50-60 Hz



24 VAC/VDC / 50-60 Hz / 1 W


24 VAC/VDC / 50-60 Hz / 7 W

230 VAC



230 VAC


24 VAC




24 VAC/VDC




d = 4...10 mm



1



2



3