





Full Unit



Label position
(under salt fill hood)



Label close up.



FCC & IC information on label.



Full Unit



Label position
(under salt fill hood)

IN ALL CORRESPONDENCE REGARDING THE ARTICLE ALWAYS MENTION:

MOD. NO: SER. NO.: DATE CODE:

US PATENT NO. 8000000 NO. 8000000 AND PATENTS PENDING

HARDNESS REMOVED BETWEEN REGENERATIONS	GR/LS OF SALT
	GRAINS WITH
	GRAINS WITH
	GRAINS WITH

PRESSURE DROP WILL NOT EXCEED 15 PSI AT RATED SERVICE FLOW OF G.P.M.

OPERATING TEMPERATURE: 100°F
WORKING PRESSURE: 30-120 PSI
ELECTRICAL RATING: 24 HAC 18 HX 2W
HYDROSTATIC TEST PRESSURE: 300 PSI

THIS UNIT IS NOT INTENDED FOR TREATING WATER THAT IS MICROBIOLOGICALLY UNPURE OR OF UNKNOWN QUALITY WITHOUT ALSO TAKING PRECAUTIONS BEFORE OR AFTER THE SYSTEM.

THE ABOVE RATINGS HAVE BEEN VALIDATED BY THE WATER QUALITY ASSOCIATION AT 35 PSI FOR BEST RESULTS USE CLEAN GRADES OF PELLET OR MUGGET WATER SOFTENER SALT.

THE MAXIMUM SALT EFFICIENCY FOR THIS UNIT IS GR/LB AS TESTED BY WQA, STANDARD S-100-98. WARNING: THIS SOFTENER IS DESIGNED TO ACHIEVE A WQA STANDARD S-101-98 SALT EFFICIENCY RATING OF NOT LESS THAN 3360. TAMPERING WITH SETTINGS MAY BE A VIOLATION OF LAW.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED THAT MAY CAUSE UNDESIRABLE OPERATIONS.

FCC ID: OVA7213206

ECOWATER SYSTEMS
ST. PAUL, MN 55164-9888
1-800-86WATER
1-800-869-2832

Label close up.

NO. XXXXXXXX
NO. XXXXXXXX
AND PATENTS PENDING

DATE:

THE MAXIMUM SALT EFFICIENCY FOR THIS UNIT IS GR/LB AS TESTED BY WQA, STANDARD S-100-98. WARNING: THIS SOFTENER IS DESIGNED TO ACHIEVE A WQA STANDARD S-101-98 SALT EFFICIENCY RATING OF NOT LESS THAN 3360. TAMPERING WITH SETTINGS MAY BE A VIOLATION OF LAW.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED THAT MAY CAUSE UNDESIRABLE OPERATIONS.

FCC ID: OVA7213206

ECOWATER SYSTEMS
ST. PAUL, MN 55164-9888
1-800-86WATER
1-800-869-2832

WATER QUALITY ASSOCIATION AT 35 PSI
GET WATER SOFTENER SALT.

FCC information on label.

Evans, Judy

From: Raymond Laforge [RLAForge@fcc.gov]
Sent: Tuesday, January 14, 2003 11:09 AM
To: jevans@tuvam.com
Subject: Re: label



TEXT.htm

Yes its okay to place label under cover as you describe.



Full Unit



Label position
(under salt fill hood)

IN ALL CORRESPONDENCE REGARDING THE ARTICLE ALWAYS MENTION:

MOD. NO: SER. NO.: DATE CODE:

US PATENT NO. 8000000 NO. 8000000 AND PATENTS PENDING

HARDNESS REMOVED BETWEEN REGENERATIONS	GR/LS OF SALT
	GRAINS WITH
	GRAINS WITH
	GRAINS WITH

PRESSURE DROP WILL NOT EXCEED 15 PSI AT RATED SERVICE FLOW OF G.P.M.

OPERATING TEMPERATURE: 100°F
WORKING PRESSURE: 30-120 PSI
ELECTRICAL RATING: 24 HAC 18 HX 2W
HYDROSTATIC TEST PRESSURE: 300 PSI

THIS UNIT IS NOT INTENDED FOR TREATING WATER THAT IS MICROBIOLOGICALLY UNPURE OR OF UNKNOWN QUALITY WITHOUT ALSO TAKING PRECAUTIONS BEFORE OR AFTER THE SYSTEM.

THE ABOVE RATINGS HAVE BEEN VALIDATED BY THE WATER QUALITY ASSOCIATION AT 35 PSI FOR BEST RESULTS USE CLEAN GRADES OF PELLET OR MUGGET WATER SOFTENER SALT.

THE MAXIMUM SALT EFFICIENCY FOR THIS UNIT IS GR/LB AS TESTED BY WQA, STANDARD S-100-98. WARNING: THIS SOFTENER IS DESIGNED TO ACHIEVE A WQA STANDARD S-101-98 SALT EFFICIENCY RATING OF NOT LESS THAN 3360. TAMPERING WITH SETTINGS MAY BE A VIOLATION OF LAW.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED THAT MAY CAUSE UNDESIRABLE OPERATIONS.

FCC ID: OVA7213206

ECOWATER SYSTEMS
ST. PAUL, MN 55164-9888
1-800-86WATER
1-800-869-2832

Label close up.

NO. XXXXXXXX
NO. XXXXXXXX
AND PATENTS PENDING

DATE:

THE MAXIMUM SALT EFFICIENCY FOR THIS UNIT IS GR/LB AS TESTED BY WQA, STANDARD S-100-98. WARNING: THIS SOFTENER IS DESIGNED TO ACHIEVE A WQA STANDARD S-101-98 SALT EFFICIENCY RATING OF NOT LESS THAN 3360. TAMPERING WITH SETTINGS MAY BE A VIOLATION OF LAW.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED THAT MAY CAUSE UNDESIRABLE OPERATIONS.

FCC ID: OVA7213206

ECOWATER SYSTEMS
ST. PAUL, MN 55164-9888
1-800-86WATER
1-800-869-2832

WATER QUALITY ASSOCIATION AT 35 PSI
GET WATER SOFTENER SALT.

FCC information on label.