

1 **Block Edge Compliance**

FCC: § 24.238a	IC: RSS-129 §6.3
Measurement Procedures: The RF output of the EUT was connected to the input of the spectrum analyzer with sufficient attenuation. The spectrum with no modulation was recorded. <u>For Digital:</u> Modulate with full rate.	

List of Figures

Figure	Mode	Description
1-1	CDMA 1900	Block A Lower edge, Channel 25
1-2		Block A Upper edge, Channel 275
1-3		Block D Lower edge, Channel 325
1-4		Block D Upper edge, Channel 375
1-5		Block B Lower edge, Channel 425
1-6		Block B Upper edge, Channel 675
1-7		Block E Lower edge, Channel 725
1-8		Block E Upper edge, Channel 775
1-9		Block F Lower edge, Channel 825
1-10		Block F Upper edge, Channel 875
1-11		Block C Lower edge, Channel 925
1-12		Block C Upper edge, Channel 1175

Figure 1-1 Block A Lower edge, Channel 25




Figure 1-2 Block A Upper edge, Channel 275




Figure 1-3 Block D Lower edge, Channel 325




Figure 1-4 Block D Upper edge, Channel 375




Figure 1-5 Block B Lower edge, Channel 425




Figure 1-6 Block B Upper edge, Channel 675




Figure 1-7 Block E Lower edge, Channel 725




Figure 1-8 Block E Upper edge, Channel 775




Figure 1-9 Block F Lower edge, Channel 825




Figure 1-10 Block F Upper edge, Channel 875




Figure 1-11 Block C Lower edge, Channel 925




Figure 1-12 Block C Upper edge, Channel 1175

