


APPENDIX B:
SAR Distribution Plots
For
Model KE413

Section 1
SAR Distribution plots for Head Adjacent Use Configuration

04/09/03

CDMA-1900, Ch1175, Left CheekLiquid Temp = 22C +/- Deg. IC
KE4X3


SAM Phantom: Left Hand Section: Position: (90°, 59°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.40, 5.40, 5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 1.25 mW/g, SAR (10g): 0.669 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.09 dB



KWC

04/09/03

CDMA-1900, Ch1175, Left Tilt
 Liquid Temp = 22C +/- Deg. IC
 KE4X3


 SAM Phantom: Left Hand Section: Position: (90°, 59°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.40, 5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 1.23 mW/g, SAR (10g): 0.730 mW/g * Max outside, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.08 dB


KWC

04/09/03

CMDA-1900, Ch1175, Right CheekLiquid Temp = 22C +/- Deg. IC
KE4X3

SAM Phantom; Right Hand Section; Position: (90°,300°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 1.12 mW/g, SAR (10g): 0.645 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.11 dB




KWC

04/09/03


CMDA-1900, Ch25, Right TiltLiquid Temp = 22C +/- Deg IC
KE4X3

SAM Phantom; Right Hand Section; Position: (79°,300°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 1.32 mW/g, SAR (10g): 0.759 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.12 dB



04/09/03

CMDA-1900, Ch25, Right Tilt, BackPack Clip
 Liquid Temp = 22C +/- Deg. IC
 KE4X3

 SAM Phantom; Right Hand Section; Position: (79°,300°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 1.28 mW/g, SAR (10g): 0.742 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.09 dB


04/09/03

CDMA-1900 ch25 Right Tilt with Backpack Clip

Liquid Temp = 22C/+/-deg.1C


KE413

SAM Phantom; Section; Position : Frequency: 1900 MHz

Probe: ET3DV6 - SN1712; CoaxVF(5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$

Z: 0

Z-Axis; Dx = 0.0, Dy = 0.0, Dz = 5.0




KWC

Section 2
SAR Distribution plots for Body Worn Configuration

04/09/03

CMDA-1900, Ch600, Flat, Belt Clip
 Liquid Temp = 22C +/- Deg. IC
 KE4X3
 SAM Phantom, Flat Section, Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00, 5.00, 5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³
 Cube 7x7x7: SAR (1g): 0.544 mW/g, SAR (10g): 0.328 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.12 dB



04/09/03

CMDA-1900, Ch600, Flat, Leather Case

Liquid Temp = 22C +/- Deg IC

KE4X3


SAM Phantom, Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1712; ConvF(5.00,5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle; $\sigma = 1.48$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7; SAR (1g): 0.442 mW/g, SAR (10g): 0.267 mW/g. (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.02 dB



04/09/03

CMDA-1900, Ch600, Flat, Air(22.5mm of spaces)

Liquid Temp = 22C +/- Deg. IC
KE4X3

SAM Phantom: Flat Section, Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00, 5.00, 5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³
 Cube 7x7x7: SAR (1g): 0.416 mW/g, SAR (10g): 0.258 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.20 dB

