

APPENDIX B-3:
SAR Distribution Plots
For
Model SE44
CDMA Mode 1900 MHz Band

Section 1

SAR Distribution plots for Head Adjacent Use Configuration

11/01/03

SE44

CDMA-1900 ch25 Left Cheek Antenna Extended

Liquid Temp: 22C +/- 1deg C


SAM Phantom; Left Hand Section; Position: (90°, 59°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40, 5.40, 5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

Cube 7x7x7; SAR (1g): 0.764 mW/g, SAR (10g): 0.435 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.12 dB



KWC

11/01/03

SE44

CDMA-1900 ch25 Left Cheek Antenna Extended


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44

CDMA-1900 ch1175 Left Cheek Antenna Retracted

Liquid Temp: 22C \pm 1deg C


SAM Phantom, Left Hand Section; Position: (90°,59°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.212 mW/g, SAR (10g): 0.116 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.02 dB



KWC

11/01/03

SE44

CDMA-1900 ch1175 Left Cheek Antenna Retracted


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44

CDMA-1900 ch25 Left Tilt Antenna Extended

Liquid Temp: 22C+/-1deg C


SAM Phantom, Left Hand Section; Position: (90°,59°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

Cube 7x7x7: SAR (1g): 0.567 mW/g, SAR (10g): 0.331 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.10 dB



KWC

11/01/03

SE44

CDMA-1900 ch25 Left Tilt Antenna Extended


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44

CDMA-1900 ch25 Left Tilt Antenna Retracted

Liquid Temp: 22C+/-1deg C


SAM Phantom, Left Hand Section; Position: (90°,59°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.145 mW/g, SAR (10g): 0.0818 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.09 dB



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Cheek Antenna Extended

Liquid Temp: 22C+/-1deg C


SAM Phantom, Right Hand Section; Position: (90°, 300°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.857 mW/g, SAR (10g): 0.477 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.06 dB



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Cheek Antenna Extended


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




KWC

11/01/03

SE44

CDMA-1900 ch1175 Right Cheek Antenna Retracted
 Liquid Temp: 22C+/-1deg C
 SAM Phantom, Right Hand Section; Position: (90°,300°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.269 mW/g, SAR (10g): 0.145 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.20 dB



KWC

11/01/03

SE44

CDMA-1900 ch1175 Right Cheek Antenna Retracted


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Tilt Antenna Extended


Liquid Temp: 22C+/-1deg C

SAM Phantom, Right Hand Section; Position: (90°, 300°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.587 mW/g, SAR (10g): 0.345 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Tilt Antenna Extended


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$

; ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Tilt Antenna Retracted

Liquid Temp: 22C+/-1deg C


SAM Phantom, Right Hand Section; Position: (90°, 300°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$, $\epsilon_r = 40.0$, $\rho = 1.00 \text{ g/cm}^3$

Cube 7x7x7: SAR (1g): 0.118 mW/g, SAR (10g): 0.0674 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.02 dB



KWC

11/01/03

SE44

CDMA-1900 ch25 Right Tilt Antenna Retracted


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(5.40,5.40,5.40); Crest factor: 1.0; 1900 MHz Brain: $\sigma = 1.43 \text{ mho/m}$ $\epsilon_r = 40.0$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

Section 2

SAR Distribution plots for Body Worn Configuration

11/03/03

SE44

CDMA-1900 ch25 Flat with 25mm Air Gap Antenna Extended

Liquid Temp: 22C +/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(4.90, 4.90, 4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48 \text{ mho/m}$, $\epsilon_r = 53.3$, $\rho = 1.00 \text{ g/cm}^3$

Cube 7x7x7; SAR (1g): 0.991 mW/g, SAR (10g): 0.580 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.07 dB



KWC

11/03/03

SE44

CDMA-1900 ch25 Flat with 25mm Air Gap Antenna Extended


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 53.3$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




KWC

11/03/03

SE44

CDMA-1900 ch25 Flat with 25mm Air Gap Antenna Retracted
 Liquid Temp: 22C+/-1deg C
 SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 53.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.321 mW/g, SAR (10g): 0.191 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: 0.08 dB



KWC

11/03/03

SE44

CDMA-1900 ch25 Flat with 25mm Air Gap Antenna Retracted


Liquid Temp: 22C +/- 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 53.3$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



KWC

11/01/03

SE44


CDMA-1900 ch25 Flat with Kyocera Belt Clip Antenna Extended

Liquid Temp: 22C \pm 1deg CSAM Phantom; Flat Section; Position: (90 $^\circ$, 90 $^\circ$); Frequency: 1900 MHzProbe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm 3

Cube 7x7x7: SAR (1g): 0.609 mW/g, SAR (10g): 0.371 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.03 dB




KWC

11/01/03

SE44

CDMA-1900 ch25 Flat with Kyocera Belt Clip Antenna Extended
 Liquid Temp: 22C +/- 1deg.C
 SAM Phantom; Section; Position; Frequency: 1900 MHz
 Probe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.4$ $\rho = 1.00 \text{ g/cm}^3$
 : , ()
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




KWC

11/01/03

SE44

CDMA-1900 ch25 Flat with Kyocera Belt Clip Antenna Retracted
 Liquid Temp: 22C \pm 1deg C
 SAM Phantom, Flat Section; Position: (90 $^\circ$, 90 $^\circ$); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1664; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm 3
 Cube 7x7x7: SAR (1g): 0.285 mW/g, SAR (10g): 0.173 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.02 dB




KWC

12/11/03

SE44

CDMA-1900 ch600 Flat with 25mm Air Gap, Antenna Extended
 Liquid Temp = 22C^{+/-} 1deg.C
 SAM Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.753 mW/g, SAR (10g): 0.428 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: 0.15 dB



Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with 25mm Air Gap, Antenna Extended


Liquid Temp = 22C(+/- 1deg.C

SAM Phantom; Section; Position;; Frequency: 1900 MHz

Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with 25mm Air Gap, Antenna Retracted
 Liquid Temp = 22C^{+/-} 1deg C
 SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.306 mW/g, SAR (10g): 0.185 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: 0.04 dB



Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with 25mm Air Gap, Antenna Retracted


Liquid Temp = 22C(+/- 1deg.C

SAM Phantom; Section; Position;; Frequency: 1900 MHz

Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with Kyocera Belt Clip, Antenna Extended
 Liquid Temp = 22C[±] 1deg C
 SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.425 mW/g, SAR (10g): 0.258 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.12 dB



Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with Kyocera Belt Clip, Antenna Extended


Liquid Temp = 22C[±] 1deg.C

SAM Phantom; Section; Position;; Frequency: 1900 MHz

Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with Kyocera Belt Clip, Antenna Retracted
 Liquid Temp = 22C \pm 1 deg C
 SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1663; ConvF(4.90, 4.90, 4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³
 Cube 7x7x7: SAR (1g): 0.242 mW/g, SAR (10g): 0.148 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.02 dB



Kyocera Wireless Corp.

12/11/03

SE44

CDMA-1900 ch600 Flat with Kyocera Belt Clip, Antenna Retracted


Liquid Temp = 22C[±] 1deg.C

SAM Phantom; Section; Position; Frequency: 1900 MHz

Probe: ET3DV6 - SN1663; ConvF(4.90,4.90,4.90); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.49 \text{ mho/m}$ $\epsilon_r = 53.2$ $\rho = 1.00 \text{ g/cm}^3$

: , ()

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.