



RF EXPOSURE REPORT

REPORT NO.: SA970619L01A

MODEL NO.: HF-23

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Nokia GmbH

ADDRESS: Lise-Meitner-Strasse 10, 89081 Ulm, Germany

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan,
R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	1.660	1.466
EIRP Power	3.560	2.270

***Note:** The antenna is F antenna with 1.9dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 2.270mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold