



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

APPENDIX B - SYSTEM PERFORMANCE CHECK PLOTS

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 120 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

Date Tested: 05/30/2013

System Performance Check - 450 MHz Dipole - Head

DUT: Dipole 450 MHz; Type: D450V3; Serial: 1068; Calibrated: 04/27/2012

Program Notes: Ambient Temp: 23.0C; Fluid Temp: 21.0C; Barometric Pressure: 101.5 kPa; Humidity: 32%

Communication System: CW

Frequency: 450 MHz; Duty Cycle: 1:1

Medium: HSL450 Medium parameters used: $f = 450 \text{ MHz}$; $\sigma = 0.88 \text{ mho/m}$; $\epsilon_r = 45.5$; $\rho = 1000 \text{ kg/m}^3$

- Probe: ET3DV6 - SN1590; ConvF(7.53, 7.53, 7.53); Calibrated: 24/04/2013
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn353; Calibrated: 19/04/2012
- Phantom: Barski Industries; Type: Fiberglass Planar; Serial: 03-01
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Head d=15mm Pin=398mW/Area Scan (6x11x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 1.96 mW/g


Head d=15mm Pin=398mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm


Reference Value = 49.0 V/m; Power Drift = 0.010 dB

Peak SAR (extrapolated) = 3.03 W/kg


SAR(1 g) = 1.93 mW/g; SAR(10 g) = 1.28 mW/g



Maximum value of SAR (measured) = 2.05 mW/g



Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 121 of 182

Z-Axis Scan



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

Date Tested: 06/03/2013

System Performance Check - 450 MHz Dipole – Body

DUT: Dipole 450 MHz; Type: D450V3; Serial: 1068; Calibrated: 04/27/2012

Program Notes: Ambient Temp: 22C; Fluid Temp: 21.8C; Barometric Pressure: 101.7 kPa; Humidity: 36%

Communication System: CW

Frequency: 450 MHz; Duty Cycle: 1:1


Medium: M450 Medium parameters used: $f = 450 \text{ MHz}$; $\sigma = 0.94 \text{ mho/m}$; $\epsilon_r = 57.4$; $\rho = 1000 \text{ kg/m}^3$


- Probe: ET3DV6 - SN1590; ConvF(7.98, 7.98, 7.98); Calibrated: 24/04/2013
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn353; Calibrated: 19/04/2012
- Phantom: Barski Industries; Type: Fiberglass Planar; Serial: 03-01
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Body d=15mm Pin=398mW/Area Scan (6x11x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 1.84 mW/g


Body d=15mm Pin=398mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm
Reference Value = 46.3 V/m; Power Drift = -0.055 dB
Peak SAR (extrapolated) = 2.94 W/kg



SAR(1 g) = 1.84 mW/g; SAR(10 g) = 1.22 mW/g
Maximum value of SAR (measured) = 1.96 mW/g



Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 123 of 182

Z-Axis Scan



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

Date Tested: 06/06/2013

System Performance Check - 450 MHz Dipole - Body

DUT: Dipole 450 MHz; Type: D450V3; Serial: 1068; Calibrated: 04/27/2012

Program Notes: Ambient Temp: 22C; Fluid Temp: 21.9C; Barometric Pressure: 101.3 kPa; Humidity: 31%

Communication System: CW

Frequency: 450 MHz; Duty Cycle: 1:1

Medium: M450 Medium parameters used: $f = 450 \text{ MHz}$; $\sigma = 0.93 \text{ mho/m}$; $\epsilon_r = 56.5$; $\rho = 1000 \text{ kg/m}^3$

- Probe: ET3DV6 - SN1590; ConvF(7.98, 7.98, 7.98); Calibrated: 24/04/2013
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn353; Calibrated: 19/04/2012
- Phantom: Barski Industries; Type: Fiberglass Planar; Serial: 03-01
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Body d=15mm Pin=398mW/Area Scan (6x11x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 1.72 mW/g


Body d=15mm Pin=398mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm


Reference Value = 45.2 V/m; Power Drift = 0.048 dB

Peak SAR (extrapolated) = 2.85 W/kg


SAR(1 g) = 1.79 mW/g; SAR(10 g) = 1.19 mW/g



Maximum value of SAR (measured) = 1.90 mW/g




Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 125 of 182



Z-Axis Scan



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

APPENDIX C - MEASURED FLUID DIELECTRIC PARAMETERS

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 127 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


450 MHz Head



Celltech Labs
Test Result for UIM Dielectric Parameter
30/May/2013
Frequency(GHz)

FCC_eHFCC OET 65 Supplement C (June 2001) Limits for Head Epsilon
FCC_sHFCC OET 65 Supplement C (June 2001) Limits for Head Sigma

Test_e Epsilon of UIM
Test_s Sigma of UIM

Freq	FCC_eHFCC_sH	Test_e	Test_s
0.3500	44.70 0.87	48.58	0.80
0.3600	44.58 0.87	47.91	0.82
0.3700	44.46 0.87	47.10	0.82
0.3800	44.34 0.87	46.98	0.83
0.3900	44.22 0.87	47.05	0.81
0.4000	44.10 0.87	46.66	0.84
0.4100	43.98 0.87	46.68	0.83
0.4200	43.86 0.87	45.87	0.85
0.4300	43.74 0.87	46.32	0.86
0.4400	43.62 0.87	45.65	0.87
0.4500	43.50 0.87	45.49	0.88
0.4600	43.45 0.87	44.92	0.87
0.4700	43.40 0.87	45.47	0.91
0.4800	43.34 0.87	45.09	0.91
0.4900	43.29 0.87	44.75	0.91
0.5000	43.24 0.87	44.51	0.91
0.5100	43.19 0.87	44.25	0.93
0.5200	43.14 0.88	43.98	0.93
0.5300	43.08 0.88	43.61	0.96
0.5400	43.03 0.88	44.06	0.96
0.5500	42.98 0.88	43.40	0.98

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 128 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


450 MHz Head



Celltech Labs
 Test Result for UIM Dielectric Parameter
 31/May/2013
 Frequency(GHz)

FCC_eHFCC OET 65 Supplement C (June 2001) Limits for Head Epsilon
 FCC_sHFCC OET 65 Supplement C (June 2001) Limits for Head Sigma

Test_e Epsilon of UIM
 Test_s Sigma of UIM

Freq	FCC_eHFCC_sH	Test_e	Test_s
0.3500	44.70 0.87	47.95	0.79
0.3600	44.58 0.87	47.01	0.79
0.3700	44.46 0.87	46.59	0.80
0.3800	44.34 0.87	45.81	0.81
0.3900	44.22 0.87	45.85	0.82
0.4000	44.10 0.87	45.31	0.82
0.4100	43.98 0.87	45.60	0.84
0.4200	43.86 0.87	45.95	0.83
0.4300	43.74 0.87	45.43	0.85
0.4400	43.62 0.87	45.35	0.86
0.4500	43.50 0.87	44.63	0.88
0.4600	43.45 0.87	44.79	0.88
0.4700	43.40 0.87	44.73	0.89
0.4800	43.34 0.87	44.44	0.90
0.4900	43.29 0.87	43.87	0.90
0.5000	43.24 0.87	44.16	0.91
0.5100	43.19 0.87	43.28	0.91
0.5200	43.14 0.88	43.24	0.94
0.5300	43.08 0.88	43.33	0.94
0.5400	43.03 0.88	43.10	0.95
0.5500	42.98 0.88	43.15	0.96


Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 129 of 182



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

450 MHz Body

Celltech Labs
Test Result for UIM Dielectric Parameter
03/04/05/Jun/2013
Frequency(GHz)
FCC_eB FCC Limits for Body Epsilon
FCC_sB FCC Limits for Body Sigma
Test_e Epsilon of UIM
Test_s Sigma of UIM

Freq	FCC_eB	FCC_sB	Test_e	Test_s
0.3500	57.70	0.93	59.25	0.89
0.3600	57.60	0.93	59.37	0.86
0.3700	57.50	0.93	58.66	0.88
0.3800	57.40	0.93	59.52	0.88
0.3900	57.30	0.93	58.45	0.90
0.4000	57.20	0.93	57.68	0.90
0.4100	57.10	0.93	58.29	0.91
0.4200	57.00	0.94	58.11	0.92
0.4300	56.90	0.94	58.14	0.93
0.4400	56.80	0.94	57.79	0.94
0.4500	56.70	0.94	57.37	0.94
0.4600	56.66	0.94	57.46	0.96
0.4700	56.62	0.94	56.92	0.95
0.4800	56.58	0.94	56.84	0.97
0.4900	56.54	0.94	56.86	0.97
0.5000	56.51	0.94	56.86	0.99
0.5100	56.47	0.94	56.45	0.98
0.5200	56.43	0.95	56.30	0.99
0.5300	56.39	0.95	56.34	1.02
0.5400	56.35	0.95	56.31	1.02
0.5500	56.31	0.95	56.17	1.05


Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 130 of 182



	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

450 MHz Body


Celltech Labs
Test Result for UIM Dielectric Parameter
06/07/Jun/2013
Frequency(GHz)
FCC_eB FCC Limits for Body Epsilon
FCC_sB FCC Limits for Body Sigma
Test_e Epsilon of UIM
Test_s Sigma of UIM




Freq	FCC_eB	FCC_sB	Test_e	Test_s
0.3500	57.70	0.93	59.17	0.85
0.3600	57.60	0.93	58.20	0.84
0.3700	57.50	0.93	57.78	0.88
0.3800	57.40	0.93	57.65	0.88
0.3900	57.30	0.93	57.39	0.86
0.4000	57.20	0.93	57.31	0.90
0.4100	57.10	0.93	57.73	0.90
0.4200	57.00	0.94	57.37	0.92
0.4300	56.90	0.94	57.44	0.90
0.4400	56.80	0.94	56.11	0.90
0.4500	56.70	0.94	56.46	0.93
0.4600	56.66	0.94	56.64	0.93
0.4700	56.62	0.94	56.92	0.94
0.4800	56.58	0.94	56.67	0.94
0.4900	56.54	0.94	55.87	0.98
0.5000	56.51	0.94	55.91	0.97
0.5100	56.47	0.94	55.63	0.97
0.5200	56.43	0.95	55.23	0.99
0.5300	56.39	0.95	55.97	1.00
0.5400	56.35	0.95	55.64	1.00
0.5500	56.31	0.95	55.34	1.01

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 131 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS


Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 132 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	  Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 5, Audio Acc. G8a

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 133 of 182


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 5, Audio Acc. G8a, Antenna 1





Body-worn Test Setup – Body-worn Acc. 5, Audio Acc. G8a, Antenna 2



Body-worn Test Setup – Body-worn Acc. 5, Audio Acc. G8a, Antenna 3




Body-worn Test Setup – Body-worn Acc. 5, Audio Acc. G8a, Antenna 4

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 1, Audio Acc. G8a

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 135 of 182


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 1, Audio Acc. G8a, Antenna 1





Body-worn Test Setup – Body-worn Acc. 1, Audio Acc. G8a, Antenna 2



Body-worn Test Setup – Body-worn Acc. 1, Audio Acc. G8a, Antenna 3




Body-worn Test Setup – Body-worn Acc. 1, Audio Acc. G8a, Antenna 4

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 3, Audio Acc. G8a

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 137 of 182


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 3, Audio Acc. G8a, Antenna 1





Body-worn Test Setup – Body-worn Acc. 3, Audio Acc. G8a, Antenna 2



Body-worn Test Setup – Body-worn Acc. 3, Audio Acc. G8a, Antenna 3




Body-worn Test Setup – Body-worn Acc. 3, Audio Acc. G8a, Antenna 4

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 4, Audio Acc. G8a

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 139 of 182


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 4, Audio Acc. G8a, Antenna 1





Body-worn Test Setup – Body-worn Acc. 4, Audio Acc. G8a, Antenna 2



Body-worn Test Setup – Body-worn Acc. 4, Audio Acc. G8a, Antenna 3




Body-worn Test Setup – Body-worn Acc. 4, Audio Acc. G8a, Antenna 4

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 6, Audio Acc. G8a,

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 141 of 182


BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Test Setup – Body-worn Acc. 6, Audio Acc. G8a, Antenna 1





Body-worn Test Setup – Body-worn Acc. 6, Audio Acc. G8a, Antenna 2




Body-worn Test Setup – Body-worn Acc. 6, Audio Acc. G8a, Antenna 3



Body-worn Test Setup – Body-worn Acc. 6, Audio Acc. G8a, Antenna 4

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS



Body-worn Acc. 5, Audio Acc. G1a, Antenna 4




Body-worn Acc. 5, Audio Acc. G2a, Antenna 4





Body-worn Acc. 5, Audio Acc. G3a, Antenna 4



Body-worn Acc. 5, Audio Acc. G6a, Antenna 4

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 143 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Body-worn Acc. 5, Audio Acc. G4d, Antenna 4





Body-worn Acc. 5, Audio Acc. G5, Antenna 4



Body-worn Acc. 5, Audio Acc. G7a, Antenna 4


Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	YG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 144 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


FACE-HELD SAR TEST SETUP PHOTOGRAPHS



Face-held Test Setup Configuration

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	YG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 145 of 182


FACE-HELD SAR TEST SETUP PHOTOGRAPHS




Face-Held Test Setup - Antenna 1



Face-Held Test Setup - Antenna 2



Face-Held Test Setup - Antenna 3



Face-Held Test Setup - Antenna 4

DUT PHOTOGRAPHS



System Radio Front Side



System Radio Left Side



System Radio Back Side





System Radio Right Side



System Radio Top end



System Radio Bottom end

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	




Back of System Radio without battery





Back of System Radio with Battery and Swivel Mount



Side of System Radio with Battery and Swivel Mount

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 148 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



Scan Radio Front Side



Scan Radio Left Side



Scan Radio Back Side




Scan Radio Right Side



Scan Radio Top end



Scan Radio Bottom end


Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 149 of 182



Antenna 1 (P/N: KRE 101 1219/10)





Antenna 2 (P/N: KRE 101 1219/12)



Antenna 3 (P/N: KRE 101 1223/10)



Antenna 4 (P/N: KRE 101 1223/12)

	Date(s) of Evaluation May 30-Jun7, 2013	Test Report Serial No. 052813OWD-1235SAR	Test Report Revision No. Rev. 1.0 (1st Release)	
	Test Report Issue Date Jun. 14, 2013	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	



Battery a - Ni-MH NIS - Front

Battery a - Ni-MH NIS - Side


Battery a - Ni-MH NIS - Back



Battery a - Ni-MH NIS - Side



Battery a - Ni-MH NIS - Top end

Battery a - Ni-MH NIS - Bottom end

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 151 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



Battery b - Ni-MH IS - Front

Battery b - Ni-MH IS - Side


Battery b - Ni-MH IS - Back



Battery b - Ni-MH IS - Side



Battery b - Ni-MH IS - Top end

Battery b - Ni-MH IS - Bottom end

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 152 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



Battery c - Li-ion NIS - Front



Battery c - Li-ion NIS - Side



Battery c - Li-ion NIS - Back




Battery c - Li-ion NIS - Side





Battery c - Li-ion NIS - Top end



Battery c - Li-ion NIS - Bottom end

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 153 of 182

	<u>Date(s) of Evaluation</u> May 30-Jun7, 2013	<u>Test Report Serial No.</u> 052813OWD-1235SAR	<u>Test Report Revision No.</u> Rev. 1.0 (1st Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> Jun. 14, 2013	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



Battery d - Li-poly NIS - Front



Battery d - Li-poly NIS - Side



Battery d - Li-poly NIS - Back




Battery d - Li-poly NIS - Side



Battery d - Li-poly NIS - Top end



Battery d - Li-poly NIS - Bottom end

Applicant:	HARRIS Corporation	FCC ID:	OWDTR-0109-E	IC:	3636B-0109	
DUT Type:	Portable UHF Band PTT Radio Transceiver with Bluetooth	DUT Name:	XG-25P UHF-L			
2013 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 154 of 182