

1. Effective (Isotropic) Radiated Power Output Data

1.1 B7_5MHz_EIRP

1.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2502.5	1	0	22.62	2.6	25.22	<=33.01	Pass		
			13	22.69	2.6	25.29	<=33.01	Pass		
			24	22.67	2.6	25.27	<=33.01	Pass		
		12	0	21.58	2.6	24.18	<=33.01	Pass		
			6	21.69	2.6	24.29	<=33.01	Pass		
			13	21.51	2.6	24.11	<=33.01	Pass		
		25	0	21.59	2.6	24.19	<=33.01	Pass		
		2535	1	0	22.79	2.6	25.39	<=33.01	Pass	
				13	22.73	2.6	25.33	<=33.01	Pass	
	24			22.61	2.6	25.21	<=33.01	Pass		
	12		0	21.78	2.6	24.38	<=33.01	Pass		
			6	21.82	2.6	24.42	<=33.01	Pass		
			13	21.68	2.6	24.28	<=33.01	Pass		
	25		0	21.75	2.6	24.35	<=33.01	Pass		
	2567.5		1	0	23.17	2.6	25.77	<=33.01	Pass	
				13	23.33	2.6	25.93	<=33.01	Pass	
		24		23.3	2.6	25.9	<=33.01	Pass		
		12	0	22.57	2.6	25.17	<=33.01	Pass		
			6	22.44	2.6	25.04	<=33.01	Pass		
			13	22.52	2.6	25.12	<=33.01	Pass		
		25	0	22.48	2.6	25.08	<=33.01	Pass		
		16QAM	2502.5	1	0	20.8	2.6	23.4	<=33.01	Pass
					13	20.79	2.6	23.39	<=33.01	Pass
	24				20.78	2.6	23.38	<=33.01	Pass	
12	0			20.7	2.6	23.3	<=33.01	Pass		
	6			20.75	2.6	23.35	<=33.01	Pass		
	13			20.66	2.6	23.26	<=33.01	Pass		
25	0			20.75	2.6	23.35	<=33.01	Pass		
2535	1			0	21.88	2.6	24.48	<=33.01	Pass	
				13	21.84	2.6	24.44	<=33.01	Pass	
			24	21.69	2.6	24.29	<=33.01	Pass		
	12		0	20.88	2.6	23.48	<=33.01	Pass		
			6	20.77	2.6	23.37	<=33.01	Pass		
			13	20.8	2.6	23.4	<=33.01	Pass		
	25		0	20.8	2.6	23.4	<=33.01	Pass		
	2567.5		1	0	21.57	2.6	24.17	<=33.01	Pass	
				13	21.61	2.6	24.21	<=33.01	Pass	
24				21.6	2.6	24.2	<=33.01	Pass		
12			0	20.52	2.6	23.12	<=33.01	Pass		
			6	20.56	2.6	23.16	<=33.01	Pass		
			13	20.56	2.6	23.16	<=33.01	Pass		
25			0	20.65	2.6	23.25	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B7_10MHz_EIRP

1.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2505	1	0	22.59	2.6	25.19	<=33.01	Pass		
			25	22.62	2.6	25.22	<=33.01	Pass		
			49	22.68	2.6	25.28	<=33.01	Pass		
		25	0	21.52	2.6	24.12	<=33.01	Pass		
			13	21.5	2.6	24.1	<=33.01	Pass		
			25	21.48	2.6	24.08	<=33.01	Pass		
		50	0	21.55	2.6	24.15	<=33.01	Pass		
		2535	1	0	22.82	2.6	25.42	<=33.01	Pass	
				25	22.64	2.6	25.24	<=33.01	Pass	
	49			22.53	2.6	25.13	<=33.01	Pass		
	25		0	21.67	2.6	24.27	<=33.01	Pass		
			13	21.63	2.6	24.23	<=33.01	Pass		
			25	21.59	2.6	24.19	<=33.01	Pass		
	50		0	21.63	2.6	24.23	<=33.01	Pass		
	2565		1	0	23.31	2.6	25.91	<=33.01	Pass	
				25	23.38	2.6	25.98	<=33.01	Pass	
		49		23.49	2.6	26.09	<=33.01	Pass		
		25	0	22.43	2.6	25.03	<=33.01	Pass		
			13	22.46	2.6	25.06	<=33.01	Pass		
			25	22.44	2.6	25.04	<=33.01	Pass		
		50	0	22.35	2.6	24.95	<=33.01	Pass		
		16QAM	2505	1	0	21.1	2.6	23.7	<=33.01	Pass
					25	21.1	2.6	23.7	<=33.01	Pass
	49				21.18	2.6	23.78	<=33.01	Pass	
25	0			20.76	2.6	23.36	<=33.01	Pass		
	13			20.72	2.6	23.32	<=33.01	Pass		
	25			20.77	2.6	23.37	<=33.01	Pass		
50	0			20.59	2.6	23.19	<=33.01	Pass		
2535	1			0	21.96	2.6	24.56	<=33.01	Pass	
				25	21.83	2.6	24.43	<=33.01	Pass	
			49	21.7	2.6	24.3	<=33.01	Pass		
	25		0	20.9	2.6	23.5	<=33.01	Pass		
			13	20.75	2.6	23.35	<=33.01	Pass		
			25	20.74	2.6	23.34	<=33.01	Pass		
	50		0	20.84	2.6	23.44	<=33.01	Pass		
	2565		1	0	21.49	2.6	24.09	<=33.01	Pass	
				25	21.54	2.6	24.14	<=33.01	Pass	
49				21.66	2.6	24.26	<=33.01	Pass		
25			0	20.58	2.6	23.18	<=33.01	Pass		
			13	20.54	2.6	23.14	<=33.01	Pass		
			25	20.64	2.6	23.24	<=33.01	Pass		
50			0	20.52	2.6	23.12	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B7_15MHz_EIRP

1.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2507.5	1	0	22.39	2.6	24.99	<=33.01	Pass		
			38	22.41	2.6	25.01	<=33.01	Pass		
			74	22.62	2.6	25.22	<=33.01	Pass		
		36	0	21.52	2.6	24.12	<=33.01	Pass		
			18	21.53	2.6	24.13	<=33.01	Pass		
			39	21.59	2.6	24.19	<=33.01	Pass		
		75	0	21.46	2.6	24.06	<=33.01	Pass		
		2535	1	0	22.85	2.6	25.45	<=33.01	Pass	
				38	22.66	2.6	25.26	<=33.01	Pass	
	74			22.68	2.6	25.28	<=33.01	Pass		
	36		0	21.79	2.6	24.39	<=33.01	Pass		
			18	21.68	2.6	24.28	<=33.01	Pass		
			39	21.54	2.6	24.14	<=33.01	Pass		
	75		0	21.71	2.6	24.31	<=33.01	Pass		
	2562.5		1	0	23.12	2.6	25.72	<=33.01	Pass	
				38	23.43	2.6	26.03	<=33.01	Pass	
		74		23.5	2.6	26.1	<=33.01	Pass		
		36	0	22.32	2.6	24.92	<=33.01	Pass		
			18	22.29	2.6	24.89	<=33.01	Pass		
			39	22.51	2.6	25.11	<=33.01	Pass		
		75	0	22.32	2.6	24.92	<=33.01	Pass		
		16QAM	2507.5	1	0	21.77	2.6	24.37	<=33.01	Pass
					38	21.77	2.6	24.37	<=33.01	Pass
	74				21.94	2.6	24.54	<=33.01	Pass	
36	0			20.73	2.6	23.33	<=33.01	Pass		
	18			20.71	2.6	23.31	<=33.01	Pass		
	39			20.94	2.6	23.54	<=33.01	Pass		
75	0			20.79	2.6	23.39	<=33.01	Pass		
2535	1			0	22.22	2.6	24.82	<=33.01	Pass	
				38	21.94	2.6	24.54	<=33.01	Pass	
			74	21.9	2.6	24.5	<=33.01	Pass		
	36		0	20.99	2.6	23.59	<=33.01	Pass		
			18	20.84	2.6	23.44	<=33.01	Pass		
			39	20.76	2.6	23.36	<=33.01	Pass		
	75		0	20.77	2.6	23.37	<=33.01	Pass		
	2562.5		1	0	22.55	2.6	25.15	<=33.01	Pass	
				38	22.75	2.6	25.35	<=33.01	Pass	
74				22.9	2.6	25.5	<=33.01	Pass		
36			0	21.34	2.6	23.94	<=33.01	Pass		
			18	21.44	2.6	24.04	<=33.01	Pass		
			39	21.53	2.6	24.13	<=33.01	Pass		
75			0	21.43	2.6	24.03	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B7_20MHz_EIRP

1.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2510	1	0	22.56	2.6	25.16	<=33.01	Pass		
			50	22.57	2.6	25.17	<=33.01	Pass		
			99	22.87	2.6	25.47	<=33.01	Pass		
		50	0	21.59	2.6	24.19	<=33.01	Pass		
			25	21.63	2.6	24.23	<=33.01	Pass		
			50	21.72	2.6	24.32	<=33.01	Pass		
		100	0	21.75	2.6	24.35	<=33.01	Pass		
		2535	1	0	22.95	2.6	25.55	<=33.01	Pass	
				50	22.69	2.6	25.29	<=33.01	Pass	
	99			22.71	2.6	25.31	<=33.01	Pass		
	50		0	21.88	2.6	24.48	<=33.01	Pass		
			25	21.75	2.6	24.35	<=33.01	Pass		
			50	21.62	2.6	24.22	<=33.01	Pass		
	100		0	21.75	2.6	24.35	<=33.01	Pass		
	2560		1	0	23.14	2.6	25.74	<=33.01	Pass	
				50	23.43	2.6	26.03	<=33.01	Pass	
		99		23.67	2.6	26.27	<=33.01	Pass		
		50	0	22.13	2.6	24.73	<=33.01	Pass		
			25	22.26	2.6	24.86	<=33.01	Pass		
			50	22.41	2.6	25.01	<=33.01	Pass		
		100	0	22.16	2.6	24.76	<=33.01	Pass		
		16QAM	2510	1	0	21.22	2.6	23.82	<=33.01	Pass
					50	21.4	2.6	24	<=33.01	Pass
	99				21.7	2.6	24.3	<=33.01	Pass	
50	0			20.78	2.6	23.38	<=33.01	Pass		
	25			20.89	2.6	23.49	<=33.01	Pass		
	50			20.91	2.6	23.51	<=33.01	Pass		
100	0			20.79	2.6	23.39	<=33.01	Pass		
2535	1			0	22.46	2.6	25.06	<=33.01	Pass	
				50	22.27	2.6	24.87	<=33.01	Pass	
			99	22.26	2.6	24.86	<=33.01	Pass		
	50		0	21.05	2.6	23.65	<=33.01	Pass		
			25	20.81	2.6	23.41	<=33.01	Pass		
			50	20.79	2.6	23.39	<=33.01	Pass		
	100		0	20.7	2.6	23.3	<=33.01	Pass		
	2560		1	0	22.66	2.6	25.26	<=33.01	Pass	
				50	22.98	2.6	25.58	<=33.01	Pass	
99				22.23	2.6	24.83	<=33.01	Pass		
50			0	21.17	2.6	23.77	<=33.01	Pass		
			25	21.37	2.6	23.97	<=33.01	Pass		
			50	21.47	2.6	24.07	<=33.01	Pass		
100			0	21.34	2.6	23.94	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B7_5MHz

2.1.1 Test Result

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	12	23.977	0.0096	-2.5 to 2.5	Pass
					24	8.250	0.0033	-2.5 to 2.5	Pass
					48	-1.912	-0.0008	-2.5 to 2.5	Pass
				-30	24	-8.247	-0.0033	-2.5 to 2.5	Pass
				-20	24	-14.469	-0.0058	-2.5 to 2.5	Pass
				-10	24	-16.274	-0.0065	-2.5 to 2.5	Pass
				0	24	-19.448	-0.0078	-2.5 to 2.5	Pass
				10	24	-24.665	-0.0099	-2.5 to 2.5	Pass
				30	24	-28.655	-0.0115	-2.5 to 2.5	Pass
				40	24	-32.918	-0.0132	-2.5 to 2.5	Pass
	50	24	-32.911	-0.0132	-2.5 to 2.5	Pass			
	2535	25	0	20	12	45.327	0.0179	-2.5 to 2.5	Pass
					24	-13.609	-0.0054	-2.5 to 2.5	Pass
					48	-8.767	-0.0035	-2.5 to 2.5	Pass
				-30	24	-8.676	-0.0034	-2.5 to 2.5	Pass
				-20	24	-5.213	-0.0021	-2.5 to 2.5	Pass
				-10	24	-2.051	-0.0008	-2.5 to 2.5	Pass
				0	24	2.691	0.0011	-2.5 to 2.5	Pass
				10	24	9.144	0.0036	-2.5 to 2.5	Pass
				30	24	9.707	0.0038	-2.5 to 2.5	Pass
				40	24	13.051	0.0051	-2.5 to 2.5	Pass
	50	24	15.794	0.0062	-2.5 to 2.5	Pass			
	2567.5	25	0	20	12	39.382	0.0153	-2.5 to 2.5	Pass
					24	15.569	0.0061	-2.5 to 2.5	Pass
					48	-4.819	-0.0019	-2.5 to 2.5	Pass
				-30	24	-28.563	-0.0111	-2.5 to 2.5	Pass
				-20	24	-42.100	-0.0164	-2.5 to 2.5	Pass
				-10	24	-14.110	-0.0055	-2.5 to 2.5	Pass
				0	24	-19.735	-0.0077	-2.5 to 2.5	Pass
				10	24	-31.451	-0.0122	-2.5 to 2.5	Pass
30				24	-37.485	-0.0146	-2.5 to 2.5	Pass	
40				24	-46.227	-0.0180	-2.5 to 2.5	Pass	
50	24	-18.431	-0.0072	-2.5 to 2.5	Pass				
16QAM	2502.5	25	0	20	12	-36.481	-0.0146	-2.5 to 2.5	Pass
					24	-34.176	-0.0137	-2.5 to 2.5	Pass
					48	-27.607	-0.0110	-2.5 to 2.5	Pass
				-30	24	-28.853	-0.0115	-2.5 to 2.5	Pass
				-20	24	-22.813	-0.0091	-2.5 to 2.5	Pass
				-10	24	-21.124	-0.0084	-2.5 to 2.5	Pass
				0	24	-22.346	-0.0089	-2.5 to 2.5	Pass
				10	24	-20.550	-0.0082	-2.5 to 2.5	Pass
				30	24	-19.801	-0.0079	-2.5 to 2.5	Pass
				40	24	-12.450	-0.0050	-2.5 to 2.5	Pass
50	24	-11.061	-0.0044	-2.5 to 2.5	Pass				

	2535	25	0	20	12	17.467	0.0069	-2.5 to 2.5	Pass
					24	24.602	0.0097	-2.5 to 2.5	Pass
					48	32.131	0.0127	-2.5 to 2.5	Pass
				-30	24	40.044	0.0158	-2.5 to 2.5	Pass
				-20	24	45.210	0.0178	-2.5 to 2.5	Pass
				-10	24	14.710	0.0058	-2.5 to 2.5	Pass
				0	24	18.467	0.0073	-2.5 to 2.5	Pass
				10	24	24.316	0.0096	-2.5 to 2.5	Pass
				30	24	30.425	0.0120	-2.5 to 2.5	Pass
	40	24	40.199	0.0159	-2.5 to 2.5	Pass			
	50	24	43.063	0.0170	-2.5 to 2.5	Pass			
	2567.5	25	0	20	12	-27.369	-0.0107	-2.5 to 2.5	Pass
					24	-21.888	-0.0085	-2.5 to 2.5	Pass
					48	-22.922	-0.0089	-2.5 to 2.5	Pass
				-30	24	-21.570	-0.0084	-2.5 to 2.5	Pass
				-20	24	-21.172	-0.0082	-2.5 to 2.5	Pass
				-10	24	-21.981	-0.0086	-2.5 to 2.5	Pass
				0	24	-22.317	-0.0087	-2.5 to 2.5	Pass
				10	24	-22.438	-0.0087	-2.5 to 2.5	Pass
30				24	-21.457	-0.0084	-2.5 to 2.5	Pass	
40	24	-20.465	-0.0080	-2.5 to 2.5	Pass				
50	24	-21.704	-0.0085	-2.5 to 2.5	Pass				

2.2 B7_10MHz

2.2.1 Test Result

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	12	13.379	0.0053	-2.5 to 2.5	Pass
					24	-2.680	-0.0011	-2.5 to 2.5	Pass
					48	-12.400	-0.0050	-2.5 to 2.5	Pass
				-30	24	-20.629	-0.0082	-2.5 to 2.5	Pass
				-20	24	-27.164	-0.0108	-2.5 to 2.5	Pass
				-10	24	-34.645	-0.0138	-2.5 to 2.5	Pass
				0	24	-35.109	-0.0140	-2.5 to 2.5	Pass
				10	24	-42.093	-0.0168	-2.5 to 2.5	Pass
				30	24	-43.584	-0.0174	-2.5 to 2.5	Pass
				40	24	13.604	0.0054	-2.5 to 2.5	Pass
	50	24	6.009	0.0024	-2.5 to 2.5	Pass			
	2535	50	0	20	12	21.856	0.0086	-2.5 to 2.5	Pass
					24	27.390	0.0108	-2.5 to 2.5	Pass
					48	36.149	0.0143	-2.5 to 2.5	Pass
				-30	24	37.033	0.0146	-2.5 to 2.5	Pass
				-20	24	3.519	0.0014	-2.5 to 2.5	Pass
				-10	24	6.468	0.0026	-2.5 to 2.5	Pass
				0	24	11.516	0.0045	-2.5 to 2.5	Pass
				10	24	15.299	0.0060	-2.5 to 2.5	Pass
				30	24	14.746	0.0058	-2.5 to 2.5	Pass
				40	24	19.982	0.0079	-2.5 to 2.5	Pass
	50	24	20.215	0.0080	-2.5 to 2.5	Pass			
	2565	50	0	20	12	38.806	0.0151	-2.5 to 2.5	Pass
					24	23.555	0.0092	-2.5 to 2.5	Pass
					48	5.933	0.0023	-2.5 to 2.5	Pass
				-30	24	-4.765	-0.0019	-2.5 to 2.5	Pass
				-20	24	-14.040	-0.0055	-2.5 to 2.5	Pass
				-10	24	-23.354	-0.0091	-2.5 to 2.5	Pass
				0	24	-27.904	-0.0109	-2.5 to 2.5	Pass
				10	24	-36.070	-0.0141	-2.5 to 2.5	Pass
30				24	-40.540	-0.0158	-2.5 to 2.5	Pass	
40				24	-22.319	-0.0087	-2.5 to 2.5	Pass	
50	24	-26.048	-0.0102	-2.5 to 2.5	Pass				
16QAM	2505	50	0	20	12	4.986	0.0020	-2.5 to 2.5	Pass
					24	1.182	0.0005	-2.5 to 2.5	Pass
					48	2.869	0.0011	-2.5 to 2.5	Pass
				-30	24	3.619	0.0014	-2.5 to 2.5	Pass
				-20	24	11.476	0.0046	-2.5 to 2.5	Pass
				-10	24	12.350	0.0049	-2.5 to 2.5	Pass
				0	24	14.043	0.0056	-2.5 to 2.5	Pass
				10	24	15.321	0.0061	-2.5 to 2.5	Pass
				30	24	15.545	0.0062	-2.5 to 2.5	Pass
				40	24	18.127	0.0072	-2.5 to 2.5	Pass
	50	24	15.074	0.0060	-2.5 to 2.5	Pass			
	2535	50	0	20	12	21.725	0.0086	-2.5 to 2.5	Pass
					24	29.524	0.0116	-2.5 to 2.5	Pass
					48	37.076	0.0146	-2.5 to 2.5	Pass

				-30	24	44.750	0.0177	-2.5 to 2.5	Pass			
				-20	24	46.164	0.0182	-2.5 to 2.5	Pass			
				-10	24	15.850	0.0063	-2.5 to 2.5	Pass			
				0	24	26.614	0.0105	-2.5 to 2.5	Pass			
				10	24	28.813	0.0114	-2.5 to 2.5	Pass			
				30	24	26.813	0.0106	-2.5 to 2.5	Pass			
				40	24	38.631	0.0152	-2.5 to 2.5	Pass			
				50	24	41.949	0.0165	-2.5 to 2.5	Pass			
	2565	50	0	20	12	-31.985	-0.0125	-2.5 to 2.5	Pass			
24					-28.078	-0.0109	-2.5 to 2.5	Pass				
48					-26.855	-0.0105	-2.5 to 2.5	Pass				
							-30	24	-21.724	-0.0085	-2.5 to 2.5	Pass
							-20	24	-19.728	-0.0077	-2.5 to 2.5	Pass
							-10	24	-18.214	-0.0071	-2.5 to 2.5	Pass
							0	24	-17.006	-0.0066	-2.5 to 2.5	Pass
							10	24	-25.311	-0.0099	-2.5 to 2.5	Pass
							30	24	-19.299	-0.0075	-2.5 to 2.5	Pass
							40	24	-15.747	-0.0061	-2.5 to 2.5	Pass
							50	24	-14.533	-0.0057	-2.5 to 2.5	Pass

2.3 B7_15MHz

2.3.1 Test Result

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	12	4.478	0.0018	-2.5 to 2.5	Pass
					24	-10.255	-0.0041	-2.5 to 2.5	Pass
					48	-38.693	-0.0154	-2.5 to 2.5	Pass
				-30	24	-46.735	-0.0186	-2.5 to 2.5	Pass
				-20	24	-32.060	-0.0128	-2.5 to 2.5	Pass
				-10	24	-33.418	-0.0133	-2.5 to 2.5	Pass
				0	24	-2.744	-0.0011	-2.5 to 2.5	Pass
				10	24	-37.442	-0.0149	-2.5 to 2.5	Pass
				30	24	-19.232	-0.0077	-2.5 to 2.5	Pass
				40	24	-42.118	-0.0168	-2.5 to 2.5	Pass
	50	24	-12.051	-0.0048	-2.5 to 2.5	Pass			
	2535	75	0	20	12	24.321	0.0096	-2.5 to 2.5	Pass
					24	25.350	0.0100	-2.5 to 2.5	Pass
					48	28.624	0.0113	-2.5 to 2.5	Pass
				-30	24	26.773	0.0106	-2.5 to 2.5	Pass
				-20	24	21.609	0.0085	-2.5 to 2.5	Pass
				-10	24	23.820	0.0094	-2.5 to 2.5	Pass
				0	24	21.763	0.0086	-2.5 to 2.5	Pass
				10	24	22.778	0.0090	-2.5 to 2.5	Pass
				30	24	23.494	0.0093	-2.5 to 2.5	Pass
				40	24	20.158	0.0080	-2.5 to 2.5	Pass
	50	24	20.126	0.0079	-2.5 to 2.5	Pass			
	2562.5	75	0	20	12	30.941	0.0121	-2.5 to 2.5	Pass
					24	19.535	0.0076	-2.5 to 2.5	Pass
					48	-2.315	-0.0009	-2.5 to 2.5	Pass
				-30	24	-21.298	-0.0083	-2.5 to 2.5	Pass
				-20	24	-38.717	-0.0151	-2.5 to 2.5	Pass
				-10	24	-50.568	-0.0197	-2.5 to 2.5	Pass
				0	24	-26.166	-0.0102	-2.5 to 2.5	Pass
				10	24	-33.808	-0.0132	-2.5 to 2.5	Pass
30				24	-42.189	-0.0165	-2.5 to 2.5	Pass	
40				24	-38.225	-0.0149	-2.5 to 2.5	Pass	
50	24	6.836	0.0027	-2.5 to 2.5	Pass				
16QAM	2507.5	75	0	20	12	-34.611	-0.0138	-2.5 to 2.5	Pass
					24	-40.238	-0.0160	-2.5 to 2.5	Pass
					48	-48.807	-0.0195	-2.5 to 2.5	Pass
				-30	24	15.156	0.0060	-2.5 to 2.5	Pass
				-20	24	10.524	0.0042	-2.5 to 2.5	Pass
				-10	24	6.234	0.0025	-2.5 to 2.5	Pass
				0	24	0.069	0.0000	-2.5 to 2.5	Pass
				10	24	-2.331	-0.0009	-2.5 to 2.5	Pass
				30	24	-9.375	-0.0037	-2.5 to 2.5	Pass
				40	24	-17.489	-0.0070	-2.5 to 2.5	Pass
	50	24	-19.001	-0.0076	-2.5 to 2.5	Pass			
	2535	75	0	20	12	22.663	0.0089	-2.5 to 2.5	Pass
					24	28.698	0.0113	-2.5 to 2.5	Pass
					48	31.029	0.0122	-2.5 to 2.5	Pass

				-30	24	33.241	0.0131	-2.5 to 2.5	Pass			
				-20	24	35.600	0.0140	-2.5 to 2.5	Pass			
				-10	24	41.815	0.0165	-2.5 to 2.5	Pass			
				0	24	43.029	0.0170	-2.5 to 2.5	Pass			
				10	24	52.170	0.0206	-2.5 to 2.5	Pass			
				30	24	55.750	0.0220	-2.5 to 2.5	Pass			
				40	24	-3.549	-0.0014	-2.5 to 2.5	Pass			
				50	24	0.342	0.0001	-2.5 to 2.5	Pass			
				2562.5	75	0	20	12	0.045	0.0000	-2.5 to 2.5	Pass
								24	2.883	0.0011	-2.5 to 2.5	Pass
	48	3.453	0.0013					-2.5 to 2.5	Pass			
	-30	24	3.041				0.0012	-2.5 to 2.5	Pass			
	-20	24	8.897				0.0035	-2.5 to 2.5	Pass			
	-10	24	5.793				0.0023	-2.5 to 2.5	Pass			
	0	24	2.153				0.0008	-2.5 to 2.5	Pass			
	10	24	4.001				0.0016	-2.5 to 2.5	Pass			
	30	24	6.678				0.0026	-2.5 to 2.5	Pass			
	40	24	5.990				0.0023	-2.5 to 2.5	Pass			
	50	24	8.062	0.0031	-2.5 to 2.5	Pass						

2.4 B7_20MHz

2.4.1 Test Result

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	12	11.127	0.0044	-2.5 to 2.5	Pass
					24	-14.879	-0.0059	-2.5 to 2.5	Pass
					48	-41.906	-0.0167	-2.5 to 2.5	Pass
				-30	24	-25.666	-0.0102	-2.5 to 2.5	Pass
				-20	24	-41.770	-0.0166	-2.5 to 2.5	Pass
				-10	24	5.197	0.0021	-2.5 to 2.5	Pass
				0	24	-4.844	-0.0019	-2.5 to 2.5	Pass
				10	24	-15.609	-0.0062	-2.5 to 2.5	Pass
				30	24	-24.665	-0.0098	-2.5 to 2.5	Pass
				40	24	-35.772	-0.0143	-2.5 to 2.5	Pass
	50	24	-40.526	-0.0161	-2.5 to 2.5	Pass			
	2535	100	0	20	12	35.942	0.0142	-2.5 to 2.5	Pass
					24	43.560	0.0172	-2.5 to 2.5	Pass
					48	47.963	0.0189	-2.5 to 2.5	Pass
				-30	24	12.215	0.0048	-2.5 to 2.5	Pass
				-20	24	16.827	0.0066	-2.5 to 2.5	Pass
				-10	24	18.053	0.0071	-2.5 to 2.5	Pass
				0	24	18.730	0.0074	-2.5 to 2.5	Pass
				10	24	23.112	0.0091	-2.5 to 2.5	Pass
				30	24	26.555	0.0105	-2.5 to 2.5	Pass
				40	24	24.896	0.0098	-2.5 to 2.5	Pass
	50	24	27.831	0.0110	-2.5 to 2.5	Pass			
	2560	100	0	20	12	34.341	0.0134	-2.5 to 2.5	Pass
					24	23.142	0.0090	-2.5 to 2.5	Pass
					48	12.650	0.0049	-2.5 to 2.5	Pass
				-30	24	-0.730	-0.0003	-2.5 to 2.5	Pass
				-20	24	-9.036	-0.0035	-2.5 to 2.5	Pass
				-10	24	-17.960	-0.0070	-2.5 to 2.5	Pass
				0	24	-22.652	-0.0088	-2.5 to 2.5	Pass
				10	24	-34.799	-0.0136	-2.5 to 2.5	Pass
30				24	-40.117	-0.0157	-2.5 to 2.5	Pass	
40				24	-47.453	-0.0185	-2.5 to 2.5	Pass	
50	24	-11.594	-0.0045	-2.5 to 2.5	Pass				
16QAM	2510	100	0	20	12	-8.154	-0.0032	-2.5 to 2.5	Pass
					24	-8.829	-0.0035	-2.5 to 2.5	Pass
					48	-4.685	-0.0019	-2.5 to 2.5	Pass
				-30	24	-6.486	-0.0026	-2.5 to 2.5	Pass
				-20	24	-8.672	-0.0035	-2.5 to 2.5	Pass
				-10	24	-8.135	-0.0032	-2.5 to 2.5	Pass
				0	24	-6.406	-0.0026	-2.5 to 2.5	Pass
				10	24	-8.280	-0.0033	-2.5 to 2.5	Pass
				30	24	-11.375	-0.0045	-2.5 to 2.5	Pass
				40	24	-11.834	-0.0047	-2.5 to 2.5	Pass
	50	24	-10.215	-0.0041	-2.5 to 2.5	Pass			
	2535	100	0	20	12	31.539	0.0124	-2.5 to 2.5	Pass
					24	37.731	0.0149	-2.5 to 2.5	Pass
					48	47.090	0.0186	-2.5 to 2.5	Pass

				-30	24	-8.851	-0.0035	-2.5 to 2.5	Pass			
				-20	24	-8.923	-0.0035	-2.5 to 2.5	Pass			
				-10	24	0.116	0.0000	-2.5 to 2.5	Pass			
				0	24	3.008	0.0012	-2.5 to 2.5	Pass			
				10	24	7.048	0.0028	-2.5 to 2.5	Pass			
				30	24	4.447	0.0018	-2.5 to 2.5	Pass			
				40	24	9.965	0.0039	-2.5 to 2.5	Pass			
				50	24	21.645	0.0085	-2.5 to 2.5	Pass			
	2560	100	0	20	12	-12.809	-0.0050	-2.5 to 2.5	Pass			
24					-12.448	-0.0049	-2.5 to 2.5	Pass				
48					-11.813	-0.0046	-2.5 to 2.5	Pass				
							-30	24	-10.446	-0.0041	-2.5 to 2.5	Pass
							-20	24	-15.153	-0.0059	-2.5 to 2.5	Pass
							-10	24	-13.836	-0.0054	-2.5 to 2.5	Pass
							0	24	-6.419	-0.0025	-2.5 to 2.5	Pass
							10	24	-8.508	-0.0033	-2.5 to 2.5	Pass
							30	24	-9.160	-0.0036	-2.5 to 2.5	Pass
							40	24	-7.852	-0.0031	-2.5 to 2.5	Pass
							50	24	-10.285	-0.0040	-2.5 to 2.5	Pass


3. 99% & 26dB Bandwidth

3.1 Band7_OBW


3.1.1 Test Result

Band: 7 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.577	/	Pass
		2535	25	0	4.566	/	Pass
		2567.5	25	0	4.599	/	Pass
	16QAM	2502.5	25	0	4.602	/	Pass
		2535	25	0	4.595	/	Pass
		2567.5	25	0	4.583	/	Pass
10	QPSK	2505	50	0	9.085	/	Pass
		2535	50	0	9.090	/	Pass
		2565	50	0	9.088	/	Pass
	16QAM	2505	50	0	9.066	/	Pass
		2535	50	0	9.083	/	Pass
		2565	50	0	9.079	/	Pass
15	QPSK	2507.5	75	0	13.633	/	Pass
		2535	75	0	13.594	/	Pass
		2562.5	75	0	13.590	/	Pass
	16QAM	2507.5	75	0	13.629	/	Pass
		2535	75	0	13.633	/	Pass
		2562.5	75	0	13.648	/	Pass
20	QPSK	2510	100	0	18.161	/	Pass
		2535	100	0	18.128	/	Pass
		2560	100	0	18.101	/	Pass
	16QAM	2510	100	0	18.242	/	Pass
		2535	100	0	18.178	/	Pass
		2560	100	0	18.132	/	Pass


3.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV




3.2 Band7_XDB


3.2.1 Test Result

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.315	/	Pass
		2535	25	0	5.754	/	Pass
		2567.5	25	0	5.676	/	Pass
	16QAM	2502.5	25	0	5.727	/	Pass
		2535	25	0	5.446	/	Pass
		2567.5	25	0	5.444	/	Pass
10	QPSK	2505	50	0	10.310	/	Pass
		2535	50	0	10.138	/	Pass
		2565	50	0	10.824	/	Pass
	16QAM	2505	50	0	10.345	/	Pass
		2535	50	0	10.247	/	Pass
		2565	50	0	10.556	/	Pass
15	QPSK	2507.5	75	0	15.869	/	Pass
		2535	75	0	15.519	/	Pass
		2562.5	75	0	15.545	/	Pass
	16QAM	2507.5	75	0	15.152	/	Pass
		2535	75	0	15.547	/	Pass
		2562.5	75	0	15.249	/	Pass
20	QPSK	2510	100	0	20.665	/	Pass
		2535	100	0	20.970	/	Pass
		2560	100	0	20.750	/	Pass
	16QAM	2510	100	0	20.605	/	Pass
		2535	100	0	20.207	/	Pass
		2560	100	0	20.039	/	Pass


3.2.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV





4. Peak-Average Ratio

4.1 B7_5MHz


4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.65	<=13	Pass
	2535	25	0	5.31	<=13	Pass
	2567.5	25	0	5.16	<=13	Pass
16QAM	2502.5	25	0	6.35	<=13	Pass
	2535	25	0	6.03	<=13	Pass
	2567.5	25	0	5.79	<=13	Pass


4.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV



Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




4.2 B7_10MHz


4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	5.64	<=13	Pass
	2535	50	0	10.22	<=13	Pass
	2565	50	0	5.13	<=13	Pass
16QAM	2505	50	0	6.32	<=13	Pass
	2535	50	0	6.09	<=13	Pass
	2565	50	0	5.76	<=13	Pass


4.2.2 Test Graph




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV



Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV



Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




4.3 B7_15MHz


4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.79	<=13	Pass
	2535	75	0	5.50	<=13	Pass
	2562.5	75	0	5.04	<=13	Pass
16QAM	2507.5	75	0	6.28	<=13	Pass
	2535	75	0	6.00	<=13	Pass
	2562.5	75	0	5.65	<=13	Pass


4.3.2 Test Graph




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV



Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV



Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV





4.4 B7_20MHz


4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	5.46	<=13	Pass
	2535	100	0	5.37	<=13	Pass
	2560	100	0	5.12	<=13	Pass
16QAM	2510	100	0	6.19	<=13	Pass
	2535	100	0	6.06	<=13	Pass
	2560	100	0	5.78	<=13	Pass


4.4.2 Test Graph




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV





5. Spurious Emission

5.1 B7_5MHz


5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


5.1.2 Test Graph




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2562.5	2570	0.1	/	/	/	/	/	/
2570	2571	0.1	/	1	2570.000	-16.18	-10	Pass
2571	2587.5	1	CHP	2	2576.525	-44.15	-25	Pass

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2562.5	2570	0.12	/	/	/	/	/	/
2570	2571	0.12	/	1	2570.000	-25.92	-10	Pass
2571	2587.5	1	CHP	2	2576.525	-40.03	-25	Pass

Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2490.400	-45.60	-25	Pass
2499	2500	0.1	/	2	2499.850	-23.18	-10	Pass
2500	2507.5	0.1	/	/	/	/	/	/


Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2490.490	-44.88	-25	Pass
2499	2500	0.12	/	2	2499.985	-29.67	-10	Pass
2500	2507.5	0.12	/	/	/	/	/	/