

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 1 of 23

TEST REPORT

Application No.: FYCR2211000476AT

Applicant: Vanstone Electronic (Beijing) Co., Ltd.

Address of Applicant: 3F No.2 Building, Aisino Corporation Park 18A, Xingshikou Road, Haidian

District, Beijing, China 100195

Manufacturer: Vanstone Electronic (Beijing) Co., Ltd.

Address of Manufacturer: 3F No.2 Building, Aisino Corporation Park 18A, Xingshikou Road, Haidian

District, Beijing, China 100195

Equipment Under Test (EUT):

EUT Name: Android POS Terminal

Model No.: A75 Pro

FCC ID: OWLA75-PRO-A Standard(s): 47 CFR Part 2

47 CFR Part 22 subpart H 47 CFR Part 24 subpart E

Date of Receipt: 2022-11-21

Date of Test: 2022-12-05 to 2022-12-14

Date of Issue: 2023-05-25

Test Result: Pass*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443.

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 2 of 23

	Revision Record						
Version	n Chapter Date Modifier Remai						
01		2023-05-25		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	WinkeyWang	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 3 of 23

2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913, §24.232	ERP≤7W(GSM850) EIRP≤2W(PCS1900)	PASS
Peak-Average Ratio	§24.232	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049(h)	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051, §22.917, §24.238	≤ -13dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	PASS
Spurious emissions at antenna terminals	§2.1051, §22.917, §24.238	≤ -13dBm	PASS
Field strength of spurious radiation	§2.1051, §22.917, §24.238	≤ -13dBm	PASS
Frequency stability	§2.1055, §22.355, §24.235	≤ ±2.5ppm.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 4 of 23

3 Contents

		r	aye
1	Cove	er Page	1
2	Test	Summary	3
3	Con	tents	4
4	Gen	eral Information	б
	4.1	Details of E.U.T.	F
	4.2	Test Frequency	
	4.3	Test Environment	
	4.4	Description of Support Units	7
	4.5	Measurement Uncertainty	
	4.6	Test Location	9
	4.7	Test Facility	
	4.8	Deviation from Standards	
	4.9	Abnormalities from Standard Conditions	9
5	Eaui	pment List	10
_	-		
6	Radi	io Spectrum Matter Test Results	
	6.1	Effective (Isotropic) Radiated Power Output Data	
	6.1.1	·	
	6.1.2	1 0	
	6.1.3		
	6.2	Peak-Average Ratio	
	6.2.1	·	
	6.2.2	1 0	
	6.2.3		
	6.3	Bandwidth	
	6.3.1	·	
	6.3.2 6.3.3	,	
	6.4	Band Edge Compliance	
	6.4.1		
	6.4.2	·	
	6.4.3	· ·	
	6.5	Spurious emissions at antenna terminals	
	6.5.1	·	
	6.5.2	·	
	6.5.3	, ,	
	6.6	Field strength of spurious radiation	
	6.6.1		
	6.6.2	·	
	6.6.3	Measurement Procedure and Data	18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 5 of 23

6.7 Frequency	stability	2 ²
	Operation	
	tup Diagram	
	ement Data	
6.8 Modulation	Characteristics	22
6.8.1 E.U.T. O	Operation	22
6.8.2 Test Set	tup Diagram	22
6.8.3 Measure	ement Data	22
7 Test Setup Pho	to	23
8 EUT Construction	ional Details (EUT Photos)	2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 6 of 23

4 General Information

4.1 Details of E.U.T.

	Power supply:	Rechargeable Li-ion battery 1: (Charged by adapter)
		Battery Model: BT-901
		Manufacturer: Zhuhai Greaton Electronic Technology Co., Ltd.
		Rated Capacity: 3.6V 5200mAh
		Rechargeable Li-ion battery 2: (Charged by adapter)
		Battery Model: BT-901
		Manufacturer: Shenzhen Rishengzhi Electronics Technology Co., Ltd.
		Rated Capacity: 3.6V 5200mAh
		Adapter Model: SW-1772
		Input: AC 100-240V 50/60Hz
		Output: DC 5V 2A
	Cable(s):	USB Cable: 80cm unshielded
	Sample Type:	Portable production
	Support Network:	GPRS, EGPRS
	Operation Frequency Band:	GSM850/PCS1900
	Modulation Type:	GMSK for GPRS/EGPRS;
	Modulation Type.	8PSK for EGPRS;
	GPRS Class:	12
	EGPRS Class:	12
	Antenna Type:	PIFA Antenna
	Antonno Coine	GSM850: -2.56dBi
	Antenna Gain:	PCS1900: 2.33dBi
	SIM Card:	This device has dual SIM Card sockets. Both the SIM sockets have been tested. SIM1 was worst case, only record SIM1.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 7 of 23

4.2 Test Frequency

Test mode:	TV	RF Channel			
rest mode.	TX	Low (L)	Middle (M)	High (H)	
CCMOEO	TV	Channel 128	Channel 190	Channel 251	
GSM850	TX	824.2MHz	836.6 MHz	848.8 MHz	
Test mode:	TX	RF Channel			
rest mode.		Low (L)	Middle (M)	High (H)	
PCS1900	TX	Channel 512	Channel 661	Channel 810	
		1850.2MHz	1880.0 MHz	1909.8 MHz	

4.3 Test Environment

Environment Parameter	Selected Values During Tests			
Temperature:	TL	-30°C		
	TN	+20°C		
	TH	+50°C		
Voltage:	VL	3.3 Vdc		
	VN	3.6 Vdc		
	VH	4.2 Vdc		

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage
TL= lower extreme test temperature

TN= normal temperature

TH= upper extreme test temperature

4.4 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 8 of 23

4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 5.4 x 10 ⁻⁸
2	Duty cycle	± 0.3%
3	Occupied Bandwidth	± 3%
4	RF conducted power	± 0.8dB
5	RF power density	± 0.4dB
6	Conducted Spurious emissions	± 2.7dB
7	Dedicted Courieus emission test	± 3.1dB (Below 1GHz)
'	Radiated Spurious emission test	± 4.4dB (Above 1GHz)
8	Temperature test	± 1°C
9	Humidity test	± 3%
10	Supply voltages	± 1.5%
11	Time	± 3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 9 of 23

4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (85-755) 8307 1443 or email: CND Poccheck@yss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 10 of 23

5 Equipment List

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/07/12	2023/07/11
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2022/07/12	2023/07/11
Spectrum Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2022/07/12	2023/07/11
Measurement Software	TST	TST PASS V2.0	N/A	N/A	N/A
Attenuator	Huber+Suhner	6620_SMA- 50-1	SEM021-09	2022/07/12	2023/07/11
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28
Power Sensor	KEYSIGHT	U2021XA	SEM009-15	2022/07/12	2023/07/11

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/07/12	2023/07/11
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2022/07/12	2023/07/11
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022/07/12	2023/07/11
Substitution Antenna	Schwarzbeck	VULB9168	SEM003-18	2022/08/07	2025/08/06
Signal Generator(9kHz- 40GHz)	N5173B	MY53270267	Agilent	2022/07/12	2023/07/11
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2022/07/12	2023/07/11
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022/07/12	2023/07/11
Pre-amplifier	Compliance Directions Systems	PAP-2640-50	SEM005-08	2022/07/12	2023/07/11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 11 of 23

	Inc.				
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/07/12	2023/07/11
Substitution Antenna	ETS-Lindgren	3142C	SEM003-01	2020/06/26	2023/06/25
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28

General used equipment											
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date						
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022/07/12	2023/07/11						
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022/07/12	2023/07/11						
Barometer	DUMAI	DYM3	SEM002-24	2022/07/12	2023/07/11						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 12 of 23

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §22.913, §24.232

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ERP≤7W(GSM850)

EIRP ≤ 2W(PCS1900)


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please refer to Appendix for GSM RF power test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx.com/en/Terms-and-Conditions/Terms-e-Documents.aspx.attention is drawn to the limitation of liability, indemnification and juryfadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to stransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced expept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest serior of the law lines there were also appearance of the surface of the s



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 13 of 23

6.2 Peak-Average Ratio

Test Requirement: §24.232

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤13dB


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please refer to Appendix for GSM PAR test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.occheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 14 of 23

6.3 Bandwidth

Test Requirement: §2.1049(h), §22.917, §24.238

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: OBW: No limit EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.3.2 Test Setup Diagram



Ground Reference Plane

6.3.3 Measurement Data

Please refer to Appendix for GSM bandwidth test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.psx apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frongery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443 or email: CPL Deccheck/Sex.scom



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 15 of 23

6.4 Band Edge Compliance

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤ -13dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to

the frequency block.


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.4.2 Test Setup Diagram



Ground Reference Plane

6.4.3 Measurement Data

Please refer to Appendix for GSM CSE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) ser retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 16 of 23

6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤ -13dBm


6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.5.2 Test Setup Diagram



Ground Reference Plane

6.5.3 Measurement Data

Please refer to Appendix for GSM CSE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@sas.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 17 of 23

6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤ -13dBm


6.6.1 E.U.T. Operation


Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode


6.6.2 Test Setup Diagram






EUT

Substiute Antenna+Signal Generator





EUT

Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 18 of 23

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3)The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7)The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11)The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 19 of 23

	GSM850-Low channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1648.4	-62.45	-13	-49.45	-66.11	3.77	7.43	Horizontal	Pass			
2472.6	-56.76	-13	-43.76	-59.09	4.75	7.08	Horizontal	Pass			
3296.8	-55.32	-13	-42.32	-57.9	5.72	8.3	Horizontal	Pass			
1648.4	-61.4	-13	-48.4	-65.06	3.77	7.43	Vertical	Pass			
2472.6	-57.48	-13	-44.48	-59.81	4.75	7.08	Vertical	Pass			
3296.8	-54.95	-13	-41.95	-57.53	5.72	8.3	Vertical	Pass			

	GSM850-Middle channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1672.8	-62.34	-13	-49.34	-66	3.77	7.43	Horizontal	Pass			
2509.2	-57.51	-13	-44.51	-59.98	5.13	7.6	Horizontal	Pass			
3345.6	-53.48	-13	-40.48	-56.06	5.72	8.3	Horizontal	Pass			
1672.8	-62.53	-13	-49.53	-66.19	3.77	7.43	Vertical	Pass			
2509.2	-57.01	-13	-44.01	-59.48	5.13	7.6	Vertical	Pass			
3345.6	-54.51	-13	-41.51	-57.09	5.72	8.3	Vertical	Pass			

	GSM850-High channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1697.6	-61.86	-13	-48.86	-65.52	3.77	7.43	Horizontal	Pass			
2546.4	-57.03	-13	-44.03	-59.5	5.13	7.6	Horizontal	Pass			
3395.2	-53.2	-13	-40.2	-55.78	5.72	8.3	Horizontal	Pass			
1697.6	-61.61	-13	-48.61	-65.27	3.77	7.43	Vertical	Pass			
2546.4	-57.26	-13	-44.26	-59.73	5.13	7.6	Vertical	Pass			
3395.2	-53.17	-13	-40.17	-55.75	5.72	8.3	Vertical	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 20 of 23

	PCS1900-Low channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
3700.4	-53.18	-13	-40.18	-55.4	6.99	9.21	Horizontal	Pass			
5550.6	-50.05	-13	-37.05	-52.37	8.27	10.59	Horizontal	Pass			
7400.8	-46.21	-13	-33.21	-49.75	8.19	11.73	Horizontal	Pass			
3700.4	-50.98	-13	-37.98	-53.2	6.99	9.21	Vertical	Pass			
5550.6	-49.13	-13	-36.13	-51.45	8.27	10.59	Vertical	Pass			
7400.8	-46.77	-13	-33.77	-50.31	8.19	11.73	Vertical	Pass			

	PCS1900-Middle channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
3760	-53.3	-13	-40.3	-55.52	6.99	9.21	Horizontal	Pass			
5640	-50.46	-13	-37.46	-52.78	8.27	10.59	Horizontal	Pass			
7520	-46.81	-13	-33.81	-50.64	8.43	12.26	Horizontal	Pass			
3760	-52.15	-13	-39.15	-54.37	6.99	9.21	Vertical	Pass			
5640	-50.42	-13	-37.42	-52.74	8.27	10.59	Vertical	Pass			
7520	-46.86	-13	-33.86	-50.69	8.43	12.26	Vertical	Pass			

	PCS1900-High channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
3819.6	-52.98	-13	-39.98	-55.2	6.99	9.21	Horizontal	Pass			
5729.4	-48.78	-13	-35.78	-51.1	8.27	10.59	Horizontal	Pass			
7639.2	-48.29	-13	-35.29	-52.12	8.43	12.26	Horizontal	Pass			
3819.6	-52.92	-13	-39.92	-55.14	6.99	9.21	Vertical	Pass			
5729.4	-49.14	-13	-36.14	-51.46	8.27	10.59	Vertical	Pass			
7639.2	-47.46	-13	-34.46	-51.29	8.43	12.26	Vertical	Pass			

Note:

All modes have been tested and we found GPRS Test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 21 of 23

6.7 Frequency stability

Test Requirement: §2.1055, §22.355, §24.235

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: $\leq \pm 2.5$ ppm.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.7.2 Test Setup Diagram



Ground Reference Plane

6.7.3 Measurement Data

Please refer to Appendix for GSM FE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Con



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 22 of 23

6.8 Modulation Characteristics

Test Requirement: §2.1047

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Digital modulation


6.8.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode_Keep the EUT in transmitting mode

6.8.2 Test Setup Diagram



Ground Reference Plane

6.8.3 Measurement Data

Pass, it's digital modulation device.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comments.aspx. Subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comments/Terms-en/Comments.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100047607

Page: 23 of 23

7 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2211000476AT

8 EUT Constructional Details (EUT Photos)

Refer to Appendix – External and Internal Photos for FYCR2211000476AT

-End of Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

At each of the authorized of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443