



1. Peak-Average Ratio

1.1 GSM850


1.1.1 Test Result

| Band: GSM850 | | | | | | |
|--------------|---------|------------|-----------------|-------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Peak-Average Ratio (dB) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | GPRS | 4 TX Slots | 824.2 | 9.66 | <=13 | Pass |
| | | | 836.6 | 3.73 | <=13 | Pass |
| | | | 848.8 | 3.65 | <=13 | Pass |
| | EGPRS | 4 TX Slots | 824.2 | 6.57 | <=13 | Pass |
| | | | 836.6 | 9.49 | <=13 | Pass |
| | | | 848.8 | 9.52 | <=13 | Pass |


1.1.2 Test Graph




GSM850_GPRS_HCH_848.8MHz_4 TX Slots_NTNV




GSM850_EGPRS_LCH_824.2MHz_4 TX Slots_NTNV



GSM850_EGPRS_MCH_836.6MHz_4 TX Slots_NTNV



GSM850_EGPRS_HCH_848.8MHz_4 TX Slots_NTNV




2. Peak-Average Ratio

2.1 PCS1900


2.1.1 Test Result

| Band: PCS1900 | | | | | | |
|---------------|---------|------------|-----------------|-------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Peak-Average Ratio (dB) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | GPRS | 4 TX Slots | 1850.2 | 9.55 | <=13 | Pass |
| | | | 1880 | 3.51 | <=13 | Pass |
| | | | 1909.8 | 3.60 | <=13 | Pass |
| | EGPRS | 4 TX Slots | 1850.2 | 12.90 | <=13 | Pass |
| | | | 1880 | 7.95 | <=13 | Pass |
| | | | 1909.8 | 7.96 | <=13 | Pass |


2.1.2 Test Graph




PCS1900_GPRS_HCH_1909.8MHz_4 TX Slots_NTNV



PCS1900_EGPRS_LCH_1850.2MHz_4 TX Slots_NTNV



PCS1900_EGPRS_MCH_1880MHz_4 TX Slots_NTNV



PCS1900_EGPRS_HCH_1909.8MHz_4 TX Slots_NTNV

