

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	22.85	-1.14	21.71	<=33.01	Pass		
			2	22.81	-1.14	21.67	<=33.01	Pass		
			5	22.82	-1.14	21.68	<=33.01	Pass		
		3	0	22.75	-1.14	21.61	<=33.01	Pass		
			2	22.76	-1.14	21.62	<=33.01	Pass		
			3	22.84	-1.14	21.7	<=33.01	Pass		
		6	0	21.75	-1.14	20.61	<=33.01	Pass		
		1880	1	0	23.09	-1.14	21.95	<=33.01	Pass	
				2	23.09	-1.14	21.95	<=33.01	Pass	
	5			23.07	-1.14	21.93	<=33.01	Pass		
	3		0	23.18	-1.14	22.04	<=33.01	Pass		
			2	23.15	-1.14	22.01	<=33.01	Pass		
			3	23.14	-1.14	22	<=33.01	Pass		
	6	0	22.21	-1.14	21.07	<=33.01	Pass			
	1909.3	1	0	23.02	-1.14	21.88	<=33.01	Pass		
			2	22.92	-1.14	21.78	<=33.01	Pass		
			5	22.93	-1.14	21.79	<=33.01	Pass		
		3	0	22.98	-1.14	21.84	<=33.01	Pass		
			2	23.07	-1.14	21.93	<=33.01	Pass		
			3	22.99	-1.14	21.85	<=33.01	Pass		
		6	0	21.94	-1.14	20.8	<=33.01	Pass		
		16QAM	1850.7	1	0	21.36	-1.14	20.22	<=33.01	Pass
					2	21.29	-1.14	20.15	<=33.01	Pass
	5				21.32	-1.14	20.18	<=33.01	Pass	
3	0			21.63	-1.14	20.49	<=33.01	Pass		
	2			21.67	-1.14	20.53	<=33.01	Pass		
	3			21.64	-1.14	20.5	<=33.01	Pass		
6	0			20.94	-1.14	19.8	<=33.01	Pass		
1880	1			0	22.50	-1.14	21.36	<=33.01	Pass	
				2	22.46	-1.14	21.32	<=33.01	Pass	
			5	22.40	-1.14	21.26	<=33.01	Pass		
	3		0	22.35	-1.14	21.21	<=33.01	Pass		
			2	22.38	-1.14	21.24	<=33.01	Pass		
			3	22.32	-1.14	21.18	<=33.01	Pass		
6	0		21.28	-1.14	20.14	<=33.01	Pass			
1909.3	1		0	22.00	-1.14	20.86	<=33.01	Pass		
			2	22.03	-1.14	20.89	<=33.01	Pass		
			5	22.01	-1.14	20.87	<=33.01	Pass		
	3		0	21.87	-1.14	20.73	<=33.01	Pass		
			2	21.83	-1.14	20.69	<=33.01	Pass		
			3	21.80	-1.14	20.66	<=33.01	Pass		
	6		0	20.99	-1.14	19.85	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	22.85	-1.14	21.71	<=33.01	Pass		
			7	22.80	-1.14	21.66	<=33.01	Pass		
			14	22.87	-1.14	21.73	<=33.01	Pass		
		8	0	21.85	-1.14	20.71	<=33.01	Pass		
			4	21.82	-1.14	20.68	<=33.01	Pass		
			7	21.86	-1.14	20.72	<=33.01	Pass		
		15	0	21.85	-1.14	20.71	<=33.01	Pass		
		1880	1	0	23.11	-1.14	21.97	<=33.01	Pass	
				7	23.08	-1.14	21.94	<=33.01	Pass	
	14			23.03	-1.14	21.89	<=33.01	Pass		
	8		0	22.30	-1.14	21.16	<=33.01	Pass		
			4	22.18	-1.14	21.04	<=33.01	Pass		
			7	22.13	-1.14	20.99	<=33.01	Pass		
	15		0	22.26	-1.14	21.12	<=33.01	Pass		
	1908.5		1	0	22.97	-1.14	21.83	<=33.01	Pass	
				7	23.00	-1.14	21.86	<=33.01	Pass	
		14		22.93	-1.14	21.79	<=33.01	Pass		
		8	0	21.92	-1.14	20.78	<=33.01	Pass		
			4	22.01	-1.14	20.87	<=33.01	Pass		
			7	21.92	-1.14	20.78	<=33.01	Pass		
		15	0	21.97	-1.14	20.83	<=33.01	Pass		
		16QAM	1851.5	1	0	21.33	-1.14	20.19	<=33.01	Pass
					7	21.29	-1.14	20.15	<=33.01	Pass
	14				21.32	-1.14	20.18	<=33.01	Pass	
8	0			20.93	-1.14	19.79	<=33.01	Pass		
	4			21.00	-1.14	19.86	<=33.01	Pass		
	7			21.11	-1.14	19.97	<=33.01	Pass		
15	0			20.85	-1.14	19.71	<=33.01	Pass		
1880	1			0	22.70	-1.14	21.56	<=33.01	Pass	
				7	22.68	-1.14	21.54	<=33.01	Pass	
			14	22.66	-1.14	21.52	<=33.01	Pass		
	8		0	21.30	-1.14	20.16	<=33.01	Pass		
			4	21.34	-1.14	20.2	<=33.01	Pass		
			7	21.31	-1.14	20.17	<=33.01	Pass		
	15		0	21.24	-1.14	20.1	<=33.01	Pass		
	1908.5		1	0	22.42	-1.14	21.28	<=33.01	Pass	
				7	22.44	-1.14	21.3	<=33.01	Pass	
14				22.39	-1.14	21.25	<=33.01	Pass		
8			0	21.37	-1.14	20.23	<=33.01	Pass		
			4	21.35	-1.14	20.21	<=33.01	Pass		
			7	21.32	-1.14	20.18	<=33.01	Pass		
15			0	21.12	-1.14	19.98	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	22.74	-1.14	21.6	<=33.01	Pass		
			13	22.76	-1.14	21.62	<=33.01	Pass		
			24	22.76	-1.14	21.62	<=33.01	Pass		
		12	0	21.86	-1.14	20.72	<=33.01	Pass		
			6	21.82	-1.14	20.68	<=33.01	Pass		
			13	21.87	-1.14	20.73	<=33.01	Pass		
		25	0	21.78	-1.14	20.64	<=33.01	Pass		
		1880	1	0	23.06	-1.14	21.92	<=33.01	Pass	
				13	23.05	-1.14	21.91	<=33.01	Pass	
	24			23.05	-1.14	21.91	<=33.01	Pass		
	12		0	22.29	-1.14	21.15	<=33.01	Pass		
			6	22.20	-1.14	21.06	<=33.01	Pass		
			13	22.13	-1.14	20.99	<=33.01	Pass		
	25		0	22.27	-1.14	21.13	<=33.01	Pass		
	1907.5		1	0	22.93	-1.14	21.79	<=33.01	Pass	
				13	22.99	-1.14	21.85	<=33.01	Pass	
		24		22.93	-1.14	21.79	<=33.01	Pass		
		12	0	21.99	-1.14	20.85	<=33.01	Pass		
			6	21.93	-1.14	20.79	<=33.01	Pass		
			13	21.91	-1.14	20.77	<=33.01	Pass		
		25	0	22.02	-1.14	20.88	<=33.01	Pass		
		16QAM	1852.5	1	0	21.00	-1.14	19.86	<=33.01	Pass
					13	21.02	-1.14	19.88	<=33.01	Pass
	24				21.04	-1.14	19.9	<=33.01	Pass	
12	0			20.80	-1.14	19.66	<=33.01	Pass		
	6			20.94	-1.14	19.8	<=33.01	Pass		
	13			20.93	-1.14	19.79	<=33.01	Pass		
25	0			21.03	-1.14	19.89	<=33.01	Pass		
1880	1			0	22.32	-1.14	21.18	<=33.01	Pass	
				13	22.22	-1.14	21.08	<=33.01	Pass	
			24	22.29	-1.14	21.15	<=33.01	Pass		
	12		0	21.30	-1.14	20.16	<=33.01	Pass		
			6	21.26	-1.14	20.12	<=33.01	Pass		
			13	21.27	-1.14	20.13	<=33.01	Pass		
	25		0	21.40	-1.14	20.26	<=33.01	Pass		
	1907.5		1	0	22.12	-1.14	20.98	<=33.01	Pass	
				13	22.09	-1.14	20.95	<=33.01	Pass	
24				22.13	-1.14	20.99	<=33.01	Pass		
12			0	21.12	-1.14	19.98	<=33.01	Pass		
			6	21.16	-1.14	20.02	<=33.01	Pass		
			13	21.12	-1.14	19.98	<=33.01	Pass		
25			0	21.15	-1.14	20.01	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.84	-1.14	21.7	<=33.01	Pass
			25	22.83	-1.14	21.69	<=33.01	Pass
			49	22.95	-1.14	21.81	<=33.01	Pass
		25	0	21.88	-1.14	20.74	<=33.01	Pass
			13	21.77	-1.14	20.63	<=33.01	Pass
			25	21.88	-1.14	20.74	<=33.01	Pass
	50	0	21.86	-1.14	20.72	<=33.01	Pass	
	1880	1	0	23.19	-1.14	22.05	<=33.01	Pass
			25	23.22	-1.14	22.08	<=33.01	Pass
			49	23.18	-1.14	22.04	<=33.01	Pass
		25	0	22.22	-1.14	21.08	<=33.01	Pass
			13	22.14	-1.14	21	<=33.01	Pass
			25	22.22	-1.14	21.08	<=33.01	Pass
	50	0	22.32	-1.14	21.18	<=33.01	Pass	
	1905	1	0	23.20	-1.14	22.06	<=33.01	Pass
			25	23.07	-1.14	21.93	<=33.01	Pass
			49	23.17	-1.14	22.03	<=33.01	Pass
		25	0	22.07	-1.14	20.93	<=33.01	Pass
13			22.05	-1.14	20.91	<=33.01	Pass	
25			21.92	-1.14	20.78	<=33.01	Pass	
50	0	21.90	-1.14	20.76	<=33.01	Pass		
16QAM	1855	1	0	22.31	-1.14	21.17	<=33.01	Pass
			25	22.30	-1.14	21.16	<=33.01	Pass
			49	22.34	-1.14	21.2	<=33.01	Pass
		25	0	21.01	-1.14	19.87	<=33.01	Pass
			13	20.89	-1.14	19.75	<=33.01	Pass
			25	20.86	-1.14	19.72	<=33.01	Pass
	50	0	20.84	-1.14	19.7	<=33.01	Pass	
	1880	1	0	21.66	-1.14	20.52	<=33.01	Pass
			25	21.75	-1.14	20.61	<=33.01	Pass
			49	21.60	-1.14	20.46	<=33.01	Pass
		25	0	21.39	-1.14	20.25	<=33.01	Pass
			13	21.43	-1.14	20.29	<=33.01	Pass
			25	21.39	-1.14	20.25	<=33.01	Pass
	50	0	21.31	-1.14	20.17	<=33.01	Pass	
	1905	1	0	22.29	-1.14	21.15	<=33.01	Pass
			25	22.16	-1.14	21.02	<=33.01	Pass
			49	22.23	-1.14	21.09	<=33.01	Pass
		25	0	21.31	-1.14	20.17	<=33.01	Pass
13			21.24	-1.14	20.1	<=33.01	Pass	
25			21.23	-1.14	20.09	<=33.01	Pass	
50	0	21.19	-1.14	20.05	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	22.89	-1.14	21.75	<=33.01	Pass		
			38	22.85	-1.14	21.71	<=33.01	Pass		
			74	22.97	-1.14	21.83	<=33.01	Pass		
		36	0	21.82	-1.14	20.68	<=33.01	Pass		
			18	21.79	-1.14	20.65	<=33.01	Pass		
			39	21.89	-1.14	20.75	<=33.01	Pass		
		75	0	21.89	-1.14	20.75	<=33.01	Pass		
		1880	1	0	23.14	-1.14	22	<=33.01	Pass	
				38	23.12	-1.14	21.98	<=33.01	Pass	
	74			23.08	-1.14	21.94	<=33.01	Pass		
	36		0	22.23	-1.14	21.09	<=33.01	Pass		
			18	22.19	-1.14	21.05	<=33.01	Pass		
			39	22.14	-1.14	21	<=33.01	Pass		
	75		0	22.19	-1.14	21.05	<=33.01	Pass		
	1902.5		1	0	23.20	-1.14	22.06	<=33.01	Pass	
				38	23.16	-1.14	22.02	<=33.01	Pass	
		74		23.15	-1.14	22.01	<=33.01	Pass		
		36	0	22.09	-1.14	20.95	<=33.01	Pass		
			18	22.07	-1.14	20.93	<=33.01	Pass		
			39	21.94	-1.14	20.8	<=33.01	Pass		
		75	0	22.16	-1.14	21.02	<=33.01	Pass		
		16QAM	1857.5	1	0	22.34	-1.14	21.2	<=33.01	Pass
					38	22.28	-1.14	21.14	<=33.01	Pass
	74				22.47	-1.14	21.33	<=33.01	Pass	
36	0			20.91	-1.14	19.77	<=33.01	Pass		
	18			20.89	-1.14	19.75	<=33.01	Pass		
	39			21.06	-1.14	19.92	<=33.01	Pass		
75	0			20.83	-1.14	19.69	<=33.01	Pass		
1880	1			0	22.49	-1.14	21.35	<=33.01	Pass	
				38	22.53	-1.14	21.39	<=33.01	Pass	
			74	22.47	-1.14	21.33	<=33.01	Pass		
	36		0	21.28	-1.14	20.14	<=33.01	Pass		
			18	21.38	-1.14	20.24	<=33.01	Pass		
			39	21.32	-1.14	20.18	<=33.01	Pass		
	75		0	21.44	-1.14	20.3	<=33.01	Pass		
	1902.5		1	0	22.31	-1.14	21.17	<=33.01	Pass	
				38	22.32	-1.14	21.18	<=33.01	Pass	
74				22.21	-1.14	21.07	<=33.01	Pass		
36			0	21.16	-1.14	20.02	<=33.01	Pass		
			18	21.28	-1.14	20.14	<=33.01	Pass		
			39	21.19	-1.14	20.05	<=33.01	Pass		
75			0	21.28	-1.14	20.14	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.84	-1.14	21.7	<=33.01	Pass
			50	22.88	-1.14	21.74	<=33.01	Pass
			99	23.08	-1.14	21.94	<=33.01	Pass
		50	0	21.79	-1.14	20.65	<=33.01	Pass
			25	21.86	-1.14	20.72	<=33.01	Pass
			50	22.04	-1.14	20.9	<=33.01	Pass
	100	0	21.94	-1.14	20.8	<=33.01	Pass	
	1880	1	0	23.30	-1.14	22.16	<=33.01	Pass
			50	23.25	-1.14	22.11	<=33.01	Pass
			99	23.22	-1.14	22.08	<=33.01	Pass
		50	0	22.27	-1.14	21.13	<=33.01	Pass
			25	22.17	-1.14	21.03	<=33.01	Pass
			50	22.04	-1.14	20.9	<=33.01	Pass
	100	0	22.35	-1.14	21.21	<=33.01	Pass	
	1900	1	0	23.05	-1.14	21.91	<=33.01	Pass
			50	23.03	-1.14	21.89	<=33.01	Pass
			99	22.99	-1.14	21.85	<=33.01	Pass
		50	0	22.04	-1.14	20.9	<=33.01	Pass
25			22.08	-1.14	20.94	<=33.01	Pass	
50			21.91	-1.14	20.77	<=33.01	Pass	
100	0	22.18	-1.14	21.04	<=33.01	Pass		
16QAM	1860	1	0	21.93	-1.14	20.79	<=33.01	Pass
			50	21.96	-1.14	20.82	<=33.01	Pass
			99	22.18	-1.14	21.04	<=33.01	Pass
		50	0	20.96	-1.14	19.82	<=33.01	Pass
			25	20.96	-1.14	19.82	<=33.01	Pass
			50	21.21	-1.14	20.07	<=33.01	Pass
	100	0	20.97	-1.14	19.83	<=33.01	Pass	
	1880	1	0	23.04	-1.14	21.9	<=33.01	Pass
			50	23.10	-1.14	21.96	<=33.01	Pass
			99	23.03	-1.14	21.89	<=33.01	Pass
		50	0	21.22	-1.14	20.08	<=33.01	Pass
			25	21.35	-1.14	20.21	<=33.01	Pass
			50	21.23	-1.14	20.09	<=33.01	Pass
	100	0	21.34	-1.14	20.2	<=33.01	Pass	
	1900	1	0	22.47	-1.14	21.33	<=33.01	Pass
			50	22.40	-1.14	21.26	<=33.01	Pass
			99	22.32	-1.14	21.18	<=33.01	Pass
		50	0	21.29	-1.14	20.15	<=33.01	Pass
25			21.17	-1.14	20.03	<=33.01	Pass	
50			21.21	-1.14	20.07	<=33.01	Pass	
100	0	21.08	-1.14	19.94	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2. Effective (Isotropic) Radiated Power Output Data

2.1 B38_5MHz_EIRP

2.1.1 Test Result

Band: 38 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2572.5	1	0	22.77	2.71	25.48	<=33.01	Pass		
			13	22.79	2.71	25.5	<=33.01	Pass		
			24	22.73	2.71	25.44	<=33.01	Pass		
		12	0	22.24	2.71	24.95	<=33.01	Pass		
			6	22.26	2.71	24.97	<=33.01	Pass		
			13	22.27	2.71	24.98	<=33.01	Pass		
		25	0	22.31	2.71	25.02	<=33.01	Pass		
		2595	1	0	22.80	2.71	25.51	<=33.01	Pass	
				13	22.80	2.71	25.51	<=33.01	Pass	
	24			22.79	2.71	25.5	<=33.01	Pass		
	12		0	22.42	2.71	25.13	<=33.01	Pass		
			6	22.34	2.71	25.05	<=33.01	Pass		
			13	22.35	2.71	25.06	<=33.01	Pass		
	25	0	22.43	2.71	25.14	<=33.01	Pass			
	2617.5	1	0	22.33	2.71	25.04	<=33.01	Pass		
			13	22.37	2.71	25.08	<=33.01	Pass		
			24	22.24	2.71	24.95	<=33.01	Pass		
		12	0	21.74	2.71	24.45	<=33.01	Pass		
			6	21.68	2.71	24.39	<=33.01	Pass		
			13	21.81	2.71	24.52	<=33.01	Pass		
		25	0	21.74	2.71	24.45	<=33.01	Pass		
		16QAM	2572.5	1	0	22.22	2.71	24.93	<=33.01	Pass
					13	22.19	2.71	24.9	<=33.01	Pass
	24				22.28	2.71	24.99	<=33.01	Pass	
12	0			21.23	2.71	23.94	<=33.01	Pass		
	6			21.18	2.71	23.89	<=33.01	Pass		
	13			21.32	2.71	24.03	<=33.01	Pass		
25	0			21.31	2.71	24.02	<=33.01	Pass		
2595	1			0	23.04	2.71	25.75	<=33.01	Pass	
				13	23.05	2.71	25.76	<=33.01	Pass	
			24	23.26	2.71	25.97	<=33.01	Pass		
	12		0	21.48	2.71	24.19	<=33.01	Pass		
			6	21.28	2.71	23.99	<=33.01	Pass		
			13	21.29	2.71	24	<=33.01	Pass		
25	0		21.44	2.71	24.15	<=33.01	Pass			
2617.5	1		0	21.78	2.71	24.49	<=33.01	Pass		
			13	21.77	2.71	24.48	<=33.01	Pass		
			24	22.05	2.71	24.76	<=33.01	Pass		
	12		0	20.82	2.71	23.53	<=33.01	Pass		
			6	20.80	2.71	23.51	<=33.01	Pass		
			13	20.69	2.71	23.4	<=33.01	Pass		
	25		0	20.84	2.71	23.55	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2.2 B38_10MHz_EIRP

2.2.1 Test Result

Band: 38 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	22.88	2.71	25.59	<=33.01	Pass
			25	22.79	2.71	25.5	<=33.01	Pass
			49	22.91	2.71	25.62	<=33.01	Pass
		25	0	22.32	2.71	25.03	<=33.01	Pass
			13	22.33	2.71	25.04	<=33.01	Pass
			25	22.43	2.71	25.14	<=33.01	Pass
	50	0	22.20	2.71	24.91	<=33.01	Pass	
	2595	1	0	22.89	2.71	25.6	<=33.01	Pass
			25	22.72	2.71	25.43	<=33.01	Pass
			49	22.67	2.71	25.38	<=33.01	Pass
		25	0	22.37	2.71	25.08	<=33.01	Pass
			13	22.54	2.71	25.25	<=33.01	Pass
			25	22.35	2.71	25.06	<=33.01	Pass
	50	0	22.49	2.71	25.2	<=33.01	Pass	
	2615	1	0	22.60	2.71	25.31	<=33.01	Pass
			25	22.39	2.71	25.1	<=33.01	Pass
			49	22.32	2.71	25.03	<=33.01	Pass
		25	0	21.73	2.71	24.44	<=33.01	Pass
13			21.76	2.71	24.47	<=33.01	Pass	
25			21.73	2.71	24.44	<=33.01	Pass	
50	0	21.71	2.71	24.42	<=33.01	Pass		
16QAM	2575	1	0	22.43	2.71	25.14	<=33.01	Pass
			25	22.35	2.71	25.06	<=33.01	Pass
			49	22.20	2.71	24.91	<=33.01	Pass
		25	0	21.36	2.71	24.07	<=33.01	Pass
			13	21.27	2.71	23.98	<=33.01	Pass
			25	21.42	2.71	24.13	<=33.01	Pass
	50	0	21.37	2.71	24.08	<=33.01	Pass	
	2595	1	0	22.92	2.71	25.63	<=33.01	Pass
			25	22.64	2.71	25.35	<=33.01	Pass
			49	22.53	2.71	25.24	<=33.01	Pass
		25	0	21.79	2.71	24.5	<=33.01	Pass
			13	21.76	2.71	24.47	<=33.01	Pass
			25	21.60	2.71	24.31	<=33.01	Pass
	50	0	21.43	2.71	24.14	<=33.01	Pass	
	2615	1	0	22.84	2.71	25.55	<=33.01	Pass
			25	22.61	2.71	25.32	<=33.01	Pass
			49	22.72	2.71	25.43	<=33.01	Pass
		25	0	20.97	2.71	23.68	<=33.01	Pass
13			20.89	2.71	23.6	<=33.01	Pass	
25			20.85	2.71	23.56	<=33.01	Pass	
50	0	20.93	2.71	23.64	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2.3 B38_15MHz_EIRP

2.3.1 Test Result

Band: 38 / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2577.5	1	0	22.97	2.71	25.68	<=33.01	Pass		
			38	23.06	2.71	25.77	<=33.01	Pass		
			74	23.23	2.71	25.94	<=33.01	Pass		
		36	0	22.38	2.71	25.09	<=33.01	Pass		
			18	22.24	2.71	24.95	<=33.01	Pass		
			39	22.38	2.71	25.09	<=33.01	Pass		
		75	0	22.41	2.71	25.12	<=33.01	Pass		
		2595	1	0	22.97	2.71	25.68	<=33.01	Pass	
				38	22.95	2.71	25.66	<=33.01	Pass	
	74			22.81	2.71	25.52	<=33.01	Pass		
	36		0	22.41	2.71	25.12	<=33.01	Pass		
			18	22.44	2.71	25.15	<=33.01	Pass		
			39	22.26	2.71	24.97	<=33.01	Pass		
	75		0	22.50	2.71	25.21	<=33.01	Pass		
	2612.5		1	0	22.63	2.71	25.34	<=33.01	Pass	
				38	22.46	2.71	25.17	<=33.01	Pass	
		74		22.26	2.71	24.97	<=33.01	Pass		
		36	0	21.91	2.71	24.62	<=33.01	Pass		
			18	21.84	2.71	24.55	<=33.01	Pass		
			39	21.80	2.71	24.51	<=33.01	Pass		
		75	0	21.79	2.71	24.5	<=33.01	Pass		
		16QAM	2577.5	1	0	22.43	2.71	25.14	<=33.01	Pass
					38	22.54	2.71	25.25	<=33.01	Pass
	74				22.36	2.71	25.07	<=33.01	Pass	
36	0			21.34	2.71	24.05	<=33.01	Pass		
	18			21.36	2.71	24.07	<=33.01	Pass		
	39			21.51	2.71	24.22	<=33.01	Pass		
75	0			21.40	2.71	24.11	<=33.01	Pass		
2595	1			0	22.56	2.71	25.27	<=33.01	Pass	
				38	22.39	2.71	25.1	<=33.01	Pass	
			74	22.04	2.71	24.75	<=33.01	Pass		
	36		0	21.58	2.71	24.29	<=33.01	Pass		
			18	21.51	2.71	24.22	<=33.01	Pass		
			39	21.32	2.71	24.03	<=33.01	Pass		
	75		0	21.63	2.71	24.34	<=33.01	Pass		
	2612.5		1	0	22.98	2.71	25.69	<=33.01	Pass	
				38	22.75	2.71	25.46	<=33.01	Pass	
74				22.68	2.71	25.39	<=33.01	Pass		
36			0	20.94	2.71	23.65	<=33.01	Pass		
			18	20.87	2.71	23.58	<=33.01	Pass		
			39	20.87	2.71	23.58	<=33.01	Pass		
75			0	20.92	2.71	23.63	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2.4 B38_20MHz_EIRP

2.4.1 Test Result

Band: 38 / Bandwidth: 20MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2580	1	0	22.78	2.71	25.49	<=33.01	Pass	
			50	22.76	2.71	25.47	<=33.01	Pass	
			99	22.76	2.71	25.47	<=33.01	Pass	
		50	0	22.28	2.71	24.99	<=33.01	Pass	
			25	22.25	2.71	24.96	<=33.01	Pass	
			50	22.35	2.71	25.06	<=33.01	Pass	
		100	0	22.24	2.71	24.95	<=33.01	Pass	
		2595	1	0	23.09	2.71	25.8	<=33.01	Pass
				50	22.98	2.71	25.69	<=33.01	Pass
	99			22.76	2.71	25.47	<=33.01	Pass	
	50		0	22.35	2.71	25.06	<=33.01	Pass	
			25	22.53	2.71	25.24	<=33.01	Pass	
			50	22.17	2.71	24.88	<=33.01	Pass	
	100		0	22.42	2.71	25.13	<=33.01	Pass	
	2610		1	0	22.68	2.71	25.39	<=33.01	Pass
				50	22.34	2.71	25.05	<=33.01	Pass
		99		22.21	2.71	24.92	<=33.01	Pass	
		50	0	21.94	2.71	24.65	<=33.01	Pass	
25			21.89	2.71	24.6	<=33.01	Pass		
50			21.80	2.71	24.51	<=33.01	Pass		
100		0	21.96	2.71	24.67	<=33.01	Pass		
16QAM		2580	1	0	22.99	2.71	25.7	<=33.01	Pass
				50	22.70	2.71	25.41	<=33.01	Pass
	99			22.83	2.71	25.54	<=33.01	Pass	
	50		0	21.46	2.71	24.17	<=33.01	Pass	
			25	21.51	2.71	24.22	<=33.01	Pass	
			50	21.67	2.71	24.38	<=33.01	Pass	
	100		0	21.41	2.71	24.12	<=33.01	Pass	
	2595		1	0	22.73	2.71	25.44	<=33.01	Pass
				50	22.75	2.71	25.46	<=33.01	Pass
		99		22.92	2.71	25.63	<=33.01	Pass	
		50	0	21.60	2.71	24.31	<=33.01	Pass	
			25	21.52	2.71	24.23	<=33.01	Pass	
			50	21.36	2.71	24.07	<=33.01	Pass	
		100	0	21.53	2.71	24.24	<=33.01	Pass	
		2610	1	0	22.11	2.71	24.82	<=33.01	Pass
				50	21.71	2.71	24.42	<=33.01	Pass
	99			21.67	2.71	24.38	<=33.01	Pass	
	50		0	21.14	2.71	23.85	<=33.01	Pass	
25			21.09	2.71	23.8	<=33.01	Pass		
50			20.81	2.71	23.52	<=33.01	Pass		
100	0		21.07	2.71	23.78	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3. Effective (Isotropic) Radiated Power Output Data

3.1 B4_1.4MHz_EIRP

3.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	22.44	-2.16	20.28	<=30	Pass		
			2	22.46	-2.16	20.3	<=30	Pass		
			5	22.52	-2.16	20.36	<=30	Pass		
		3	0	22.46	-2.16	20.3	<=30	Pass		
			2	22.43	-2.16	20.27	<=30	Pass		
			3	22.43	-2.16	20.27	<=30	Pass		
		6	0	21.44	-2.16	19.28	<=30	Pass		
		1732.5	1	0	22.43	-2.16	20.27	<=30	Pass	
				2	22.44	-2.16	20.28	<=30	Pass	
	5			22.47	-2.16	20.31	<=30	Pass		
	3		0	22.53	-2.16	20.37	<=30	Pass		
			2	22.61	-2.16	20.45	<=30	Pass		
			3	22.53	-2.16	20.37	<=30	Pass		
	6		0	21.38	-2.16	19.22	<=30	Pass		
	1754.3		1	0	22.83	-2.16	20.67	<=30	Pass	
				2	22.80	-2.16	20.64	<=30	Pass	
		5		22.76	-2.16	20.6	<=30	Pass		
		3	0	22.79	-2.16	20.63	<=30	Pass		
			2	22.72	-2.16	20.56	<=30	Pass		
			3	22.71	-2.16	20.55	<=30	Pass		
		6	0	21.67	-2.16	19.51	<=30	Pass		
		16QAM	1710.7	1	0	21.08	-2.16	18.92	<=30	Pass
					2	21.03	-2.16	18.87	<=30	Pass
	5				21.07	-2.16	18.91	<=30	Pass	
3	0			21.37	-2.16	19.21	<=30	Pass		
	2			21.37	-2.16	19.21	<=30	Pass		
	3			21.36	-2.16	19.2	<=30	Pass		
6	0			20.50	-2.16	18.34	<=30	Pass		
1732.5	1			0	21.58	-2.16	19.42	<=30	Pass	
				2	21.50	-2.16	19.34	<=30	Pass	
			5	21.53	-2.16	19.37	<=30	Pass		
	3		0	21.25	-2.16	19.09	<=30	Pass		
			2	21.26	-2.16	19.1	<=30	Pass		
			3	21.25	-2.16	19.09	<=30	Pass		
	6		0	20.42	-2.16	18.26	<=30	Pass		
	1754.3		1	0	21.40	-2.16	19.24	<=30	Pass	
				2	21.40	-2.16	19.24	<=30	Pass	
5				21.44	-2.16	19.28	<=30	Pass		
3			0	21.43	-2.16	19.27	<=30	Pass		
			2	21.50	-2.16	19.34	<=30	Pass		
			3	21.47	-2.16	19.31	<=30	Pass		
6			0	21.11	-2.16	18.95	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3.2 B4_3MHz_EIRP

3.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.49	-2.16	20.33	<=30	Pass
			7	22.45	-2.16	20.29	<=30	Pass
			14	22.57	-2.16	20.41	<=30	Pass
		8	0	21.46	-2.16	19.3	<=30	Pass
			4	21.52	-2.16	19.36	<=30	Pass
			7	21.47	-2.16	19.31	<=30	Pass
	15	0	21.44	-2.16	19.28	<=30	Pass	
	1732.5	1	0	22.44	-2.16	20.28	<=30	Pass
			7	22.46	-2.16	20.3	<=30	Pass
			14	22.49	-2.16	20.33	<=30	Pass
		8	0	21.53	-2.16	19.37	<=30	Pass
			4	21.48	-2.16	19.32	<=30	Pass
			7	21.50	-2.16	19.34	<=30	Pass
	15	0	21.41	-2.16	19.25	<=30	Pass	
	1753.5	1	0	22.63	-2.16	20.47	<=30	Pass
			7	22.67	-2.16	20.51	<=30	Pass
			14	22.61	-2.16	20.45	<=30	Pass
		8	0	21.77	-2.16	19.61	<=30	Pass
4			21.74	-2.16	19.58	<=30	Pass	
7			21.65	-2.16	19.49	<=30	Pass	
15	0	21.74	-2.16	19.58	<=30	Pass		
16QAM	1711.5	1	0	21.01	-2.16	18.85	<=30	Pass
			7	21.01	-2.16	18.85	<=30	Pass
			14	20.97	-2.16	18.81	<=30	Pass
		8	0	20.71	-2.16	18.55	<=30	Pass
			4	20.65	-2.16	18.49	<=30	Pass
			7	20.73	-2.16	18.57	<=30	Pass
	15	0	20.58	-2.16	18.42	<=30	Pass	
	1732.5	1	0	22.30	-2.16	20.14	<=30	Pass
			7	22.18	-2.16	20.02	<=30	Pass
			14	22.23	-2.16	20.07	<=30	Pass
		8	0	20.78	-2.16	18.62	<=30	Pass
			4	20.59	-2.16	18.43	<=30	Pass
			7	20.58	-2.16	18.42	<=30	Pass
	15	0	20.51	-2.16	18.35	<=30	Pass	
	1753.5	1	0	21.85	-2.16	19.69	<=30	Pass
			7	21.77	-2.16	19.61	<=30	Pass
			14	21.84	-2.16	19.68	<=30	Pass
		8	0	21.00	-2.16	18.84	<=30	Pass
4			20.99	-2.16	18.83	<=30	Pass	
7			21.02	-2.16	18.86	<=30	Pass	
15	0	20.81	-2.16	18.65	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3.3 B4_5MHz_EIRP

3.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1712.5	1	0	22.34	-2.16	20.18	<=30	Pass		
			13	22.39	-2.16	20.23	<=30	Pass		
			24	22.40	-2.16	20.24	<=30	Pass		
		12	0	21.54	-2.16	19.38	<=30	Pass		
			6	21.49	-2.16	19.33	<=30	Pass		
			13	21.50	-2.16	19.34	<=30	Pass		
		25	0	21.54	-2.16	19.38	<=30	Pass		
		1732.5	1	0	22.57	-2.16	20.41	<=30	Pass	
				13	22.59	-2.16	20.43	<=30	Pass	
	24			22.56	-2.16	20.4	<=30	Pass		
	12		0	21.57	-2.16	19.41	<=30	Pass		
			6	21.52	-2.16	19.36	<=30	Pass		
			13	21.48	-2.16	19.32	<=30	Pass		
	25		0	21.46	-2.16	19.3	<=30	Pass		
	1752.5		1	0	22.86	-2.16	20.7	<=30	Pass	
				13	22.78	-2.16	20.62	<=30	Pass	
		24		22.81	-2.16	20.65	<=30	Pass		
		12	0	21.71	-2.16	19.55	<=30	Pass		
			6	21.77	-2.16	19.61	<=30	Pass		
			13	21.70	-2.16	19.54	<=30	Pass		
		25	0	21.62	-2.16	19.46	<=30	Pass		
		16QAM	1712.5	1	0	21.56	-2.16	19.4	<=30	Pass
					13	21.50	-2.16	19.34	<=30	Pass
	24				21.55	-2.16	19.39	<=30	Pass	
12	0			20.48	-2.16	18.32	<=30	Pass		
	6			20.54	-2.16	18.38	<=30	Pass		
	13			20.46	-2.16	18.3	<=30	Pass		
25	0			20.62	-2.16	18.46	<=30	Pass		
1732.5	1			0	21.50	-2.16	19.34	<=30	Pass	
				13	21.42	-2.16	19.26	<=30	Pass	
			24	21.51	-2.16	19.35	<=30	Pass		
	12		0	20.56	-2.16	18.4	<=30	Pass		
			6	20.37	-2.16	18.21	<=30	Pass		
			13	20.38	-2.16	18.22	<=30	Pass		
	25		0	20.42	-2.16	18.26	<=30	Pass		
	1752.5		1	0	20.84	-2.16	18.68	<=30	Pass	
				13	20.77	-2.16	18.61	<=30	Pass	
24				20.87	-2.16	18.71	<=30	Pass		
12			0	20.77	-2.16	18.61	<=30	Pass		
			6	20.71	-2.16	18.55	<=30	Pass		
			13	20.81	-2.16	18.65	<=30	Pass		
25			0	20.75	-2.16	18.59	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3.4 B4_10MHz_EIRP

3.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1715	1	0	22.41	-2.16	20.25	<=30	Pass		
			25	22.45	-2.16	20.29	<=30	Pass		
			49	22.43	-2.16	20.27	<=30	Pass		
		25	0	21.46	-2.16	19.3	<=30	Pass		
			13	21.54	-2.16	19.38	<=30	Pass		
			25	21.53	-2.16	19.37	<=30	Pass		
		50	0	21.48	-2.16	19.32	<=30	Pass		
		1732.5	1	0	22.49	-2.16	20.33	<=30	Pass	
				25	22.55	-2.16	20.39	<=30	Pass	
	49			22.55	-2.16	20.39	<=30	Pass		
	25		0	21.62	-2.16	19.46	<=30	Pass		
			13	21.39	-2.16	19.23	<=30	Pass		
			25	21.57	-2.16	19.41	<=30	Pass		
	50		0	21.44	-2.16	19.28	<=30	Pass		
	1750		1	0	22.61	-2.16	20.45	<=30	Pass	
				25	22.70	-2.16	20.54	<=30	Pass	
		49		22.73	-2.16	20.57	<=30	Pass		
		25	0	21.65	-2.16	19.49	<=30	Pass		
			13	21.69	-2.16	19.53	<=30	Pass		
			25	21.66	-2.16	19.5	<=30	Pass		
		50	0	21.66	-2.16	19.5	<=30	Pass		
		16QAM	1715	1	0	21.74	-2.16	19.58	<=30	Pass
					25	21.69	-2.16	19.53	<=30	Pass
	49				21.65	-2.16	19.49	<=30	Pass	
25	0			20.51	-2.16	18.35	<=30	Pass		
	13			20.63	-2.16	18.47	<=30	Pass		
	25			20.53	-2.16	18.37	<=30	Pass		
50	0			20.67	-2.16	18.51	<=30	Pass		
1732.5	1			0	20.96	-2.16	18.8	<=30	Pass	
				25	21.01	-2.16	18.85	<=30	Pass	
			49	21.08	-2.16	18.92	<=30	Pass		
	25		0	20.79	-2.16	18.63	<=30	Pass		
			13	20.67	-2.16	18.51	<=30	Pass		
			25	20.73	-2.16	18.57	<=30	Pass		
	50		0	20.52	-2.16	18.36	<=30	Pass		
	1750		1	0	22.10	-2.16	19.94	<=30	Pass	
				25	22.15	-2.16	19.99	<=30	Pass	
49				22.22	-2.16	20.06	<=30	Pass		
25			0	20.68	-2.16	18.52	<=30	Pass		
			13	20.77	-2.16	18.61	<=30	Pass		
			25	20.77	-2.16	18.61	<=30	Pass		
50			0	20.82	-2.16	18.66	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3.5 B4_15MHz_EIRP

3.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	22.37	-2.16	20.21	<=30	Pass		
			38	22.38	-2.16	20.22	<=30	Pass		
			74	22.43	-2.16	20.27	<=30	Pass		
		36	0	21.48	-2.16	19.32	<=30	Pass		
			18	21.63	-2.16	19.47	<=30	Pass		
			39	21.56	-2.16	19.4	<=30	Pass		
		75	0	21.54	-2.16	19.38	<=30	Pass		
		1732.5	1	0	22.43	-2.16	20.27	<=30	Pass	
				38	22.43	-2.16	20.27	<=30	Pass	
	74			22.44	-2.16	20.28	<=30	Pass		
	36		0	21.60	-2.16	19.44	<=30	Pass		
			18	21.54	-2.16	19.38	<=30	Pass		
			39	21.59	-2.16	19.43	<=30	Pass		
	75		0	21.44	-2.16	19.28	<=30	Pass		
	1747.5		1	0	22.66	-2.16	20.5	<=30	Pass	
				38	22.71	-2.16	20.55	<=30	Pass	
		74		22.71	-2.16	20.55	<=30	Pass		
		36	0	21.61	-2.16	19.45	<=30	Pass		
			18	21.65	-2.16	19.49	<=30	Pass		
			39	21.74	-2.16	19.58	<=30	Pass		
		75	0	21.71	-2.16	19.55	<=30	Pass		
		16QAM	1717.5	1	0	21.68	-2.16	19.52	<=30	Pass
					38	21.71	-2.16	19.55	<=30	Pass
	74				21.69	-2.16	19.53	<=30	Pass	
36	0			20.74	-2.16	18.58	<=30	Pass		
	18			20.61	-2.16	18.45	<=30	Pass		
	39			20.75	-2.16	18.59	<=30	Pass		
75	0			20.60	-2.16	18.44	<=30	Pass		
1732.5	1			0	21.79	-2.16	19.63	<=30	Pass	
				38	21.79	-2.16	19.63	<=30	Pass	
			74	21.82	-2.16	19.66	<=30	Pass		
	36		0	20.65	-2.16	18.49	<=30	Pass		
			18	20.49	-2.16	18.33	<=30	Pass		
			39	20.61	-2.16	18.45	<=30	Pass		
	75		0	20.55	-2.16	18.39	<=30	Pass		
	1747.5		1	0	22.12	-2.16	19.96	<=30	Pass	
				38	22.13	-2.16	19.97	<=30	Pass	
74				22.22	-2.16	20.06	<=30	Pass		
36			0	20.83	-2.16	18.67	<=30	Pass		
			18	20.72	-2.16	18.56	<=30	Pass		
			39	20.81	-2.16	18.65	<=30	Pass		
75			0	20.69	-2.16	18.53	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3.6 B4_20MHz_EIRP

3.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	22.56	-2.16	20.4	<=30	Pass		
			50	22.52	-2.16	20.36	<=30	Pass		
			99	22.58	-2.16	20.42	<=30	Pass		
		50	0	21.51	-2.16	19.35	<=30	Pass		
			25	21.43	-2.16	19.27	<=30	Pass		
			50	21.48	-2.16	19.32	<=30	Pass		
		100	0	21.45	-2.16	19.29	<=30	Pass		
		1732.5	1	0	22.58	-2.16	20.42	<=30	Pass	
				50	22.60	-2.16	20.44	<=30	Pass	
	99			22.73	-2.16	20.57	<=30	Pass		
	50		0	21.53	-2.16	19.37	<=30	Pass		
			25	21.57	-2.16	19.41	<=30	Pass		
			50	21.61	-2.16	19.45	<=30	Pass		
	100		0	21.45	-2.16	19.29	<=30	Pass		
	1745		1	0	22.65	-2.16	20.49	<=30	Pass	
				50	22.71	-2.16	20.55	<=30	Pass	
		99		22.79	-2.16	20.63	<=30	Pass		
		50	0	21.60	-2.16	19.44	<=30	Pass		
			25	21.60	-2.16	19.44	<=30	Pass		
			50	21.72	-2.16	19.56	<=30	Pass		
		100	0	21.72	-2.16	19.56	<=30	Pass		
		16QAM	1720	1	0	21.47	-2.16	19.31	<=30	Pass
					50	21.45	-2.16	19.29	<=30	Pass
	99				21.44	-2.16	19.28	<=30	Pass	
50	0			20.75	-2.16	18.59	<=30	Pass		
	25			20.57	-2.16	18.41	<=30	Pass		
	50			20.73	-2.16	18.57	<=30	Pass		
100	0			20.61	-2.16	18.45	<=30	Pass		
1732.5	1			0	22.39	-2.16	20.23	<=30	Pass	
				50	22.26	-2.16	20.1	<=30	Pass	
			99	22.38	-2.16	20.22	<=30	Pass		
	50		0	20.60	-2.16	18.44	<=30	Pass		
			25	20.52	-2.16	18.36	<=30	Pass		
			50	20.63	-2.16	18.47	<=30	Pass		
	100		0	20.57	-2.16	18.41	<=30	Pass		
	1745		1	0	21.96	-2.16	19.8	<=30	Pass	
				50	22.00	-2.16	19.84	<=30	Pass	
99				22.08	-2.16	19.92	<=30	Pass		
50			0	20.89	-2.16	18.73	<=30	Pass		
			25	20.88	-2.16	18.72	<=30	Pass		
			50	20.94	-2.16	18.78	<=30	Pass		
100			0	20.78	-2.16	18.62	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

4. Effective (Isotropic) Radiated Power Output Data

4.1 B5_1.4MHz_ERP

4.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	23.08	-5.96	14.97	<=38.45	Pass		
			2	23.09	-5.96	14.98	<=38.45	Pass		
			5	23.18	-5.96	15.07	<=38.45	Pass		
		3	0	23.15	-5.96	15.04	<=38.45	Pass		
			2	22.88	-5.96	14.77	<=38.45	Pass		
			3	23.14	-5.96	15.03	<=38.45	Pass		
		6	0	22.18	-5.96	14.07	<=38.45	Pass		
		836.5	1	0	23.26	-5.96	15.15	<=38.45	Pass	
				2	23.42	-5.96	15.31	<=38.45	Pass	
	5			23.38	-5.96	15.27	<=38.45	Pass		
	3		0	23.51	-5.96	15.4	<=38.45	Pass		
			2	23.42	-5.96	15.31	<=38.45	Pass		
			3	23.47	-5.96	15.36	<=38.45	Pass		
	6	0	22.36	-5.96	14.25	<=38.45	Pass			
	848.3	1	0	23.15	-5.96	15.04	<=38.45	Pass		
			2	23.00	-5.96	14.89	<=38.45	Pass		
			5	22.97	-5.96	14.86	<=38.45	Pass		
		3	0	23.01	-5.96	14.9	<=38.45	Pass		
			2	23.10	-5.96	14.99	<=38.45	Pass		
			3	23.01	-5.96	14.9	<=38.45	Pass		
		6	0	22.15	-5.96	14.04	<=38.45	Pass		
		16QAM	824.7	1	0	21.79	-5.96	13.68	<=38.45	Pass
					2	21.78	-5.96	13.67	<=38.45	Pass
	5				21.73	-5.96	13.62	<=38.45	Pass	
3	0			21.91	-5.96	13.8	<=38.45	Pass		
	2			21.85	-5.96	13.74	<=38.45	Pass		
	3			21.84	-5.96	13.73	<=38.45	Pass		
6	0			21.20	-5.96	13.09	<=38.45	Pass		
836.5	1			0	21.89	-5.96	13.78	<=38.45	Pass	
				2	22.10	-5.96	13.99	<=38.45	Pass	
			5	22.02	-5.96	13.91	<=38.45	Pass		
	3		0	22.23	-5.96	14.12	<=38.45	Pass		
			2	22.18	-5.96	14.07	<=38.45	Pass		
			3	22.22	-5.96	14.11	<=38.45	Pass		
6	0		21.44	-5.96	13.33	<=38.45	Pass			
848.3	1		0	22.51	-5.96	14.4	<=38.45	Pass		
			2	22.55	-5.96	14.44	<=38.45	Pass		
			5	22.58	-5.96	14.47	<=38.45	Pass		
	3		0	21.93	-5.96	13.82	<=38.45	Pass		
			2	22.00	-5.96	13.89	<=38.45	Pass		
			3	21.96	-5.96	13.85	<=38.45	Pass		
	6		0	21.55	-5.96	13.44	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

4.2 B5_3MHz_ERP

4.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.02	-5.96	14.91	<=38.45	Pass
			7	23.08	-5.96	14.97	<=38.45	Pass
			14	22.94	-5.96	14.83	<=38.45	Pass
		8	0	22.19	-5.96	14.08	<=38.45	Pass
			4	22.08	-5.96	13.97	<=38.45	Pass
			7	22.05	-5.96	13.94	<=38.45	Pass
	15	0	22.19	-5.96	14.08	<=38.45	Pass	
	836.5	1	0	23.29	-5.96	15.18	<=38.45	Pass
			7	23.37	-5.96	15.26	<=38.45	Pass
			14	23.36	-5.96	15.25	<=38.45	Pass
		8	0	22.26	-5.96	14.15	<=38.45	Pass
			4	22.46	-5.96	14.35	<=38.45	Pass
			7	22.36	-5.96	14.25	<=38.45	Pass
	15	0	22.35	-5.96	14.24	<=38.45	Pass	
	847.5	1	0	23.21	-5.96	15.1	<=38.45	Pass
			7	23.19	-5.96	15.08	<=38.45	Pass
			14	23.16	-5.96	15.05	<=38.45	Pass
		8	0	22.03	-5.96	13.92	<=38.45	Pass
4			22.08	-5.96	13.97	<=38.45	Pass	
7			22.07	-5.96	13.96	<=38.45	Pass	
15	0	22.20	-5.96	14.09	<=38.45	Pass		
16QAM	825.5	1	0	22.00	-5.96	13.89	<=38.45	Pass
			7	21.93	-5.96	13.82	<=38.45	Pass
			14	21.87	-5.96	13.76	<=38.45	Pass
		8	0	21.34	-5.96	13.23	<=38.45	Pass
			4	21.24	-5.96	13.13	<=38.45	Pass
			7	21.39	-5.96	13.28	<=38.45	Pass
	15	0	21.09	-5.96	12.98	<=38.45	Pass	
	836.5	1	0	22.94	-5.96	14.83	<=38.45	Pass
			7	23.01	-5.96	14.9	<=38.45	Pass
			14	22.97	-5.96	14.86	<=38.45	Pass
		8	0	21.68	-5.96	13.57	<=38.45	Pass
			4	21.62	-5.96	13.51	<=38.45	Pass
			7	21.64	-5.96	13.53	<=38.45	Pass
	15	0	21.56	-5.96	13.45	<=38.45	Pass	
	847.5	1	0	22.88	-5.96	14.77	<=38.45	Pass
			7	22.87	-5.96	14.76	<=38.45	Pass
			14	22.81	-5.96	14.7	<=38.45	Pass
		8	0	21.56	-5.96	13.45	<=38.45	Pass
4			21.49	-5.96	13.38	<=38.45	Pass	
7			21.48	-5.96	13.37	<=38.45	Pass	
15	0	21.31	-5.96	13.2	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

4.3 B5_5MHz_ERP

4.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.18	-5.96	15.07	<=38.45	Pass
			13	23.04	-5.96	14.93	<=38.45	Pass
			24	23.03	-5.96	14.92	<=38.45	Pass
		12	0	22.10	-5.96	13.99	<=38.45	Pass
			6	21.99	-5.96	13.88	<=38.45	Pass
			13	22.07	-5.96	13.96	<=38.45	Pass
	25	0	22.02	-5.96	13.91	<=38.45	Pass	
	836.5	1	0	23.28	-5.96	15.17	<=38.45	Pass
			13	23.38	-5.96	15.27	<=38.45	Pass
			24	23.26	-5.96	15.15	<=38.45	Pass
		12	0	22.22	-5.96	14.11	<=38.45	Pass
			6	22.54	-5.96	14.43	<=38.45	Pass
			13	22.30	-5.96	14.19	<=38.45	Pass
	25	0	22.35	-5.96	14.24	<=38.45	Pass	
	846.5	1	0	23.08	-5.96	14.97	<=38.45	Pass
			13	23.06	-5.96	14.95	<=38.45	Pass
			24	23.00	-5.96	14.89	<=38.45	Pass
		12	0	21.99	-5.96	13.88	<=38.45	Pass
6			22.17	-5.96	14.06	<=38.45	Pass	
13			22.10	-5.96	13.99	<=38.45	Pass	
25	0	22.24	-5.96	14.13	<=38.45	Pass		
16QAM	826.5	1	0	21.51	-5.96	13.4	<=38.45	Pass
			13	21.55	-5.96	13.44	<=38.45	Pass
			24	21.57	-5.96	13.46	<=38.45	Pass
		12	0	21.21	-5.96	13.1	<=38.45	Pass
			6	21.26	-5.96	13.15	<=38.45	Pass
			13	21.28	-5.96	13.17	<=38.45	Pass
	25	0	21.26	-5.96	13.15	<=38.45	Pass	
	836.5	1	0	22.45	-5.96	14.34	<=38.45	Pass
			13	22.58	-5.96	14.47	<=38.45	Pass
			24	22.57	-5.96	14.46	<=38.45	Pass
		12	0	21.37	-5.96	13.26	<=38.45	Pass
			6	21.42	-5.96	13.31	<=38.45	Pass
			13	21.40	-5.96	13.29	<=38.45	Pass
	25	0	21.51	-5.96	13.4	<=38.45	Pass	
	846.5	1	0	22.09	-5.96	13.98	<=38.45	Pass
			13	22.09	-5.96	13.98	<=38.45	Pass
			24	22.19	-5.96	14.08	<=38.45	Pass
		12	0	21.24	-5.96	13.13	<=38.45	Pass
6			21.26	-5.96	13.15	<=38.45	Pass	
13			21.24	-5.96	13.13	<=38.45	Pass	
25	0	21.31	-5.96	13.2	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

4.4 B5_10MHz_ERP

4.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	829	1	0	23.09	-5.96	14.98	<=38.45	Pass		
			25	22.95	-5.96	14.84	<=38.45	Pass		
			49	23.24	-5.96	15.13	<=38.45	Pass		
		25	0	22.22	-5.96	14.11	<=38.45	Pass		
			13	22.12	-5.96	14.01	<=38.45	Pass		
			25	22.27	-5.96	14.16	<=38.45	Pass		
		50	0	22.16	-5.96	14.05	<=38.45	Pass		
		836.5	1	0	23.08	-5.96	14.97	<=38.45	Pass	
				25	23.34	-5.96	15.23	<=38.45	Pass	
	49			23.22	-5.96	15.11	<=38.45	Pass		
	25		0	22.27	-5.96	14.16	<=38.45	Pass		
			13	22.52	-5.96	14.41	<=38.45	Pass		
			25	22.39	-5.96	14.28	<=38.45	Pass		
	50		0	22.48	-5.96	14.37	<=38.45	Pass		
	844		1	0	23.50	-5.96	15.39	<=38.45	Pass	
				25	23.31	-5.96	15.2	<=38.45	Pass	
		49		23.25	-5.96	15.14	<=38.45	Pass		
		25	0	22.27	-5.96	14.16	<=38.45	Pass		
			13	22.14	-5.96	14.03	<=38.45	Pass		
			25	22.18	-5.96	14.07	<=38.45	Pass		
		50	0	22.19	-5.96	14.08	<=38.45	Pass		
		16QAM	829	1	0	21.83	-5.96	13.72	<=38.45	Pass
					25	21.83	-5.96	13.72	<=38.45	Pass
	49				22.03	-5.96	13.92	<=38.45	Pass	
25	0			21.27	-5.96	13.16	<=38.45	Pass		
	13			21.27	-5.96	13.16	<=38.45	Pass		
	25			21.16	-5.96	13.05	<=38.45	Pass		
50	0			21.28	-5.96	13.17	<=38.45	Pass		
836.5	1			0	21.87	-5.96	13.76	<=38.45	Pass	
				25	22.08	-5.96	13.97	<=38.45	Pass	
			49	21.85	-5.96	13.74	<=38.45	Pass		
	25		0	21.48	-5.96	13.37	<=38.45	Pass		
			13	21.43	-5.96	13.32	<=38.45	Pass		
			25	21.42	-5.96	13.31	<=38.45	Pass		
	50		0	21.44	-5.96	13.33	<=38.45	Pass		
	844		1	0	22.45	-5.96	14.34	<=38.45	Pass	
				25	22.30	-5.96	14.19	<=38.45	Pass	
49				22.23	-5.96	14.12	<=38.45	Pass		
25			0	21.33	-5.96	13.22	<=38.45	Pass		
			13	21.42	-5.96	13.31	<=38.45	Pass		
			25	21.39	-5.96	13.28	<=38.45	Pass		
50			0	21.40	-5.96	13.29	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

5. Effective (Isotropic) Radiated Power Output Data

5.1 B7_5MHz_EIRP

5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2502.5	1	0	23.53	2.71	26.24	<=33.01	Pass		
			13	23.51	2.71	26.22	<=33.01	Pass		
			24	23.46	2.71	26.17	<=33.01	Pass		
		12	0	22.74	2.71	25.45	<=33.01	Pass		
			6	22.57	2.71	25.28	<=33.01	Pass		
			13	22.69	2.71	25.40	<=33.01	Pass		
		25	0	22.61	2.71	25.32	<=33.01	Pass		
		2535	1	0	23.75	2.71	26.46	<=33.01	Pass	
				13	23.70	2.71	26.41	<=33.01	Pass	
	24			23.73	2.71	26.44	<=33.01	Pass		
	12		0	22.74	2.71	25.45	<=33.01	Pass		
			6	22.73	2.71	25.44	<=33.01	Pass		
			13	22.64	2.71	25.35	<=33.01	Pass		
	25		0	22.78	2.71	25.49	<=33.01	Pass		
	2567.5		1	0	23.26	2.71	25.97	<=33.01	Pass	
				13	23.25	2.71	25.96	<=33.01	Pass	
		24		23.31	2.71	26.02	<=33.01	Pass		
		12	0	22.26	2.71	24.97	<=33.01	Pass		
			6	22.35	2.71	25.06	<=33.01	Pass		
			13	22.35	2.71	25.06	<=33.01	Pass		
		25	0	22.21	2.71	24.92	<=33.01	Pass		
		16QAM	2502.5	1	0	23.02	2.71	25.73	<=33.01	Pass
					13	22.95	2.71	25.66	<=33.01	Pass
	24				23.00	2.71	25.71	<=33.01	Pass	
12	0			21.83	2.71	24.54	<=33.01	Pass		
	6			21.78	2.71	24.49	<=33.01	Pass		
	13			21.79	2.71	24.50	<=33.01	Pass		
25	0			21.87	2.71	24.58	<=33.01	Pass		
2535	1			0	22.72	2.71	25.43	<=33.01	Pass	
				13	22.69	2.71	25.40	<=33.01	Pass	
			24	22.62	2.71	25.33	<=33.01	Pass		
	12		0	21.78	2.71	24.49	<=33.01	Pass		
			6	21.82	2.71	24.53	<=33.01	Pass		
			13	21.77	2.71	24.48	<=33.01	Pass		
	25		0	21.83	2.71	24.54	<=33.01	Pass		
	2567.5		1	0	21.75	2.71	24.46	<=33.01	Pass	
				13	21.84	2.71	24.55	<=33.01	Pass	
24				21.93	2.71	24.64	<=33.01	Pass		
12			0	21.38	2.71	24.09	<=33.01	Pass		
			6	21.35	2.71	24.06	<=33.01	Pass		
			13	21.29	2.71	24.00	<=33.01	Pass		
25			0	21.40	2.71	24.11	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

5.2 B7_10MHz_EIRP

5.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.68	2.71	26.39	<=33.01	Pass
			25	23.59	2.71	26.30	<=33.01	Pass
			49	23.64	2.71	26.35	<=33.01	Pass
		25	0	22.67	2.71	25.38	<=33.01	Pass
			13	22.62	2.71	25.33	<=33.01	Pass
			25	22.70	2.71	25.41	<=33.01	Pass
	50	0	22.62	2.71	25.33	<=33.01	Pass	
	2535	1	0	23.78	2.71	26.49	<=33.01	Pass
			25	23.76	2.71	26.47	<=33.01	Pass
			49	23.68	2.71	26.39	<=33.01	Pass
		25	0	22.80	2.71	25.51	<=33.01	Pass
			13	22.75	2.71	25.46	<=33.01	Pass
			25	22.65	2.71	25.36	<=33.01	Pass
	50	0	22.77	2.71	25.48	<=33.01	Pass	
	2565	1	0	23.32	2.71	26.03	<=33.01	Pass
			25	23.25	2.71	25.96	<=33.01	Pass
			49	23.33	2.71	26.04	<=33.01	Pass
		25	0	22.30	2.71	25.01	<=33.01	Pass
13			22.29	2.71	25.00	<=33.01	Pass	
25			22.25	2.71	24.96	<=33.01	Pass	
50	0	22.28	2.71	24.99	<=33.01	Pass		
16QAM	2505	1	0	22.57	2.71	25.28	<=33.01	Pass
			25	22.49	2.71	25.20	<=33.01	Pass
			49	22.54	2.71	25.25	<=33.01	Pass
		25	0	21.84	2.71	24.55	<=33.01	Pass
			13	21.80	2.71	24.51	<=33.01	Pass
			25	21.73	2.71	24.44	<=33.01	Pass
	50	0	21.84	2.71	24.55	<=33.01	Pass	
	2535	1	0	22.45	2.71	25.16	<=33.01	Pass
			25	22.38	2.71	25.09	<=33.01	Pass
			49	22.32	2.71	25.03	<=33.01	Pass
		25	0	21.96	2.71	24.67	<=33.01	Pass
			13	21.89	2.71	24.60	<=33.01	Pass
			25	21.85	2.71	24.56	<=33.01	Pass
	50	0	21.85	2.71	24.56	<=33.01	Pass	
	2565	1	0	22.36	2.71	25.07	<=33.01	Pass
			25	22.41	2.71	25.12	<=33.01	Pass
			49	22.44	2.71	25.15	<=33.01	Pass
		25	0	21.43	2.71	24.14	<=33.01	Pass
13			21.43	2.71	24.14	<=33.01	Pass	
25			21.50	2.71	24.21	<=33.01	Pass	
50	0	21.49	2.71	24.20	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

5.3 B7_15MHz_EIRP

5.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2507.5	1	0	23.65	2.71	26.36	<=33.01	Pass		
			38	23.58	2.71	26.29	<=33.01	Pass		
			74	23.57	2.71	26.28	<=33.01	Pass		
		36	0	22.75	2.71	25.46	<=33.01	Pass		
			18	22.72	2.71	25.43	<=33.01	Pass		
			39	22.70	2.71	25.41	<=33.01	Pass		
		75	0	22.72	2.71	25.43	<=33.01	Pass		
		2535	1	0	23.85	2.71	26.56	<=33.01	Pass	
				38	23.76	2.71	26.47	<=33.01	Pass	
	74			23.66	2.71	26.37	<=33.01	Pass		
	36		0	22.81	2.71	25.52	<=33.01	Pass		
			18	22.86	2.71	25.57	<=33.01	Pass		
			39	22.70	2.71	25.41	<=33.01	Pass		
	75		0	22.70	2.71	25.41	<=33.01	Pass		
	2562.5		1	0	23.35	2.71	26.06	<=33.01	Pass	
				38	23.22	2.71	25.93	<=33.01	Pass	
		74		23.27	2.71	25.98	<=33.01	Pass		
		36	0	22.30	2.71	25.01	<=33.01	Pass		
			18	22.19	2.71	24.90	<=33.01	Pass		
			39	22.16	2.71	24.87	<=33.01	Pass		
		75	0	22.34	2.71	25.05	<=33.01	Pass		
		16QAM	2507.5	1	0	22.63	2.71	25.34	<=33.01	Pass
					38	22.62	2.71	25.33	<=33.01	Pass
	74				22.52	2.71	25.23	<=33.01	Pass	
36	0			21.90	2.71	24.61	<=33.01	Pass		
	18			21.87	2.71	24.58	<=33.01	Pass		
	39			21.86	2.71	24.57	<=33.01	Pass		
75	0			21.76	2.71	24.47	<=33.01	Pass		
2535	1			0	23.19	2.71	25.90	<=33.01	Pass	
				38	23.15	2.71	25.86	<=33.01	Pass	
			74	23.06	2.71	25.77	<=33.01	Pass		
	36		0	21.90	2.71	24.61	<=33.01	Pass		
			18	21.89	2.71	24.60	<=33.01	Pass		
			39	21.80	2.71	24.51	<=33.01	Pass		
	75		0	21.91	2.71	24.62	<=33.01	Pass		
	2562.5		1	0	22.50	2.71	25.21	<=33.01	Pass	
				38	22.53	2.71	25.24	<=33.01	Pass	
74				22.55	2.71	25.26	<=33.01	Pass		
36			0	21.36	2.71	24.07	<=33.01	Pass		
			18	21.41	2.71	24.12	<=33.01	Pass		
			39	21.36	2.71	24.07	<=33.01	Pass		
75			0	21.40	2.71	24.11	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

5.4 B7_20MHz_EIRP

5.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2510	1	0	23.85	2.71	26.56	<=33.01	Pass	
			50	23.76	2.71	26.47	<=33.01	Pass	
			99	23.80	2.71	26.51	<=33.01	Pass	
		50	0	22.73	2.71	25.44	<=33.01	Pass	
			25	22.65	2.71	25.36	<=33.01	Pass	
			50	22.64	2.71	25.35	<=33.01	Pass	
		100	0	22.72	2.71	25.43	<=33.01	Pass	
		2535	1	0	24.01	2.71	26.72	<=33.01	Pass
				50	24.03	2.71	26.74	<=33.01	Pass
	99			23.77	2.71	26.48	<=33.01	Pass	
	50		0	22.75	2.71	25.46	<=33.01	Pass	
			25	22.86	2.71	25.57	<=33.01	Pass	
			50	22.69	2.71	25.40	<=33.01	Pass	
	100	0	22.87	2.71	25.58	<=33.01	Pass		
	2560	1	0	23.45	2.71	26.16	<=33.01	Pass	
			50	23.23	2.71	25.94	<=33.01	Pass	
			99	23.29	2.71	26.00	<=33.01	Pass	
		50	0	22.40	2.71	25.11	<=33.01	Pass	
25			22.24	2.71	24.95	<=33.01	Pass		
50			22.27	2.71	24.98	<=33.01	Pass		
100		0	22.25	2.71	24.96	<=33.01	Pass		
16QAM		2510	1	0	22.42	2.71	25.13	<=33.01	Pass
				50	22.30	2.71	25.01	<=33.01	Pass
	99			22.35	2.71	25.06	<=33.01	Pass	
	50		0	21.85	2.71	24.56	<=33.01	Pass	
			25	21.92	2.71	24.63	<=33.01	Pass	
			50	21.94	2.71	24.65	<=33.01	Pass	
	100	0	21.76	2.71	24.47	<=33.01	Pass		
	2535	1	0	22.87	2.71	25.58	<=33.01	Pass	
			50	22.89	2.71	25.60	<=33.01	Pass	
			99	22.62	2.71	25.33	<=33.01	Pass	
		50	0	21.91	2.71	24.62	<=33.01	Pass	
			25	21.80	2.71	24.51	<=33.01	Pass	
			50	21.76	2.71	24.47	<=33.01	Pass	
	100	0	21.89	2.71	24.60	<=33.01	Pass		
	2560	1	0	23.21	2.71	25.92	<=33.01	Pass	
			50	23.02	2.71	25.73	<=33.01	Pass	
			99	23.05	2.71	25.76	<=33.01	Pass	
		50	0	21.58	2.71	24.29	<=33.01	Pass	
25			21.48	2.71	24.19	<=33.01	Pass		
50			21.51	2.71	24.22	<=33.01	Pass		
100	0	21.31	2.71	24.02	<=33.01	Pass			

Note1: EIRP=Conducted Power+Antenna Gain