





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

1 of 29

TEST REPORT

Application No.: FYCR2211000466AT

Applicant: Vanstone Electronic (Beijing) Co., Ltd.

Address of Applicant: 3F No.2 Building, Aisino corporation park 18A, Xingshikou Road, Haidian

District, Beijing 100195, China

Manufacturer: Vanstone Electronic (Beijing) Co., Ltd.

Address of Manufacturer: 3F No.2 Building, Aisino corporation park 18A, Xingshikou Road, Haidian

District, Beijing 100195, China

Equipment Under Test (EUT):

EUT Name: Android POS Terminal

Model No.: A75 Pro

FCC ID: OWLA75-PRO Standard(s): 47 CFR Part 2

47 CFR Part 22 subpart H 47 CFR Part 24 subpart E 47 CFR Part 27 subpart C

Date of Receipt: 2022-11-15

Date of Test: 2022-11-17 to 2022-12-13

Date of Issue: 2023-01-16

Test Result: Pass

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law lunless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: to check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:** to check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

2 of 29

	Revision Record						
Version	Version Chapter Date Modifier Remark						
01		2023-01-16		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

3 of 29

2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Output Power Data	§2.1046 §22.913 §24.232 §27.50(d) §27.50(h)	ERP≤ 7W(LTE Band 5) EIRP≤ 2W(LTE Band 2) EIRP≤ 1W(LTE Band 4) EIRP≤ 2W(LTE Band 7,38)	PASS
Peak-Average Ratio	§22.913 §24.232 §27.50(d)	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049(h)	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051 §22.917 §24.238 §27.50(h) §27.50(m)	≤ -13dBm (LTE Band5) ≤ -13dBm (LTE Band2) ≤ -13dBm (LTE Band4) Refer to clause 6.4 for LTE Band7,38	PASS
Spurious emissions at antenna terminals	§2.1051 §22.917 §24.238 §27.50(h) §27.50(m)	≤ -13dBm (LTE Band5) ≤ -13dBm (LTE Band2) ≤ -13dBm (LTE Band4) Refer to clause 6.5 for LTE Band7,38	PASS
Field strength of spurious radiation	\$2.1051 \$22.917 \$24.238 \$27.50(h) \$27.50(m)	≤ -13dBm LTE Band5 ≤ -13dBm LTE Band2 ≤ -13dBm LTE Band4 Refer to clause 6.6 for LTE Band7,38	PASS
Frequency stability	§2.1055 §22.355 §24.235 §27.54	≤ ±2.5ppm.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

4 of 29

3 Contents

			Page
1	COV	ER PAGE	1
2	TES	T SUMMARY	3
3	CON	ITENTS	
4	GEN	ERAL INFORMATION	6
•		DETAILS OF E.U.T.	
	4.1 4.2	TEST FREQUENCY	
	4.2 4.3	TEST FREQUENCY	
	4.3 4.4	DESCRIPTION OF SUPPORT UNITS	
	4.5	MEASUREMENT UNCERTAINTY	
	4.6	TEST LOCATION	
	4.7	TEST FACILITY	
	4.8	DEVIATION FROM STANDARDS	
	4.9	ABNORMALITIES FROM STANDARD CONDITIONS	
_		IPMENT LIST	
5			
6	RAD	IO SPECTRUM MATTER TEST RESULTS	12
	6.1	EFFECTIVE (ISOTROPIC) RADIATED OUTPUT POWER DATA	12
	6.1.1		
	6.1.2	Part Setup Diagram	12
	6.1.3	B Measurement Data	12
	6.2	PEAK-AVERAGE RATIO	
	6.2.1		
	6.2.2	3	
	6.2.3		
	6.3	BANDWIDTH	
	6.3.1	'	
	6.3.2	, 5	
	6.3.3		
	6.4 6.4.1	BAND EDGE COMPLIANCE	
	6.4.1 6.4.2		
	6.4.2	, ,	
	6.5	SPURIOUS EMISSIONS AT ANTENNA TERMINALS	
		E.U.T. Operation	
	6.5.2		
	6.5.3		
	6.6	FIELD STRENGTH OF SPURIOUS RADIATION	
	6.6.1		
	6.6.2	·	
	6.6.3	·	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

5 of 29

6	.7 F	REQUENCY STABILITY	27
	6.7.1	E.U.T. Operation	27
		Test Setup Diagram	
	6.7.3	Measurement Data	27
6	.8 M	MODULATION CHARACTERISTICS	28
	6.8.1	E.U.T. Operation	28
	6.8.2	Test Setup Diagram	28
	6.8.3	Measurement Data	28
7	TEST :	SETUP PHOTO	29
8	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

6 of 29

4 General Information

4.1 Details of E.U.T.

Power supply: DC3.6V by li-ion battery(5200mAh)

Recharge by AC/DC power adapter

Adapter M/N:SW-0983

Adapter input: AC100/240V, 50/60Hz, 0.5A

Adapter output: DC5V/2A

Cable(s): USB cable: 1m unshielded cable without ferrite core

Sample Type: Portable production

LTE Operation Frequency Band: LTE FDD Band 2,4,5,7,38

Modulation Type: QPSK, 16QAM

LTE Power Class: Level 3

Antenna Type: PIFA Antenna

Antenna Gain: LTE B2: -1.14dBi; B4: -2.16dBi; B5: -5.96dBi; B7: 2.71dBi;

B38:2.71dBi

SIM Card: This device has dual SIM Card sockets. Both the SIM sockets

have been tested. SIM1 was worst case, only record SIM1.

4.2 Test Frequency

	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	1.4	1850.7	1880	1909.3
	3	1851.5	1880	1908.5
LTE FDD	5	1852.5	1880	1907.5
Band 2	10	1855.0	1880	1905.0
	15	1857.5	1880	1902.5
	20	1860.0	1880	1900.0
	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	1.4	1710.7	1732.5	1754.3
LTE FDD Band 4	3	1711.5	1732.5	1751.5
	5	1712.5	1732.5	1752.5
	10	1715.0	1732.5	1750.0
	15	1717.5	1732.5	1747.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.pxp and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (ropery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443 or email: CND-occheck@sas.com"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

7 of 29

	20	1720.0	1732.5	1745.0
	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	1.4	824.7	836.5	848.3
LTE FDD	3	825.5	836.5	847.5
Band 5	5	826.5	836.5	846.5
	10	829.0	836.5	844.0
	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	5	2502.5	2535.0	2567.5
LTE FDD	10	2505.0	2535.0	2565.0
Band 7	15	2507.5	2535.0	2562.5
	20	2510.0	2535.0	2560.0
	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	5	2572.5	2595.0	2617.5
LTE FDD	10	2575.0	2595.0	2615.0
Band 38	15	2577.5	2595.0	2612.5
	20	2580.0	2595.0	2610.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

8 of 29

4.3 Test Environment

Environment Parameter	Selected Values During Tests		
	TL	-30°C	
Temperature:	TN	+20°C	
	TH	+50°C	
	VL	3.3 Vdc	
Voltage:	VN	3.6 Vdc	
	VH	4.2 Vdc	

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage TL= lower extreme test temperature

TN= normal temperature

TH= upper extreme test temperature

4.4 Description of Support Units

The EUT has been tested independent unit.

4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 5.4 x 10 ⁻⁸
2	Duty cycle	± 0.3%
3	Occupied Bandwidth	± 3%
4	RF conducted power	± 0.8dB
5	RF power density	± 0.4dB
6	Conducted Spurious emissions	± 2.7dB
7	Dedicted Courieus emission test	± 3.1dB (Below 1GHz)
1	Radiated Spurious emission test	± 4.4dB (Above 1GHz)
8	Temperature test	± 1°C
9	Humidity test	± 3%
10	Supply voltages	± 1.5%
11	Time	± 3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@ass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

9 of 29

4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.pxp and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgety or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.

To check the authenticity of testing impaction report & certificate, please contact us at telephone: (86-75) 8307 1443



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

10 of 29

5 Equipment List

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/07/12	2023/07/11
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2022/07/12	2023/07/11
Spectrum Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2022/07/12	2023/07/11
Measurement Software	TST	TST PASS V2.0	N/A	N/A	N/A
Attenuator	Huber+Suhner	6620_SMA- 50-1	SEM021-09	2022/07/12	2023/07/11
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28
Power Sensor	KEYSIGHT	U2021XA	SEM009-15	2022/07/12	2023/07/11

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/07/12	2023/07/11
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2022/07/12	2023/07/11
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022/07/12	2023/07/11
Substitution Antenna	Schwarzbeck	VULB9168	SEM003-18	2022/08/07	2025/08/06
Signal Generator(9kHz- 40GHz)	N5173B	MY53270267	Agilent	2022/07/12	2023/07/11
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2022/07/12	2023/07/11
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022/07/12	2023/07/11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

11 of 29

Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2022/07/12	2023/07/11
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/07/12	2023/07/11
Substitution Antenna	ETS-Lindgren	3142C	SEM003-01	2020/06/26	2023/06/25
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28

General used equipment										
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022/07/12	2023/07/11					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022/07/12	2023/07/11					
Barometer	DUMAI	DYM3	SEM002-24	2022/07/12	2023/07/11					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

12 of 29

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Output Power Data

Test Requirement: §2.1046,§22.913,§24.232,§27.50(d),§27.50(h)
Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ERP≤ 7W(LTE Band 5)

EIRP≤ 2W(LTE Band 2) EIRP≤ 1W(LTE Band 4) EIRP≤ 2W(LTE Band 7,38)


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

13 of 29

6.2 Peak-Average Ratio

Test Requirement: §22.913,§24.232,§27.50(d)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤13dB


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) restend and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443 or easily.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

14 of 29

6.3 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: OBW: No limit

EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.3.2 Test Setup Diagram



Ground Reference Plane

6.3.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) restend and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443 or easily.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

15 of 29

6.4 Band Edge Compliance

§2.1051,§22.917,§24.238,§27.50(h),§27.50(m), Test Requirement: ANSI C63.26-2015, KDB 971168 D01 v03r01 Test Method:

≤ -13dBm (**LTE Band2,4,5**) Limit:

For **Band7,38**:

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as

adjacent channel BRS or EBS licensees.


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.4.2 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's separation is to the Company of the Company of the Company. Any unauthorized alteration, forgery or faisification of the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

16 of 29

6.4.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAl. Doccheck@ags.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

17 of 29

6.5 Spurious emissions at antenna terminals

Test Requirement: \$2.1051,§22.917,§24.238,§27.50(h),§27.50(m), Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤ -13dBm (**LTE Band2,4,5**)

For **Band7,38**:

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as

adjacent channel BRS or EBS licensees.

6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alterations frogery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Alternatic Not Deschaer the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

18 of 29

6.5.2 Test Setup Diagram



Ground Reference Plane

6.5.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAI Doccheck@ass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

19 of 29

6.6 Field strength of spurious radiation

Test Requirement: §2.1051,§22.917,§24.238,§27.50(h),§27.50(m),
Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: \leq -13dBm (LTE Band2,4,5)

For **Band7,38**:

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as

adjacent channel BRS or EBS licensees.

6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 18.5 °C Humidity: 39.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alterations frogery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Alternatic Not Deschaer the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221100046609

Page:

20 of 29


6.6.2 Test Setup Diagram






EUT

Substiute Antenna+Signal Generator





EUT

Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

21 of 29

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3)The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11)The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16)The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Doccheck@sss.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

22 of 29

	FDD I	LTE Band2-Lo	w channel, Mo	odulation: (QPSK, Band	width: 20MH	Hz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-55.37	-13	-42.37	-57.59	6.99	9.21	Horizontal	Pass
5553	-52.62	-13	-39.62	-54.94	8.27	10.59	Horizontal	Pass
7404	-49.39	-13	-36.39	-52.93	8.19	11.73	Horizontal	Pass
3702	-55.08	-13	-42.08	-57.3	6.99	9.21	Vertical	Pass
5553	-51.39	-13	-38.39	-53.71	8.27	10.59	Vertical	Pass
7404	-49.1	-13	-36.1	-52.64	8.19	11.73	Vertical	Pass

	FDD L	ΓΕ Band2-Midd	dle channel, M	lodulation:	QPSK, Bai	ndwidth: 20N	IHz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3742	-55.64	-13	-42.64	-57.86	6.99	9.21	Horizontal	Pass
5613	-52.85	-13	-39.85	-55.17	8.27	10.59	Horizontal	Pass
7484	-49.23	-13	-36.23	-52.77	8.19	11.73	Horizontal	Pass
3742	-56.52	-13	-43.52	-58.74	6.99	9.21	Vertical	Pass
5613	-53.57	-13	-40.57	-55.89	8.27	10.59	Vertical	Pass
7484	-47.96	-13	-34.96	-51.5	8.19	11.73	Vertical	Pass

	FDD LTE Band2-High channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0											
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
3782	-55.94	-13	-42.94	-58.16	6.99	9.21	Horizontal	Pass				
5673	-52.54	-13	-39.54	-54.86	8.27	10.59	Horizontal	Pass				
7564	-48.49	-13	-35.49	-52.32	8.43	12.26	Horizontal	Pass				
3782	-54.53	-13	-41.53	-56.75	6.99	9.21	Vertical	Pass				
5673	-53.35	-13	-40.35	-55.67	8.27	10.59	Vertical	Pass				
7564	-49.25	-13	-36.25	-53.08	8.43	12.26	Vertical	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

23 of 29

	FDD I	_TE Band4-Lo	w channel, Mo	dulation: (QPSK, Band	width: 20MH	Hz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3422	-55.21	-25	-30.21	-57.79	5.72	8.3	Horizontal	Pass
5133	-51.12	-25	-26.12	-53.12	8.3	10.3	Horizontal	Pass
6844	-50.59	-25	-25.59	-54.14	7.7	11.25	Horizontal	Pass
3422	-55.71	-25	-30.71	-58.29	5.72	8.3	Vertical	Pass
5133	-52.43	-25	-27.43	-54.43	8.3	10.3	Vertical	Pass
6844	-51.52	-25	-26.52	-55.07	7.7	11.25	Vertical	Pass

	FDD L1	ΓΕ Band4-Mido	dle channel, M	lodulation:	QPSK, Bai	ndwidth: 20M	IHz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3447	-56.72	-25	-31.72	-59.3	5.72	8.3	Horizontal	Pass
5170.5	-52.99	-25	-27.99	-54.99	8.3	10.3	Horizontal	Pass
6894	-52.14	-25	-27.14	-55.69	7.7	11.25	Horizontal	Pass
3447	-56.14	-25	-31.14	-58.72	5.72	8.3	Vertical	Pass
5170.5	-52.33	-25	-27.33	-54.33	8.3	10.3	Vertical	Pass
6894	-51.7	-25	-26.7	-55.25	7.7	11.25	Vertical	Pass

	FDD L	TE Band4-Hig	h channel, Mo	odulation: (QPSK, Band	lwidth: 20Ml	Hz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3472	-55.75	-25	-30.75	-58.33	5.72	8.3	Horizontal	Pass
5208	-52.96	-25	-27.96	-54.96	8.3	10.3	Horizontal	Pass
6944	-51.17	-25	-26.17	-54.72	7.7	11.25	Horizontal	Pass
3472	-56.01	-25	-31.01	-58.59	5.72	8.3	Vertical	Pass
5208	-51.64	-25	-26.64	-53.64	8.3	10.3	Vertical	Pass
6944	-51.49	-25	-26.49	-55.04	7.7	11.25	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

24 of 29

	FDD I	_TE Band5-Lo	w channel, Mo	odulation: (QPSK, Band	width: 10MF	Hz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-63.7	-13	-50.7	-67.36	3.77	7.43	Horizontal	Pass
2473.5	-53.93	-13	-40.93	-56.26	4.75	7.08	Horizontal	Pass
3298	-57.63	-13	-44.63	-60.21	5.72	8.3	Horizontal	Pass
1649	-64.51	-13	-51.51	-68.17	3.77	7.43	Vertical	Pass
2473.5	-49.43	-13	-36.43	-51.76	4.75	7.08	Vertical	Pass
3298	-57.23	-13	-44.23	-59.81	5.72	8.3	Vertical	Pass

	FDD L1	ΓΕ Band5-Midd	dle channel, M	lodulation:	QPSK, Bai	ndwidth: 10N	IHz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1664	-60.47	-13	-47.47	-64.13	3.77	7.43	Horizontal	Pass
2496	-59.82	-13	-46.82	-62.15	4.75	7.08	Horizontal	Pass
3328	-56.97	-13	-43.97	-59.55	5.72	8.3	Horizontal	Pass
1664	-62.27	-13	-49.27	-65.93	3.77	7.43	Vertical	Pass
2496	-61.06	-13	-48.06	-63.39	4.75	7.08	Vertical	Pass
3328	-56.57	-13	-43.57	-59.15	5.72	8.3	Vertical	Pass

	FDD LTE Band5-High channel, Modulation: QPSK, Bandwidth: 10MHz, 1 RB0											
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
1679	-60.3	-13	-47.3	-63.96	3.77	7.43	Horizontal	Pass				
2518.5	-62.04	-13	-49.04	-64.51	5.13	7.6	Horizontal	Pass				
3358	-56.57	-13	-43.57	-59.15	5.72	8.3	Horizontal	Pass				
1679	-60.63	-13	-47.63	-64.29	3.77	7.43	Vertical	Pass				
2518.5	-61.83	-13	-48.83	-64.3	5.13	7.6	Vertical	Pass				
3358	-55.91	-13	-42.91	-58.49	5.72	8.3	Vertical	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

25 of 29

	FDD I	_TE Band7-Lo	w channel, Mo	odulation: (QPSK, Band	width: 20MH	Hz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002	-52.96	-25	-27.96	-54.96	8.3	10.3	Horizontal	Pass
7503	-48.48	-25	-23.48	-52.31	8.43	12.26	Horizontal	Pass
10004	-46.64	-25	-21.64	-48.89	11.12	13.37	Horizontal	Pass
5002	-53.43	-25	-28.43	-55.43	8.3	10.3	Vertical	Pass
7503	-49.44	-25	-24.44	-53.27	8.43	12.26	Vertical	Pass
10004	-46.61	-25	-21.61	-48.86	11.12	13.37	Vertical	Pass

	FDD L	ΓΕ Band7-Midd	dle channel, M	lodulation:	QPSK, Bai	ndwidth: 20N	IHz, 1 RB0	
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5052	-52.52	-25	-27.52	-54.52	8.3	10.3	Horizontal	Pass
7578	-49.53	-25	-24.53	-53.36	8.43	12.26	Horizontal	Pass
10104	-46.14	-25	-21.14	-48.39	11.12	13.37	Horizontal	Pass
5052	-51.7	-25	-26.7	-53.7	8.3	10.3	Vertical	Pass
7578	-50.32	-25	-25.32	-54.15	8.43	12.26	Vertical	Pass
10104	-46.69	-25	-21.69	-48.94	11.12	13.37	Vertical	Pass

FDD LTE Band7-High channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0									
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
5102	-52.6	-25	-27.6	-54.6	8.3	10.3	Horizontal	Pass	
7653	-49.99	-25	-24.99	-53.82	8.43	12.26	Horizontal	Pass	
10204	-46.52	-25	-21.52	-48.77	11.12	13.37	Horizontal	Pass	
5102	-52.83	-25	-27.83	-54.83	8.3	10.3	Vertical	Pass	
7653	-50.16	-25	-25.16	-53.99	8.43	12.26	Vertical	Pass	
10204	-47.8	-25	-22.8	-50.05	11.12	13.37	Vertical	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

26 of 29

	FDD LTE Band38-Low channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0									
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result		
5142	-52.4	-25	-27.4	-54.4	8.3	10.3	Horizontal	Pass		
7713	-50.16	-25	-25.16	-53.99	8.43	12.26	Horizontal	Pass		
10284	-47.71	-25	-22.71	-49.96	11.12	13.37	Horizontal	Pass		
5142	-52.85	-25	-27.85	-54.85	8.3	10.3	Vertical	Pass		
7713	-49.98	-25	-24.98	-53.81	8.43	12.26	Vertical	Pass		
10284	-47.11	-25	-22.11	-49.36	11.12	13.37	Vertical	Pass		

FDD LTE Band38-Middle channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0									
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
5172	-53.55	-25	-28.55	-55.55	8.3	10.3	Horizontal	Pass	
7758	-49.76	-25	-24.76	-53.59	8.43	12.26	Horizontal	Pass	
10344	-47.44	-25	-22.44	-49.69	11.12	13.37	Horizontal	Pass	
5172	-53.46	-25	-28.46	-55.46	8.3	10.3	Vertical	Pass	
7758	-50.28	-25	-25.28	-54.11	8.43	12.26	Vertical	Pass	
10344	-46.97	-25	-21.97	-49.22	11.12	13.37	Vertical	Pass	

FDD LTE Band38-High channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0									
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
5202	-52.74	-25	-27.74	-54.74	8.3	10.3	Horizontal	Pass	
7803	-50.28	-25	-25.28	-54.11	8.43	12.26	Horizontal	Pass	
10404	-47.18	-25	-22.18	-49.43	11.12	13.37	Horizontal	Pass	
5202	-53.41	-25	-28.41	-55.41	8.3	10.3	Vertical	Pass	
7803	-49.87	-25	-24.87	-53.7	8.43	12.26	Vertical	Pass	
10404	-48	-25	-23	-50.25	11.12	13.37	Vertical	Pass	

Note: All modes have been tested and we found QPSK test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

27 of 29

6.7 Frequency stability

Test Requirement: §2.1055,§22.355,§24.235,§27.54

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: $\leq \pm 2.5$ ppm.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.7.2 Test Setup Diagram



Ground Reference Plane

6.7.3 Measurement Data

Please refer to Appendix for LTE test data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) restend and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443 or easily.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

28 of 29

6.8 Modulation Characteristics

Test Requirement: §2.1047

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Digital modulation


6.8.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.8.2 Test Setup Diagram



Ground Reference Plane

6.8.3 Measurement Data

Pass, it's a digital modulation device.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent to the company of the compan



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100046609

Page:

29 of 29

7 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2211000466AT

8 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2211000466AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Cilent's Instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please accountant us at telephone: (86-75) 8307 144