



# 1. Peak-Average Ratio

## 1.1 GSM850


### 1.1.1 Test Result

Band: GSM850						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GPRS	4 TX Slots	824.2	9.85	<=13	Pass
			836.6	3.72	<=13	Pass
			848.8	3.61	<=13	Pass
	EGPRS	4 TX Slots	824.2	12.08	<=13	Pass
			836.6	8.88	<=13	Pass
			848.8	8.86	<=13	Pass


### 1.1.2 Test Graph




GSM850\_GPRS\_HCH\_848.8MHz\_4 TX Slots\_NTNV




GSM850\_EGPRS\_LCH\_824.2MHz\_4 TX Slots\_NTNV



GSM850\_EGPRS\_MCH\_836.6MHz\_4 TX Slots\_NTNV



GSM850\_EGPRS\_HCH\_848.8MHz\_4 TX Slots\_NTNV




## 2. Peak-Average Ratio

### 2.1 PCS1900


#### 2.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GPRS	4 TX Slots	1850.2	9.57	<=13	Pass
			1880	3.55	<=13	Pass
			1909.8	3.59	<=13	Pass
	EGPRS	4 TX Slots	1850.2	12.51	<=13	Pass
			1880	7.03	<=13	Pass
			1909.8	7.53	<=13	Pass


## 2.1.2 Test Graph




PCS1900\_GPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_LCH\_1850.2MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV

