

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	23.52	1.43	24.95	<=33.01	Pass		
			2	23.30	1.43	24.73	<=33.01	Pass		
			5	23.37	1.43	24.8	<=33.01	Pass		
		3	0	23.39	1.43	24.82	<=33.01	Pass		
			2	23.42	1.43	24.85	<=33.01	Pass		
			3	23.20	1.43	24.63	<=33.01	Pass		
		6	0	22.86	1.43	24.29	<=33.01	Pass		
		1880	1	0	24.77	1.43	26.2	<=33.01	Pass	
				2	24.65	1.43	26.08	<=33.01	Pass	
	5			23.73	1.43	25.16	<=33.01	Pass		
	3		0	24.63	1.43	26.06	<=33.01	Pass		
			2	24.17	1.43	25.6	<=33.01	Pass		
			3	23.97	1.43	25.4	<=33.01	Pass		
	6		0	23.38	1.43	24.81	<=33.01	Pass		
	1909.3		1	0	23.91	1.43	25.34	<=33.01	Pass	
				2	23.97	1.43	25.4	<=33.01	Pass	
		5		23.88	1.43	25.31	<=33.01	Pass		
		3	0	23.73	1.43	25.16	<=33.01	Pass		
			2	23.88	1.43	25.31	<=33.01	Pass		
			3	23.62	1.43	25.05	<=33.01	Pass		
		6	0	22.48	1.43	23.91	<=33.01	Pass		
		16QAM	1850.7	1	0	22.33	1.43	23.76	<=33.01	Pass
					2	22.39	1.43	23.82	<=33.01	Pass
	5				22.44	1.43	23.87	<=33.01	Pass	
3	0			22.53	1.43	23.96	<=33.01	Pass		
	2			22.58	1.43	24.01	<=33.01	Pass		
	3			22.25	1.43	23.68	<=33.01	Pass		
6	0			20.89	1.43	22.32	<=33.01	Pass		
1880	1			0	24.00	1.43	25.43	<=33.01	Pass	
				2	23.83	1.43	25.26	<=33.01	Pass	
			5	22.90	1.43	24.33	<=33.01	Pass		
	3		0	22.68	1.43	24.11	<=33.01	Pass		
			2	22.24	1.43	23.67	<=33.01	Pass		
			3	22.05	1.43	23.48	<=33.01	Pass		
	6		0	21.45	1.43	22.88	<=33.01	Pass		
	1909.3		1	0	22.64	1.43	24.07	<=33.01	Pass	
				2	22.90	1.43	24.33	<=33.01	Pass	
5				22.01	1.43	23.44	<=33.01	Pass		
3			0	22.87	1.43	24.3	<=33.01	Pass		
			2	22.04	1.43	23.47	<=33.01	Pass		
			3	22.81	1.43	24.24	<=33.01	Pass		
6			0	21.68	1.43	23.11	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	23.59	1.43	25.02	<=33.01	Pass		
			7	23.53	1.43	24.96	<=33.01	Pass		
			14	23.76	1.43	25.19	<=33.01	Pass		
		8	0	23.71	1.43	25.14	<=33.01	Pass		
			4	23.22	1.43	24.65	<=33.01	Pass		
			7	23.83	1.43	25.26	<=33.01	Pass		
		15	0	22.97	1.43	24.4	<=33.01	Pass		
		1880	1	0	24.76	1.43	26.19	<=33.01	Pass	
				7	24.84	1.43	26.27	<=33.01	Pass	
	14			23.26	1.43	24.69	<=33.01	Pass		
	8		0	24.86	1.43	26.29	<=33.01	Pass		
			4	24.58	1.43	26.01	<=33.01	Pass		
			7	24.52	1.43	25.95	<=33.01	Pass		
	15		0	23.47	1.43	24.9	<=33.01	Pass		
	1908.5		1	0	23.96	1.43	25.39	<=33.01	Pass	
				7	24.17	1.43	25.6	<=33.01	Pass	
		14		24.59	1.43	26.02	<=33.01	Pass		
		8	0	24.15	1.43	25.58	<=33.01	Pass		
			4	24.21	1.43	25.64	<=33.01	Pass		
			7	24.34	1.43	25.77	<=33.01	Pass		
		15	0	23.15	1.43	24.58	<=33.01	Pass		
		16QAM	1851.5	1	0	23.06	1.43	24.49	<=33.01	Pass
					7	23.18	1.43	24.61	<=33.01	Pass
	14				22.28	1.43	23.71	<=33.01	Pass	
8	0			22.94	1.43	24.37	<=33.01	Pass		
	4			22.36	1.43	23.79	<=33.01	Pass		
	7			22.01	1.43	23.44	<=33.01	Pass		
15	0			20.97	1.43	22.4	<=33.01	Pass		
1880	1			0	23.94	1.43	25.37	<=33.01	Pass	
				7	23.01	1.43	24.44	<=33.01	Pass	
			14	22.50	1.43	23.93	<=33.01	Pass		
	8		0	22.93	1.43	24.36	<=33.01	Pass		
			4	22.68	1.43	24.11	<=33.01	Pass		
			7	22.61	1.43	24.04	<=33.01	Pass		
	15		0	21.60	1.43	23.03	<=33.01	Pass		
	1908.5		1	0	23.70	1.43	25.13	<=33.01	Pass	
				7	23.98	1.43	25.41	<=33.01	Pass	
14				22.19	1.43	23.62	<=33.01	Pass		
8			0	22.56	1.43	23.99	<=33.01	Pass		
			4	22.34	1.43	23.77	<=33.01	Pass		
			7	22.52	1.43	23.95	<=33.01	Pass		
15			0	21.21	1.43	22.64	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.14	1.43	24.57	<=33.01	Pass
			13	23.93	1.43	25.36	<=33.01	Pass
			24	23.95	1.43	25.38	<=33.01	Pass

16QAM	1880	12	0	23.40	1.43	24.83	<=33.01	Pass	
			6	23.43	1.43	24.86	<=33.01	Pass	
			13	23.52	1.43	24.95	<=33.01	Pass	
		25	0	22.04	1.43	23.47	<=33.01	Pass	
			1	0	24.75	1.43	26.18	<=33.01	Pass
				13	24.28	1.43	25.71	<=33.01	Pass
		24		24.38	1.43	25.81	<=33.01	Pass	
		12	0	24.73	1.43	26.16	<=33.01	Pass	
			6	24.67	1.43	26.1	<=33.01	Pass	
	13		24.18	1.43	25.61	<=33.01	Pass		
	25	0	23.45	1.43	24.88	<=33.01	Pass		
		1907.5	1	0	24.00	1.43	25.43	<=33.01	Pass
				13	23.76	1.43	25.19	<=33.01	Pass
	24			23.61	1.43	25.04	<=33.01	Pass	
	12	12	0	23.92	1.43	25.35	<=33.01	Pass	
			6	23.73	1.43	25.16	<=33.01	Pass	
			13	23.61	1.43	25.04	<=33.01	Pass	
	25	0	22.92	1.43	24.35	<=33.01	Pass		
		1852.5	1	0	22.97	1.43	24.4	<=33.01	Pass
				13	22.88	1.43	24.31	<=33.01	Pass
	24			22.01	1.43	23.44	<=33.01	Pass	
	12		12	0	22.45	1.43	23.88	<=33.01	Pass
				6	22.41	1.43	23.84	<=33.01	Pass
				13	22.55	1.43	23.98	<=33.01	Pass
25	0		20.95	1.43	22.38	<=33.01	Pass		
	1880		1	0	23.99	1.43	25.42	<=33.01	Pass
				13	23.60	1.43	25.03	<=33.01	Pass
24		23.73		1.43	25.16	<=33.01	Pass		
12		12	0	22.86	1.43	24.29	<=33.01	Pass	
			6	22.77	1.43	24.2	<=33.01	Pass	
			13	22.17	1.43	23.6	<=33.01	Pass	
25		0	21.37	1.43	22.8	<=33.01	Pass		
		1907.5	1	0	23.17	1.43	24.6	<=33.01	Pass
				13	22.93	1.43	24.36	<=33.01	Pass
24	22.85			1.43	24.28	<=33.01	Pass		
12	12		0	22.07	1.43	23.5	<=33.01	Pass	
			6	22.93	1.43	24.36	<=33.01	Pass	
			13	22.85	1.43	24.28	<=33.01	Pass	
25	0		21.12	1.43	22.55	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1855	1	0	23.53	1.43	24.96	<=33.01	Pass	
			25	23.97	1.43	25.4	<=33.01	Pass	
			49	23.92	1.43	25.35	<=33.01	Pass	
		25	0	23.89	1.43	25.32	<=33.01	Pass	
			13	23.80	1.43	25.23	<=33.01	Pass	
			25	24.00	1.43	25.43	<=33.01	Pass	
	1880	50	0	22.15	1.43	23.58	<=33.01	Pass	
			1	0	24.02	1.43	25.45	<=33.01	Pass
				25	24.14	1.43	25.57	<=33.01	Pass

		25	49	23.00	1.43	24.43	<=33.01	Pass	
			0	23.99	1.43	25.42	<=33.01	Pass	
			13	24.27	1.43	25.7	<=33.01	Pass	
			25	23.99	1.43	25.42	<=33.01	Pass	
			50	0	23.36	1.43	24.79	<=33.01	Pass
	1905	1	0	23.72	1.43	25.15	<=33.01	Pass	
			25	23.92	1.43	25.35	<=33.01	Pass	
			49	23.46	1.43	24.89	<=33.01	Pass	
		25	0	23.71	1.43	25.14	<=33.01	Pass	
			13	24.46	1.43	25.89	<=33.01	Pass	
			25	24.02	1.43	25.45	<=33.01	Pass	
		50	0	22.99	1.43	24.42	<=33.01	Pass	
		16QAM	1855	1	0	22.14	1.43	23.57	<=33.01
	25				22.56	1.43	23.99	<=33.01	Pass
	49				22.44	1.43	23.87	<=33.01	Pass
12	0			21.95	1.43	23.38	<=33.01	Pass	
	19			22.16	1.43	23.59	<=33.01	Pass	
	38			22.07	1.43	23.5	<=33.01	Pass	
27	0			21.95	1.43	23.38	<=33.01	Pass	
1880	1			0	23.27	1.43	24.7	<=33.01	Pass
				25	23.49	1.43	24.92	<=33.01	Pass
			49	22.34	1.43	23.77	<=33.01	Pass	
	12		0	22.13	1.43	23.56	<=33.01	Pass	
			19	22.45	1.43	23.88	<=33.01	Pass	
			38	22.93	1.43	24.36	<=33.01	Pass	
	27		0	21.56	1.43	22.99	<=33.01	Pass	
	1905		1	0	22.60	1.43	24.03	<=33.01	Pass
				25	23.00	1.43	24.43	<=33.01	Pass
49				22.65	1.43	24.08	<=33.01	Pass	
12			0	22.92	1.43	24.35	<=33.01	Pass	
			19	22.15	1.43	23.58	<=33.01	Pass	
			38	23.00	1.43	24.43	<=33.01	Pass	
27			23	21.72	1.43	23.15	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTN/V									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1857.5	1	0	23.42	1.43	24.85	<=33.01	Pass	
			38	23.24	1.43	24.67	<=33.01	Pass	
			74	23.53	1.43	24.96	<=33.01	Pass	
		36	0	23.62	1.43	25.05	<=33.01	Pass	
			18	23.92	1.43	25.35	<=33.01	Pass	
			39	23.78	1.43	25.21	<=33.01	Pass	
		75	0	22.40	1.43	23.83	<=33.01	Pass	
		1880	1	0	24.44	1.43	25.87	<=33.01	Pass
				38	24.01	1.43	25.44	<=33.01	Pass
	74			23.63	1.43	25.06	<=33.01	Pass	
	36		0	24.56	1.43	25.99	<=33.01	Pass	
			18	24.44	1.43	25.87	<=33.01	Pass	
			39	24.11	1.43	25.54	<=33.01	Pass	
	75	0	23.35	1.43	24.78	<=33.01	Pass		
	1902.5	1	0	23.69	1.43	25.12	<=33.01	Pass	

16QAM	1857.5	36	38	23.72	1.43	25.15	<=33.01	Pass	
			74	23.53	1.43	24.96	<=33.01	Pass	
			0	23.88	1.43	25.31	<=33.01	Pass	
		75	18	23.77	1.43	25.2	<=33.01	Pass	
			39	24.47	1.43	25.9	<=33.01	Pass	
			0	22.89	1.43	24.32	<=33.01	Pass	
	1880	1	0	22.95	1.43	24.38	<=33.01	Pass	
			38	22.90	1.43	24.33	<=33.01	Pass	
			74	23.22	1.43	24.65	<=33.01	Pass	
		12	0	22.02	1.43	23.45	<=33.01	Pass	
			31	22.54	1.43	23.97	<=33.01	Pass	
			63	22.60	1.43	24.03	<=33.01	Pass	
		27	0	21.03	1.43	22.46	<=33.01	Pass	
		1902.5	1	0	23.80	1.43	25.23	<=33.01	Pass
				38	23.40	1.43	24.83	<=33.01	Pass
74				22.96	1.43	24.39	<=33.01	Pass	
12			0	22.42	1.43	23.85	<=33.01	Pass	
			31	22.28	1.43	23.71	<=33.01	Pass	
	63		22.58	1.43	24.01	<=33.01	Pass		
27	0	21.57	1.43	23	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain									

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.18	1.43	24.61	<=33.01	Pass
			50	23.77	1.43	25.2	<=33.01	Pass
			99	23.84	1.43	25.27	<=33.01	Pass
		50	0	24.10	1.43	25.53	<=33.01	Pass
			25	24.39	1.43	25.82	<=33.01	Pass
			50	24.37	1.43	25.8	<=33.01	Pass
	100	0	22.44	1.43	23.87	<=33.01	Pass	
	1880	1	0	24.39	1.43	25.82	<=33.01	Pass
			50	24.18	1.43	25.61	<=33.01	Pass
			99	23.56	1.43	24.99	<=33.01	Pass
		50	0	24.98	1.43	26.41	<=33.01	Pass
			25	24.83	1.43	26.26	<=33.01	Pass
			50	24.35	1.43	25.78	<=33.01	Pass
	100	0	23.13	1.43	24.56	<=33.01	Pass	
	1900	1	0	23.80	1.43	25.23	<=33.01	Pass
			50	23.75	1.43	25.18	<=33.01	Pass
			99	23.52	1.43	24.95	<=33.01	Pass
		50	0	23.88	1.43	25.31	<=33.01	Pass
			25	24.93	1.43	26.36	<=33.01	Pass
			50	24.28	1.43	25.71	<=33.01	Pass
	100	0	22.53	1.43	23.96	<=33.01	Pass	

16QAM	1860	1	0	22.33	1.43	23.76	<=33.01	Pass	
			50	23.03	1.43	24.46	<=33.01	Pass	
			99	23.17	1.43	24.6	<=33.01	Pass	
		12	0	21.68	1.43	23.11	<=33.01	Pass	
			44	22.84	1.43	24.27	<=33.01	Pass	
			88	22.50	1.43	23.93	<=33.01	Pass	
		27	0	21.90	1.43	23.33	<=33.01	Pass	
		1880	1	0	23.65	1.43	25.08	<=33.01	Pass
				50	23.50	1.43	24.93	<=33.01	Pass
	99			22.87	1.43	24.3	<=33.01	Pass	
	12		0	22.24	1.43	23.67	<=33.01	Pass	
			44	22.43	1.43	23.86	<=33.01	Pass	
			88	22.16	1.43	23.59	<=33.01	Pass	
	27		0	21.43	1.43	22.86	<=33.01	Pass	
	1900		1	0	23.28	1.43	24.71	<=33.01	Pass
				50	23.37	1.43	24.8	<=33.01	Pass
		99		23.23	1.43	24.66	<=33.01	Pass	
		12	0	22.78	1.43	24.21	<=33.01	Pass	
			44	22.98	1.43	24.41	<=33.01	Pass	
			88	21.40	1.43	22.83	<=33.01	Pass	
		27	73	21.91	1.43	23.34	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

2. Effective (Isotropic) Radiated Power Output Data

2.1 B4_1.4MHz_EIRP

2.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	24.74	0.38	25.12	<=30	Pass		
			2	24.84	0.38	25.22	<=30	Pass		
			5	24.00	0.38	24.38	<=30	Pass		
		3	0	24.68	0.38	25.06	<=30	Pass		
			2	24.74	0.38	25.12	<=30	Pass		
			3	24.59	0.38	24.97	<=30	Pass		
		6	0	23.87	0.38	24.25	<=30	Pass		
		1732.5	1	0	24.12	0.38	24.5	<=30	Pass	
				2	24.64	0.38	25.02	<=30	Pass	
	5			23.27	0.38	23.65	<=30	Pass		
	3		0	24.14	0.38	24.52	<=30	Pass		
			2	24.57	0.38	24.95	<=30	Pass		
			3	24.25	0.38	24.63	<=30	Pass		
	6		0	23.38	0.38	23.76	<=30	Pass		
	1754.3		1	0	24.13	0.38	24.51	<=30	Pass	
				2	24.26	0.38	24.64	<=30	Pass	
		5		24.56	0.38	24.94	<=30	Pass		
		3	0	24.53	0.38	24.91	<=30	Pass		
			2	24.64	0.38	25.02	<=30	Pass		
			3	24.03	0.38	24.41	<=30	Pass		
		6	0	23.11	0.38	23.49	<=30	Pass		
		16QAM	1710.7	1	0	23.68	0.38	24.06	<=30	Pass
					2	23.98	0.38	24.36	<=30	Pass
	5				23.27	0.38	23.65	<=30	Pass	

	1732.5	3	0	22.02	0.38	22.4	<=30	Pass	
			2	22.16	0.38	22.54	<=30	Pass	
			3	22.90	0.38	23.28	<=30	Pass	
		6	0	21.09	0.38	21.47	<=30	Pass	
			1	0	23.31	0.38	23.69	<=30	Pass
				2	23.75	0.38	24.13	<=30	Pass
	5	23.01		0.38	23.39	<=30	Pass		
	1754.3	3	0	22.21	0.38	22.59	<=30	Pass	
			2	22.54	0.38	22.92	<=30	Pass	
			3	22.36	0.38	22.74	<=30	Pass	
		6	0	21.46	0.38	21.84	<=30	Pass	
			1	0	23.02	0.38	23.4	<=30	Pass
				2	23.20	0.38	23.58	<=30	Pass
	5	23.57		0.38	23.95	<=30	Pass		
	1754.3	3	0	22.34	0.38	22.72	<=30	Pass	
			2	22.45	0.38	22.83	<=30	Pass	
			3	22.71	0.38	23.09	<=30	Pass	
		6	0	21.77	0.38	22.15	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

2.2 B4_3MHz_EIRP

2.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	24.91	0.38	25.29	<=30	Pass		
			7	24.06	0.38	24.44	<=30	Pass		
			14	23.42	0.38	23.8	<=30	Pass		
		8	0	24.85	0.38	25.23	<=30	Pass		
			4	24.83	0.38	25.21	<=30	Pass		
			7	24.83	0.38	25.21	<=30	Pass		
		15	0	23.94	0.38	24.32	<=30	Pass		
		1732.5	1	0	24.27	0.38	24.65	<=30	Pass	
				7	24.95	0.38	25.33	<=30	Pass	
	14			23.35	0.38	23.73	<=30	Pass		
	8		0	24.57	0.38	24.95	<=30	Pass		
			4	24.59	0.38	24.97	<=30	Pass		
			7	24.59	0.38	24.97	<=30	Pass		
	15		0	23.47	0.38	23.85	<=30	Pass		
	1753.5		1	0	24.88	0.38	25.26	<=30	Pass	
				7	24.35	0.38	24.73	<=30	Pass	
		14		24.77	0.38	25.15	<=30	Pass		
		8	0	24.02	0.38	24.4	<=30	Pass		
			4	24.14	0.38	24.52	<=30	Pass		
			7	24.28	0.38	24.66	<=30	Pass		
		15	0	23.26	0.38	23.64	<=30	Pass		
		16QAM	1711.5	1	0	23.28	0.38	23.66	<=30	Pass
					7	23.59	0.38	23.97	<=30	Pass
	14				22.90	0.38	23.28	<=30	Pass	
8	0			22.07	0.38	22.45	<=30	Pass		
	4			22.10	0.38	22.48	<=30	Pass		
	7			22.22	0.38	22.6	<=30	Pass		
15	0		21.06	0.38	21.44	<=30	Pass			
1732.5	1		0	23.37	0.38	23.75	<=30	Pass		
			7	23.01	0.38	23.39	<=30	Pass		

		8	14	22.59	0.38	22.97	<=30	Pass
			0	22.68	0.38	23.06	<=30	Pass
			4	22.70	0.38	23.08	<=30	Pass
			7	22.71	0.38	23.09	<=30	Pass
		15	0	21.52	0.38	21.9	<=30	Pass
	1753.5	1	0	23.88	0.38	24.26	<=30	Pass
			7	23.40	0.38	23.78	<=30	Pass
			14	23.99	0.38	24.37	<=30	Pass
		8	0	22.27	0.38	22.65	<=30	Pass
			4	22.39	0.38	22.77	<=30	Pass
			7	22.55	0.38	22.93	<=30	Pass
		15	0	21.48	0.38	21.86	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2.3 B4_5MHz_EIRP

2.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTVN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1712.5	1	0	24.96	0.38	25.34	<=30	Pass	
			13	24.35	0.38	24.73	<=30	Pass	
			24	24.13	0.38	24.51	<=30	Pass	
		12	0	24.70	0.38	25.08	<=30	Pass	
			6	24.51	0.38	24.89	<=30	Pass	
			13	24.73	0.38	25.11	<=30	Pass	
		25	0	23.82	0.38	24.2	<=30	Pass	
		1732.5	1	0	24.00	0.38	24.38	<=30	Pass
				13	24.22	0.38	24.6	<=30	Pass
	24			23.49	0.38	23.87	<=30	Pass	
	12		0	24.39	0.38	24.77	<=30	Pass	
			6	24.42	0.38	24.8	<=30	Pass	
			13	24.45	0.38	24.83	<=30	Pass	
	25		0	23.51	0.38	23.89	<=30	Pass	
	1752.5		1	0	24.16	0.38	24.54	<=30	Pass
				13	24.82	0.38	25.2	<=30	Pass
		24		24.84	0.38	25.22	<=30	Pass	
		12	0	24.06	0.38	24.44	<=30	Pass	
			6	24.97	0.38	25.35	<=30	Pass	
			13	24.24	0.38	24.62	<=30	Pass	
	25	0	23.28	0.38	23.66	<=30	Pass		
	16QAM	1712.5	1	0	23.73	0.38	24.11	<=30	Pass
				13	23.32	0.38	23.7	<=30	Pass
				24	23.00	0.38	23.38	<=30	Pass
12			0	22.03	0.38	22.41	<=30	Pass	
			6	22.70	0.38	23.08	<=30	Pass	
			13	22.90	0.38	23.28	<=30	Pass	
25			0	21.93	0.38	22.31	<=30	Pass	
1732.5			1	0	23.47	0.38	23.85	<=30	Pass
				13	23.54	0.38	23.92	<=30	Pass
		24		22.84	0.38	23.22	<=30	Pass	
		12	0	22.55	0.38	22.93	<=30	Pass	
			6	22.58	0.38	22.96	<=30	Pass	
			13	22.61	0.38	22.99	<=30	Pass	
		25	0	21.60	0.38	21.98	<=30	Pass	
		1752.5	1	0	23.38	0.38	23.76	<=30	Pass

			13	23.15	0.38	23.53	<=30	Pass
			24	23.17	0.38	23.55	<=30	Pass
		12	0	22.22	0.38	22.6	<=30	Pass
			6	22.14	0.38	22.52	<=30	Pass
			13	22.43	0.38	22.81	<=30	Pass
		25	0	21.46	0.38	21.84	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.4 B4_10MHz_EIRP

2.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1715	1	0	24.82	0.38	25.2	<=30	Pass	
			25	24.86	0.38	25.24	<=30	Pass	
			49	24.40	0.38	24.78	<=30	Pass	
		25	0	24.35	0.38	24.73	<=30	Pass	
			13	24.00	0.38	24.38	<=30	Pass	
			25	24.95	0.38	25.33	<=30	Pass	
	50	0	23.13	0.38	23.51	<=30	Pass		
	1732.5	1	0	23.82	0.38	24.2	<=30	Pass	
			25	24.50	0.38	24.88	<=30	Pass	
			49	23.94	0.38	24.32	<=30	Pass	
		25	0	24.13	0.38	24.51	<=30	Pass	
			13	24.27	0.38	24.65	<=30	Pass	
			25	24.28	0.38	24.66	<=30	Pass	
	50	0	23.63	0.38	24.01	<=30	Pass		
	1750	1	0	24.47	0.38	24.85	<=30	Pass	
			25	24.96	0.38	25.34	<=30	Pass	
			49	24.44	0.38	24.82	<=30	Pass	
		25	0	24.73	0.38	25.11	<=30	Pass	
			13	24.04	0.38	24.42	<=30	Pass	
			25	24.76	0.38	25.14	<=30	Pass	
	50	0	23.54	0.38	23.92	<=30	Pass		
	16QAM	1715	1	0	23.22	0.38	23.6	<=30	Pass
				25	23.40	0.38	23.78	<=30	Pass
				49	23.79	0.38	24.17	<=30	Pass
12			0	22.69	0.38	23.07	<=30	Pass	
			19	22.18	0.38	22.56	<=30	Pass	
			38	22.17	0.38	22.55	<=30	Pass	
27		0	21.08	0.38	21.46	<=30	Pass		
1732.5		1	0	23.03	0.38	23.41	<=30	Pass	
			25	23.74	0.38	24.12	<=30	Pass	
			49	23.29	0.38	23.67	<=30	Pass	
		12	0	22.07	0.38	22.45	<=30	Pass	
			19	22.67	0.38	23.05	<=30	Pass	
			38	22.32	0.38	22.7	<=30	Pass	
27		0	21.59	0.38	21.97	<=30	Pass		
1750		1	0	23.47	0.38	23.85	<=30	Pass	
			25	23.13	0.38	23.51	<=30	Pass	
			49	23.70	0.38	24.08	<=30	Pass	
		12	0	22.90	0.38	23.28	<=30	Pass	
			19	22.23	0.38	22.61	<=30	Pass	
			38	22.76	0.38	23.14	<=30	Pass	
27		0	21.95	0.38	22.33	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2.5 B4_15MHz_EIRP

2.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	24.27	0.38	24.65	<=30	Pass		
			38	24.23	0.38	24.61	<=30	Pass		
			74	24.82	0.38	25.2	<=30	Pass		
		36	0	24.12	0.38	24.5	<=30	Pass		
			18	24.22	0.38	24.6	<=30	Pass		
			39	24.36	0.38	24.74	<=30	Pass		
		75	0	23.44	0.38	23.82	<=30	Pass		
		1732.5	1	0	24.14	0.38	24.52	<=30	Pass	
				38	24.30	0.38	24.68	<=30	Pass	
	74			24.10	0.38	24.48	<=30	Pass		
	36		0	24.39	0.38	24.77	<=30	Pass		
			18	24.63	0.38	25.01	<=30	Pass		
			39	24.57	0.38	24.95	<=30	Pass		
	75		0	23.58	0.38	23.96	<=30	Pass		
	1747.5		1	0	24.18	0.38	24.56	<=30	Pass	
				38	24.59	0.38	24.97	<=30	Pass	
		74		24.74	0.38	25.12	<=30	Pass		
		36	0	24.95	0.38	25.33	<=30	Pass		
			18	24.84	0.38	25.22	<=30	Pass		
			39	24.83	0.38	25.21	<=30	Pass		
		75	0	23.85	0.38	24.23	<=30	Pass		
		16QAM	1717.5	1	0	23.68	0.38	24.06	<=30	Pass
					38	23.79	0.38	24.17	<=30	Pass
	74				23.40	0.38	23.78	<=30	Pass	
12	0			22.42	0.38	22.8	<=30	Pass		
	31			22.45	0.38	22.83	<=30	Pass		
	63			22.23	0.38	22.61	<=30	Pass		
27	0			21.28	0.38	21.66	<=30	Pass		
1732.5	1			0	23.33	0.38	23.71	<=30	Pass	
				38	23.61	0.38	23.99	<=30	Pass	
			74	23.37	0.38	23.75	<=30	Pass		
	12		0	22.08	0.38	22.46	<=30	Pass		
			31	22.51	0.38	22.89	<=30	Pass		
			63	22.33	0.38	22.71	<=30	Pass		
	27		0	21.36	0.38	21.74	<=30	Pass		
	1747.5		1	0	23.34	0.38	23.72	<=30	Pass	
				38	23.97	0.38	24.35	<=30	Pass	
74				23.11	0.38	23.49	<=30	Pass		
12			0	22.98	0.38	23.36	<=30	Pass		
			31	22.82	0.38	23.2	<=30	Pass		
			63	22.09	0.38	22.47	<=30	Pass		
27			0	21.45	0.38	21.83	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2.6 B4_20MHz_EIRP

2.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	24.39	0.38	24.77	<=30	Pass		
			50	24.25	0.38	24.63	<=30	Pass		
			99	24.76	0.38	25.14	<=30	Pass		
		50	0	24.18	0.38	24.56	<=30	Pass		
			25	24.13	0.38	24.51	<=30	Pass		
			50	24.01	0.38	24.39	<=30	Pass		
		100	0	23.18	0.38	23.56	<=30	Pass		
		1732.5	1	0	24.22	0.38	24.6	<=30	Pass	
				50	24.62	0.38	25	<=30	Pass	
	99			23.88	0.38	24.26	<=30	Pass		
	50		0	24.62	0.38	25	<=30	Pass		
			25	24.74	0.38	25.12	<=30	Pass		
			50	24.61	0.38	24.99	<=30	Pass		
	100		0	23.37	0.38	23.75	<=30	Pass		
	1745		1	0	24.98	0.38	25.36	<=30	Pass	
				50	24.55	0.38	24.93	<=30	Pass	
		99		24.15	0.38	24.53	<=30	Pass		
		50	0	24.69	0.38	25.07	<=30	Pass		
			25	24.75	0.38	25.13	<=30	Pass		
			50	24.09	0.38	24.47	<=30	Pass		
		100	0	23.51	0.38	23.89	<=30	Pass		
		16QAM	1720	1	0	23.52	0.38	23.9	<=30	Pass
					50	23.57	0.38	23.95	<=30	Pass
	99				23.02	0.38	23.4	<=30	Pass	
12	0			22.06	0.38	22.44	<=30	Pass		
	44			22.41	0.38	22.79	<=30	Pass		
	88			22.02	0.38	22.4	<=30	Pass		
27	0			21.99	0.38	22.37	<=30	Pass		
1732.5	1			0	23.30	0.38	23.68	<=30	Pass	
				50	23.77	0.38	24.15	<=30	Pass	
			99	23.20	0.38	23.58	<=30	Pass		
	12		0	22.75	0.38	23.13	<=30	Pass		
			44	22.72	0.38	23.1	<=30	Pass		
			88	22.08	0.38	22.46	<=30	Pass		
	27		0	21.03	0.38	21.41	<=30	Pass		
	1745		1	0	23.35	0.38	23.73	<=30	Pass	
				50	23.19	0.38	23.57	<=30	Pass	
99				23.79	0.38	24.17	<=30	Pass		
12			0	22.53	0.38	22.91	<=30	Pass		
			44	22.82	0.38	23.2	<=30	Pass		
			88	22.54	0.38	22.92	<=30	Pass		
27			0	21.95	0.38	22.33	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

3. Effective (Isotropic) Radiated Power Output Data

3.1 B5_1.4MHz_ERP

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	824.7	1	0	24.19	0.99	23.03	<=38.45	Pass	
			2	24.34	0.99	23.18	<=38.45	Pass	
			5	24.18	0.99	23.02	<=38.45	Pass	
		3	0	24.03	0.99	22.87	<=38.45	Pass	
			2	24.21	0.99	23.05	<=38.45	Pass	
			3	24.02	0.99	22.86	<=38.45	Pass	
	6	0	23.11	0.99	21.95	<=38.45	Pass		
	836.5	1	0	24.51	0.99	23.35	<=38.45	Pass	
			2	24.57	0.99	23.41	<=38.45	Pass	
			5	23.62	0.99	22.46	<=38.45	Pass	
		3	0	24.26	0.99	23.1	<=38.45	Pass	
			2	24.29	0.99	23.13	<=38.45	Pass	
			3	24.18	0.99	23.02	<=38.45	Pass	
	6	0	23.26	0.99	22.1	<=38.45	Pass		
	848.3	1	0	23.79	0.99	22.63	<=38.45	Pass	
			2	24.37	0.99	23.21	<=38.45	Pass	
			5	24.18	0.99	23.02	<=38.45	Pass	
		3	0	24.30	0.99	23.14	<=38.45	Pass	
			2	24.56	0.99	23.4	<=38.45	Pass	
			3	24.33	0.99	23.17	<=38.45	Pass	
	6	0	23.20	0.99	22.04	<=38.45	Pass		
	16QAM	824.7	1	0	23.28	0.99	22.12	<=38.45	Pass
				2	23.51	0.99	22.35	<=38.45	Pass
				5	23.27	0.99	22.11	<=38.45	Pass
3			0	23.18	0.99	22.02	<=38.45	Pass	
			2	23.48	0.99	22.32	<=38.45	Pass	
			3	23.28	0.99	22.12	<=38.45	Pass	
6		0	22.34	0.99	21.18	<=38.45	Pass		
836.5		1	0	23.63	0.99	22.47	<=38.45	Pass	
			2	23.76	0.99	22.6	<=38.45	Pass	
			5	22.84	0.99	21.68	<=38.45	Pass	
		3	0	23.30	0.99	22.14	<=38.45	Pass	
			2	23.34	0.99	22.18	<=38.45	Pass	
			3	23.14	0.99	21.98	<=38.45	Pass	
6		0	22.25	0.99	21.09	<=38.45	Pass		
848.3		1	0	22.75	0.99	21.59	<=38.45	Pass	
			2	23.36	0.99	22.2	<=38.45	Pass	
			5	23.22	0.99	22.06	<=38.45	Pass	
		3	0	23.46	0.99	22.3	<=38.45	Pass	
			2	23.69	0.99	22.53	<=38.45	Pass	
			3	23.46	0.99	22.3	<=38.45	Pass	
6		0	22.21	0.99	21.05	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

3.2 B5_3MHz_ERP

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.05	0.99	22.89	<=38.45	Pass
			7	24.70	0.99	23.54	<=38.45	Pass
			14	24.06	0.99	22.9	<=38.45	Pass
		8	0	24.44	0.99	23.28	<=38.45	Pass

16QAM	836.5	15	4	24.50	0.99	23.34	<=38.45	Pass	
			7	24.48	0.99	23.32	<=38.45	Pass	
			0	23.45	0.99	22.29	<=38.45	Pass	
		1	0	24.47	0.99	23.31	<=38.45	Pass	
			7	24.73	0.99	23.57	<=38.45	Pass	
			14	23.14	0.99	21.98	<=38.45	Pass	
		8	0	24.41	0.99	23.25	<=38.45	Pass	
			4	24.45	0.99	23.29	<=38.45	Pass	
			7	24.64	0.99	23.48	<=38.45	Pass	
		15	0	23.41	0.99	22.25	<=38.45	Pass	
		847.5	1	0	23.69	0.99	22.53	<=38.45	Pass
				7	24.72	0.99	23.56	<=38.45	Pass
	14			24.14	0.99	22.98	<=38.45	Pass	
	8		0	24.63	0.99	23.47	<=38.45	Pass	
			4	24.45	0.99	23.29	<=38.45	Pass	
			7	24.66	0.99	23.5	<=38.45	Pass	
	15		0	23.41	0.99	22.25	<=38.45	Pass	
	825.5		1	0	23.57	0.99	22.41	<=38.45	Pass
				7	23.22	0.99	22.06	<=38.45	Pass
		14		23.42	0.99	22.26	<=38.45	Pass	
		8	0	23.59	0.99	22.43	<=38.45	Pass	
			4	23.67	0.99	22.51	<=38.45	Pass	
			7	23.66	0.99	22.5	<=38.45	Pass	
		15	0	22.55	0.99	21.39	<=38.45	Pass	
836.5		1	0	23.70	0.99	22.54	<=38.45	Pass	
			7	23.04	0.99	21.88	<=38.45	Pass	
			14	22.48	0.99	21.32	<=38.45	Pass	
		8	0	23.51	0.99	22.35	<=38.45	Pass	
			4	23.57	0.99	22.41	<=38.45	Pass	
	7		23.74	0.99	22.58	<=38.45	Pass		
15	0	22.40	0.99	21.24	<=38.45	Pass			
847.5	1	0	22.62	0.99	21.46	<=38.45	Pass		
		7	23.81	0.99	22.65	<=38.45	Pass		
		14	23.28	0.99	22.12	<=38.45	Pass		
	8	0	23.77	0.99	22.61	<=38.45	Pass		
		4	23.60	0.99	22.44	<=38.45	Pass		
		7	23.82	0.99	22.66	<=38.45	Pass		
15	0	22.52	0.99	21.36	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15									

3.3 B5_5MHz_ERP

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.29	0.99	23.13	<=38.45	Pass
			13	24.15	0.99	22.99	<=38.45	Pass
			24	24.19	0.99	23.03	<=38.45	Pass
		12	0	24.22	0.99	23.06	<=38.45	Pass
			6	24.35	0.99	23.19	<=38.45	Pass
			13	24.35	0.99	23.19	<=38.45	Pass
	25	0	23.49	0.99	22.33	<=38.45	Pass	
	836.5	1	0	24.18	0.99	23.02	<=38.45	Pass
			13	24.18	0.99	23.02	<=38.45	Pass
			24	23.76	0.99	22.6	<=38.45	Pass

		12	0	24.17	0.99	23.01	<=38.45	Pass		
			6	24.08	0.99	22.92	<=38.45	Pass		
			13	24.24	0.99	23.08	<=38.45	Pass		
		25	0	23.38	0.99	22.22	<=38.45	Pass		
			846.5	1	0	23.61	0.99	22.45	<=38.45	Pass
					13	24.25	0.99	23.09	<=38.45	Pass
	24	24.13			0.99	22.97	<=38.45	Pass		
	12	0	24.25	0.99	23.09	<=38.45	Pass			
			6	24.24	0.99	23.08	<=38.45	Pass		
			13	24.35	0.99	23.19	<=38.45	Pass		
	25	0	23.40	0.99	22.24	<=38.45	Pass			
	16QAM	826.5	1	0	23.43	0.99	22.27	<=38.45	Pass	
13				23.31	0.99	22.15	<=38.45	Pass		
24				23.31	0.99	22.15	<=38.45	Pass		
12			0	23.39	0.99	22.23	<=38.45	Pass		
				6	23.42	0.99	22.26	<=38.45	Pass	
				13	23.42	0.99	22.26	<=38.45	Pass	
25			0	22.54	0.99	21.38	<=38.45	Pass		
836.5			1	0	23.39	0.99	22.23	<=38.45	Pass	
				13	23.46	0.99	22.3	<=38.45	Pass	
		24		23.06	0.99	21.9	<=38.45	Pass		
		12	0	23.23	0.99	22.07	<=38.45	Pass		
				6	23.12	0.99	21.96	<=38.45	Pass	
				13	23.31	0.99	22.15	<=38.45	Pass	
25		0	22.40	0.99	21.24	<=38.45	Pass			
846.5		1	0	22.76	0.99	21.6	<=38.45	Pass		
			13	23.45	0.99	22.29	<=38.45	Pass		
			24	23.44	0.99	22.28	<=38.45	Pass		
		12	0	23.37	0.99	22.21	<=38.45	Pass		
				6	23.40	0.99	22.24	<=38.45	Pass	
				13	23.53	0.99	22.37	<=38.45	Pass	
		25	0	22.58	0.99	21.42	<=38.45	Pass		
		Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.4 B5_10MHz_ERP

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.22	0.99	23.06	<=38.45	Pass
			25	24.42	0.99	23.26	<=38.45	Pass
			49	24.34	0.99	23.18	<=38.45	Pass
		25	0	24.17	0.99	23.01	<=38.45	Pass
			13	24.63	0.99	23.47	<=38.45	Pass
			25	24.47	0.99	23.31	<=38.45	Pass
	50	0	23.57	0.99	22.41	<=38.45	Pass	
	836.5	1	0	24.19	0.99	23.03	<=38.45	Pass
			25	24.41	0.99	23.25	<=38.45	Pass
			49	23.74	0.99	22.58	<=38.45	Pass
		25	0	24.06	0.99	22.9	<=38.45	Pass
			13	24.46	0.99	23.3	<=38.45	Pass
			25	24.26	0.99	23.1	<=38.45	Pass
	50	0	23.51	0.99	22.35	<=38.45	Pass	
	844	1	0	23.70	0.99	22.54	<=38.45	Pass
			25	24.39	0.99	23.23	<=38.45	Pass

16QAM	829	25	49	24.03	0.99	22.87	<=38.45	Pass	
			0	24.28	0.99	23.12	<=38.45	Pass	
			13	24.38	0.99	23.22	<=38.45	Pass	
			25	24.30	0.99	23.14	<=38.45	Pass	
		50	0	23.41	0.99	22.25	<=38.45	Pass	
	836.5	1	0	23.75	0.99	22.59	<=38.45	Pass	
			25	23.95	0.99	22.79	<=38.45	Pass	
			49	23.69	0.99	22.53	<=38.45	Pass	
		12	0	23.17	0.99	22.01	<=38.45	Pass	
			19	23.65	0.99	22.49	<=38.45	Pass	
			38	23.39	0.99	22.23	<=38.45	Pass	
		27	0	22.49	0.99	21.33	<=38.45	Pass	
		844	1	0	23.29	0.99	22.13	<=38.45	Pass
				25	23.54	0.99	22.38	<=38.45	Pass
	49			22.90	0.99	21.74	<=38.45	Pass	
	12		0	23.16	0.99	22	<=38.45	Pass	
			19	23.45	0.99	22.29	<=38.45	Pass	
			38	23.16	0.99	22	<=38.45	Pass	
	27		0	22.65	0.99	21.49	<=38.45	Pass	
	844		1	0	22.68	0.99	21.52	<=38.45	Pass
				25	23.48	0.99	22.32	<=38.45	Pass
		49		23.20	0.99	22.04	<=38.45	Pass	
		12	0	23.37	0.99	22.21	<=38.45	Pass	
			19	23.54	0.99	22.38	<=38.45	Pass	
			38	23.36	0.99	22.2	<=38.45	Pass	
	27	0	22.48	0.99	21.32	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

4. Effective (Isotropic) Radiated Power Output Data

4.1 B66_1.4MHz_EIRP

4.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.37	0.38	24.75	<=30	Pass
			2	24.45	0.38	24.83	<=30	Pass
			5	23.72	0.38	24.1	<=30	Pass
		3	0	24.25	0.38	24.63	<=30	Pass
			2	24.26	0.38	24.64	<=30	Pass
			3	24.06	0.38	24.44	<=30	Pass
	6	0	23.43	0.38	23.81	<=30	Pass	
	1745	1	0	23.87	0.38	24.25	<=30	Pass
			2	24.04	0.38	24.42	<=30	Pass
			5	23.22	0.38	23.6	<=30	Pass
		3	0	23.93	0.38	24.31	<=30	Pass
			2	23.90	0.38	24.28	<=30	Pass
			3	23.69	0.38	24.07	<=30	Pass
	6	0	22.79	0.38	23.17	<=30	Pass	
	1779.3	1	0	23.20	0.38	23.58	<=30	Pass
			2	23.42	0.38	23.8	<=30	Pass
			5	23.09	0.38	23.47	<=30	Pass
		3	0	23.11	0.38	23.49	<=30	Pass
2			23.85	0.38	24.23	<=30	Pass	

16QAM	1710.7	6	3	23.62	0.38	24	<=30	Pass
			0	22.17	0.38	22.55	<=30	Pass
		1	0	23.54	0.38	23.92	<=30	Pass
			2	23.70	0.38	24.08	<=30	Pass
			5	22.98	0.38	23.36	<=30	Pass
		3	0	23.35	0.38	23.73	<=30	Pass
	2		23.39	0.38	23.77	<=30	Pass	
	3		23.21	0.38	23.59	<=30	Pass	
	6	0	22.57	0.38	22.95	<=30	Pass	
	1745	1	0	22.83	0.38	23.21	<=30	Pass
			2	23.10	0.38	23.48	<=30	Pass
			5	22.30	0.38	22.68	<=30	Pass
		3	0	23.04	0.38	23.42	<=30	Pass
			2	22.96	0.38	23.34	<=30	Pass
			3	22.75	0.38	23.13	<=30	Pass
	6	0	21.74	0.38	22.12	<=30	Pass	
	1779.3	1	0	22.30	0.38	22.68	<=30	Pass
			2	22.60	0.38	22.98	<=30	Pass
			5	22.32	0.38	22.7	<=30	Pass
		3	0	22.39	0.38	22.77	<=30	Pass
			2	23.19	0.38	23.57	<=30	Pass
			3	22.94	0.38	23.32	<=30	Pass
	6	0	21.35	0.38	21.73	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

4.2 B66_3MHz_EIRP

4.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNv									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1711.5	1	0	24.18	0.38	24.56	<=30	Pass	
			7	24.46	0.38	24.84	<=30	Pass	
			14	23.02	0.38	23.4	<=30	Pass	
		8	0	24.37	0.38	24.75	<=30	Pass	
			4	24.32	0.38	24.7	<=30	Pass	
			7	24.34	0.38	24.72	<=30	Pass	
	15	0	23.45	0.38	23.83	<=30	Pass		
	1745	1	0	23.68	0.38	24.06	<=30	Pass	
			7	24.30	0.38	24.68	<=30	Pass	
			14	23.65	0.38	24.03	<=30	Pass	
		8	0	24.12	0.38	24.5	<=30	Pass	
			4	23.98	0.38	24.36	<=30	Pass	
			7	24.13	0.38	24.51	<=30	Pass	
	15	0	22.79	0.38	23.17	<=30	Pass		
	1778.5	1	0	24.05	0.38	24.43	<=30	Pass	
			7	23.51	0.38	23.89	<=30	Pass	
			14	23.22	0.38	23.6	<=30	Pass	
		8	0	23.30	0.38	23.68	<=30	Pass	
			4	23.37	0.38	23.75	<=30	Pass	
			7	23.28	0.38	23.66	<=30	Pass	
	15	0	22.16	0.38	22.54	<=30	Pass		
	16QAM	1711.5	1	0	23.69	0.38	24.07	<=30	Pass
				7	23.99	0.38	24.37	<=30	Pass
				14	22.52	0.38	22.9	<=30	Pass
8			0	23.69	0.38	24.07	<=30	Pass	

	1745	15	4	23.68	0.38	24.06	<=30	Pass
			7	23.73	0.38	24.11	<=30	Pass
		1	0	22.63	0.38	23.01	<=30	Pass
			7	22.91	0.38	23.29	<=30	Pass
			14	23.53	0.38	23.91	<=30	Pass
		8	0	23.83	0.38	24.21	<=30	Pass
	4		23.10	0.38	23.48	<=30	Pass	
	7		23.08	0.38	23.46	<=30	Pass	
	15	0	23.24	0.38	23.62	<=30	Pass	
	1778.5	1	0	21.85	0.38	22.23	<=30	Pass
			7	23.98	0.38	24.36	<=30	Pass
			14	23.66	0.38	24.04	<=30	Pass
		8	0	23.37	0.38	23.75	<=30	Pass
			4	22.45	0.38	22.83	<=30	Pass
			7	22.51	0.38	22.89	<=30	Pass
		15	0	22.43	0.38	22.81	<=30	Pass
		0	21.29	0.38	21.67	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

4.3 B66_5MHz_EIRP

4.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1712.5	1	0	24.08	0.38	24.46	<=30	Pass	
			13	23.88	0.38	24.26	<=30	Pass	
			24	23.46	0.38	23.84	<=30	Pass	
		12	0	24.16	0.38	24.54	<=30	Pass	
			6	23.97	0.38	24.35	<=30	Pass	
			13	24.12	0.38	24.5	<=30	Pass	
		25	0	23.20	0.38	23.58	<=30	Pass	
		1745	1	0	23.55	0.38	23.93	<=30	Pass
				13	23.59	0.38	23.97	<=30	Pass
	24			23.59	0.38	23.97	<=30	Pass	
	12		0	23.81	0.38	24.19	<=30	Pass	
			6	23.77	0.38	24.15	<=30	Pass	
			13	23.99	0.38	24.37	<=30	Pass	
	25	0	22.78	0.38	23.16	<=30	Pass		
	1777.5	1	0	23.87	0.38	24.25	<=30	Pass	
			13	23.86	0.38	24.24	<=30	Pass	
			24	23.25	0.38	23.63	<=30	Pass	
		12	0	24.05	0.38	24.43	<=30	Pass	
			6	24.12	0.38	24.5	<=30	Pass	
			13	23.19	0.38	23.57	<=30	Pass	
	25	0	22.03	0.38	22.41	<=30	Pass		
	16QAM	1712.5	1	0	22.99	0.38	23.37	<=30	Pass
				13	22.88	0.38	23.26	<=30	Pass
				24	22.47	0.38	22.85	<=30	Pass
12			0	23.41	0.38	23.79	<=30	Pass	
			6	23.22	0.38	23.6	<=30	Pass	
			13	23.36	0.38	23.74	<=30	Pass	
25		0	22.43	0.38	22.81	<=30	Pass		
1745		1	0	22.81	0.38	23.19	<=30	Pass	
			13	22.95	0.38	23.33	<=30	Pass	
			24	22.94	0.38	23.32	<=30	Pass	

	1777.5	12	0	22.93	0.38	23.31	<=30	Pass	
			6	22.90	0.38	23.28	<=30	Pass	
			13	23.15	0.38	23.53	<=30	Pass	
		25	0	21.86	0.38	22.24	<=30	Pass	
			1	0	23.01	0.38	23.39	<=30	Pass
				13	22.11	0.38	22.49	<=30	Pass
	12	24	22.54	0.38	22.92	<=30	Pass		
		0	22.12	0.38	22.5	<=30	Pass		
		6	22.21	0.38	22.59	<=30	Pass		
	25	13	22.26	0.38	22.64	<=30	Pass		
		0	21.12	0.38	21.5	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

4.4 B66_10MHz_EIRP

4.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1715	1	0	24.08	0.38	24.46	<=30	Pass		
			25	24.08	0.38	24.46	<=30	Pass		
			49	23.65	0.38	24.03	<=30	Pass		
		25	0	23.91	0.38	24.29	<=30	Pass		
			13	24.26	0.38	24.64	<=30	Pass		
			25	24.20	0.38	24.58	<=30	Pass		
		50	0	23.45	0.38	23.83	<=30	Pass		
		1745	1	0	23.09	0.38	23.47	<=30	Pass	
				25	23.82	0.38	24.2	<=30	Pass	
	49			23.07	0.38	23.45	<=30	Pass		
	25		0	23.38	0.38	23.76	<=30	Pass		
			13	23.65	0.38	24.03	<=30	Pass		
			25	23.43	0.38	23.81	<=30	Pass		
	50		0	22.88	0.38	23.26	<=30	Pass		
	1775		1	0	23.98	0.38	24.36	<=30	Pass	
				25	23.98	0.38	24.36	<=30	Pass	
		49		23.12	0.38	23.5	<=30	Pass		
		25	0	23.60	0.38	23.98	<=30	Pass		
			13	23.98	0.38	24.36	<=30	Pass		
			25	23.04	0.38	23.42	<=30	Pass		
		50	0	23.11	0.38	23.49	<=30	Pass		
		16QAM	1715	1	0	23.60	0.38	23.98	<=30	Pass
					25	23.63	0.38	24.01	<=30	Pass
	49				23.17	0.38	23.55	<=30	Pass	
12	0			23.29	0.38	23.67	<=30	Pass		
	19			23.37	0.38	23.75	<=30	Pass		
	38			23.38	0.38	23.76	<=30	Pass		
27	0		22.47	0.38	22.85	<=30	Pass			
1745	1		0	23.23	0.38	23.61	<=30	Pass		
			25	23.07	0.38	23.45	<=30	Pass		
			49	23.34	0.38	23.72	<=30	Pass		
	12		0	23.44	0.38	23.82	<=30	Pass		
			19	23.01	0.38	23.39	<=30	Pass		
			38	23.39	0.38	23.77	<=30	Pass		
27	0		22.98	0.38	23.36	<=30	Pass			
1775	1		0	22.91	0.38	23.29	<=30	Pass		
		25	22.14	0.38	22.52	<=30	Pass			

		49	22.37	0.38	22.75	<=30	Pass
		0	22.76	0.38	23.14	<=30	Pass
	12	19	22.24	0.38	22.62	<=30	Pass
		38	22.31	0.38	22.69	<=30	Pass
	27	23	22.29	0.38	22.67	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain							

4.5 B66_15MHz_EIRP

4.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	24.38	0.38	24.76	<=30	Pass		
			38	24.38	0.38	24.76	<=30	Pass		
			74	23.95	0.38	24.33	<=30	Pass		
		36	0	24.05	0.38	24.43	<=30	Pass		
			18	24.07	0.38	24.45	<=30	Pass		
			39	24.43	0.38	24.81	<=30	Pass		
		75	0	23.63	0.38	24.01	<=30	Pass		
		1745	1	0	23.33	0.38	23.71	<=30	Pass	
				38	23.80	0.38	24.18	<=30	Pass	
	74			24.00	0.38	24.38	<=30	Pass		
	36		0	23.60	0.38	23.98	<=30	Pass		
			18	23.59	0.38	23.97	<=30	Pass		
			39	24.62	0.38	25	<=30	Pass		
	75		0	22.80	0.38	23.18	<=30	Pass		
	1772.5		1	0	23.94	0.38	24.32	<=30	Pass	
				38	23.87	0.38	24.25	<=30	Pass	
		74		23.15	0.38	23.53	<=30	Pass		
		36	0	23.89	0.38	24.27	<=30	Pass		
			18	23.94	0.38	24.32	<=30	Pass		
			39	23.14	0.38	23.52	<=30	Pass		
		75	0	23.09	0.38	23.47	<=30	Pass		
		16QAM	1717.5	1	0	23.85	0.38	24.23	<=30	Pass
					38	23.03	0.38	23.41	<=30	Pass
	74				23.60	0.38	23.98	<=30	Pass	
12	0			23.86	0.38	24.24	<=30	Pass		
	31			23.76	0.38	24.14	<=30	Pass		
	63			23.49	0.38	23.87	<=30	Pass		
27	0			22.68	0.38	23.06	<=30	Pass		
1745	1			0	23.50	0.38	23.88	<=30	Pass	
				38	22.97	0.38	23.35	<=30	Pass	
			74	22.28	0.38	22.66	<=30	Pass		
	12		0	22.79	0.38	23.17	<=30	Pass		
			31	22.81	0.38	23.19	<=30	Pass		
			63	23.20	0.38	23.58	<=30	Pass		
	27		0	23.00	0.38	23.38	<=30	Pass		
	1772.5		1	0	23.28	0.38	23.66	<=30	Pass	
				38	23.28	0.38	23.66	<=30	Pass	
74				22.55	0.38	22.93	<=30	Pass		
12			0	23.04	0.38	23.42	<=30	Pass		
			31	22.99	0.38	23.37	<=30	Pass		
			63	23.04	0.38	23.42	<=30	Pass		
27			48	22.17	0.38	22.55	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

4.6 B66_20MHz_EIRP

4.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	24.48	0.38	24.86	<=30	Pass		
			50	24.24	0.38	24.62	<=30	Pass		
			99	23.57	0.38	23.95	<=30	Pass		
		50	0	24.70	0.38	25.08	<=30	Pass		
			25	24.27	0.38	24.65	<=30	Pass		
			50	24.10	0.38	24.48	<=30	Pass		
		100	0	23.26	0.38	23.64	<=30	Pass		
		1745	1	0	23.97	0.38	24.35	<=30	Pass	
				50	23.75	0.38	24.13	<=30	Pass	
	99			24.44	0.38	24.82	<=30	Pass		
	50		0	24.40	0.38	24.78	<=30	Pass		
			25	24.43	0.38	24.81	<=30	Pass		
			50	24.89	0.38	25.27	<=30	Pass		
	100		0	22.48	0.38	22.86	<=30	Pass		
	1770		1	0	23.82	0.38	24.2	<=30	Pass	
				50	23.99	0.38	24.37	<=30	Pass	
		99		23.30	0.38	23.68	<=30	Pass		
		50	0	23.28	0.38	23.66	<=30	Pass		
			25	23.60	0.38	23.98	<=30	Pass		
			50	23.35	0.38	23.73	<=30	Pass		
		100	0	22.16	0.38	22.54	<=30	Pass		
		16QAM	1720	1	0	23.75	0.38	24.13	<=30	Pass
					50	23.62	0.38	24	<=30	Pass
	99				23.97	0.38	24.35	<=30	Pass	
12	0			23.27	0.38	23.65	<=30	Pass		
	44			23.48	0.38	23.86	<=30	Pass		
	88			23.92	0.38	24.3	<=30	Pass		
27	0			22.15	0.38	22.53	<=30	Pass		
1745	1			0	23.26	0.38	23.64	<=30	Pass	
				50	23.12	0.38	23.5	<=30	Pass	
			99	22.80	0.38	23.18	<=30	Pass		
	12		0	22.56	0.38	22.94	<=30	Pass		
			44	22.93	0.38	23.31	<=30	Pass		
			88	22.53	0.38	22.91	<=30	Pass		
	27		0	22.62	0.38	23	<=30	Pass		
	1770		1	0	23.34	0.38	23.72	<=30	Pass	
				50	22.69	0.38	23.07	<=30	Pass	
99				22.99	0.38	23.37	<=30	Pass		
12			0	22.90	0.38	23.28	<=30	Pass		
			44	22.22	0.38	22.6	<=30	Pass		
			88	22.74	0.38	23.12	<=30	Pass		
27			73	21.90	0.38	22.28	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

5. Effective (Isotropic) Radiated Power Output Data

5.1 B7_5MHz_EIRP

5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2502.5	1	0	22.85	3.07	25.92	<=33.01	Pass		
			13	22.70	3.07	25.77	<=33.01	Pass		
			24	22.84	3.07	25.91	<=33.01	Pass		
		12	0	23.02	3.07	26.09	<=33.01	Pass		
			6	22.95	3.07	26.02	<=33.01	Pass		
			13	23.01	3.07	26.08	<=33.01	Pass		
		25	0	21.74	3.07	24.81	<=33.01	Pass		
		2535	1	0	23.13	3.07	26.2	<=33.01	Pass	
				13	23.08	3.07	26.15	<=33.01	Pass	
	24			23.66	3.07	26.73	<=33.01	Pass		
	12		0	23.31	3.07	26.38	<=33.01	Pass		
			6	23.15	3.07	26.22	<=33.01	Pass		
			13	23.07	3.07	26.14	<=33.01	Pass		
	25		0	22.36	3.07	25.43	<=33.01	Pass		
	2567.5		1	0	23.49	3.07	26.56	<=33.01	Pass	
				13	23.63	3.07	26.7	<=33.01	Pass	
		24		22.69	3.07	25.76	<=33.01	Pass		
		12	0	23.00	3.07	26.07	<=33.01	Pass		
			6	23.82	3.07	26.89	<=33.01	Pass		
			13	23.49	3.07	26.56	<=33.01	Pass		
		25	0	22.07	3.07	25.14	<=33.01	Pass		
		16QAM	2502.5	1	0	21.74	3.07	24.81	<=33.01	Pass
					13	21.78	3.07	24.85	<=33.01	Pass
	24				21.93	3.07	25	<=33.01	Pass	
12	0			22.21	3.07	25.28	<=33.01	Pass		
	6			22.12	3.07	25.19	<=33.01	Pass		
	13			22.20	3.07	25.27	<=33.01	Pass		
25	0			20.93	3.07	24	<=33.01	Pass		
2535	1			0	22.36	3.07	25.43	<=33.01	Pass	
				13	22.48	3.07	25.55	<=33.01	Pass	
			24	22.07	3.07	25.14	<=33.01	Pass		
	12		0	22.46	3.07	25.53	<=33.01	Pass		
			6	22.42	3.07	25.49	<=33.01	Pass		
			13	22.31	3.07	25.38	<=33.01	Pass		
	25		0	21.55	3.07	24.62	<=33.01	Pass		
	2567.5		1	0	22.36	3.07	25.43	<=33.01	Pass	
				13	22.95	3.07	26.02	<=33.01	Pass	
24				22.59	3.07	25.66	<=33.01	Pass		
12			0	22.24	3.07	25.31	<=33.01	Pass		
			6	22.07	3.07	25.14	<=33.01	Pass		
			13	22.75	3.07	25.82	<=33.01	Pass		
25			0	21.30	3.07	24.37	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

5.2 B7_10MHz_EIRP

5.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	22.45	3.07	25.52	<=33.01	Pass

	2535	25	25	22.71	3.07	25.78	<=33.01	Pass			
			49	22.92	3.07	25.99	<=33.01	Pass			
			0	22.37	3.07	25.44	<=33.01	Pass			
			13	23.36	3.07	26.43	<=33.01	Pass			
			25	23.09	3.07	26.16	<=33.01	Pass			
			50	21.70	3.07	24.77	<=33.01	Pass			
		1	0	23.47	3.07	26.54	<=33.01	Pass			
			25	23.27	3.07	26.34	<=33.01	Pass			
			49	23.43	3.07	26.5	<=33.01	Pass			
			0	23.15	3.07	26.22	<=33.01	Pass			
			13	23.12	3.07	26.19	<=33.01	Pass			
			25	23.89	3.07	26.96	<=33.01	Pass			
	2565	1	50	0	22.55	3.07	25.62	<=33.01	Pass		
			0	23.92	3.07	26.99	<=33.01	Pass			
			25	23.93	3.07	27	<=33.01	Pass			
			49	22.49	3.07	25.56	<=33.01	Pass			
			0	23.20	3.07	26.27	<=33.01	Pass			
			13	23.95	3.07	27.02	<=33.01	Pass			
		25	25	23.61	3.07	26.68	<=33.01	Pass			
			50	0	22.33	3.07	25.4	<=33.01	Pass		
			16QAM	2505	1	0	22.03	3.07	25.1	<=33.01	Pass
						25	22.31	3.07	25.38	<=33.01	Pass
						49	22.42	3.07	25.49	<=33.01	Pass
					12	0	21.60	3.07	24.67	<=33.01	Pass
19	21.91	3.07				24.98	<=33.01	Pass			
38	21.16	3.07				24.23	<=33.01	Pass			
27	0	21.90			3.07	24.97	<=33.01	Pass			
2535	1	0			22.69	3.07	25.76	<=33.01	Pass		
		25			22.62	3.07	25.69	<=33.01	Pass		
		49		22.78	3.07	25.85	<=33.01	Pass			
	12	0		22.43	3.07	25.5	<=33.01	Pass			
		19		22.57	3.07	25.64	<=33.01	Pass			
		38	22.85	3.07	25.92	<=33.01	Pass				
	27	0	21.77	3.07	24.84	<=33.01	Pass				
	2565	1	0	22.45	3.07	25.52	<=33.01	Pass			
			25	22.17	3.07	25.24	<=33.01	Pass			
49			22.31	3.07	25.38	<=33.01	Pass				
12		0	22.53	3.07	25.6	<=33.01	Pass				
		19	22.24	3.07	25.31	<=33.01	Pass				
		38	22.65	3.07	25.72	<=33.01	Pass				
27	0	21.93	3.07	25	<=33.01	Pass					
Note1: EIRP=Conducted Power+Antenna Gain											

5.3 B7_15MHz_EIRP

5.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	22.75	3.07	25.82	<=33.01	Pass
			38	22.32	3.07	25.39	<=33.01	Pass
			74	23.10	3.07	26.17	<=33.01	Pass
		36	0	22.56	3.07	25.63	<=33.01	Pass
			18	22.49	3.07	25.56	<=33.01	Pass
			39	23.38	3.07	26.45	<=33.01	Pass
		75	0	21.41	3.07	24.48	<=33.01	Pass

16QAM	2535	1	0	23.69	3.07	26.76	<=33.01	Pass		
			38	23.20	3.07	26.27	<=33.01	Pass		
			74	23.66	3.07	26.73	<=33.01	Pass		
		36	0	23.45	3.07	26.52	<=33.01	Pass		
			18	23.20	3.07	26.27	<=33.01	Pass		
			39	23.19	3.07	26.26	<=33.01	Pass		
		75	0	22.51	3.07	25.58	<=33.01	Pass		
		2562.5	1	0	23.30	3.07	26.37	<=33.01	Pass	
				38	23.99	3.07	27.06	<=33.01	Pass	
	74			22.87	3.07	25.94	<=33.01	Pass		
	36		0	23.18	3.07	26.25	<=33.01	Pass		
			18	23.92	3.07	26.99	<=33.01	Pass		
			39	23.71	3.07	26.78	<=33.01	Pass		
	75		0	22.34	3.07	25.41	<=33.01	Pass		
	16QAM		2507.5	1	0	22.08	3.07	25.15	<=33.01	Pass
					38	21.83	3.07	24.9	<=33.01	Pass
		74			22.59	3.07	25.66	<=33.01	Pass	
		12		0	21.78	3.07	24.85	<=33.01	Pass	
				31	21.52	3.07	24.59	<=33.01	Pass	
				63	21.97	3.07	25.04	<=33.01	Pass	
		27		0	21.76	3.07	24.83	<=33.01	Pass	
2535		1		0	22.90	3.07	25.97	<=33.01	Pass	
				38	22.54	3.07	25.61	<=33.01	Pass	
			74	22.00	3.07	25.07	<=33.01	Pass		
		12	0	22.98	3.07	26.05	<=33.01	Pass		
			31	22.50	3.07	25.57	<=33.01	Pass		
			63	22.69	3.07	25.76	<=33.01	Pass		
27		0	21.99	3.07	25.06	<=33.01	Pass			
2562.5		1	0	22.60	3.07	25.67	<=33.01	Pass		
			38	22.40	3.07	25.47	<=33.01	Pass		
			74	22.62	3.07	25.69	<=33.01	Pass		
		12	0	22.65	3.07	25.72	<=33.01	Pass		
	31		22.24	3.07	25.31	<=33.01	Pass			
	63		22.30	3.07	25.37	<=33.01	Pass			
27	48	21.74	3.07	24.81	<=33.01	Pass				

Note1: EIRP=Conducted Power+Antenna Gain

5.4 B7_20MHz_EIRP

5.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	22.62	3.07	25.69	<=33.01	Pass
			50	22.67	3.07	25.74	<=33.01	Pass
			99	23.46	3.07	26.53	<=33.01	Pass
		50	0	22.57	3.07	25.64	<=33.01	Pass
			25	23.91	3.07	26.98	<=33.01	Pass
			50	23.61	3.07	26.68	<=33.01	Pass
	100	0	21.49	3.07	24.56	<=33.01	Pass	
	2535	1	0	23.92	3.07	26.99	<=33.01	Pass
			50	23.35	3.07	26.42	<=33.01	Pass
			99	23.46	3.07	26.53	<=33.01	Pass
		50	0	23.03	3.07	26.1	<=33.01	Pass
			25	23.72	3.07	26.79	<=33.01	Pass
			50	23.12	3.07	26.19	<=33.01	Pass

	2560	100	0	22.36	3.07	25.43	<=33.01	Pass		
		1	0	23.68	3.07	26.75	<=33.01	Pass		
			50	23.10	3.07	26.17	<=33.01	Pass		
			99	22.60	3.07	25.67	<=33.01	Pass		
			0	23.37	3.07	26.44	<=33.01	Pass		
		50	25	23.79	3.07	26.86	<=33.01	Pass		
			50	23.18	3.07	26.25	<=33.01	Pass		
			100	0	22.14	3.07	25.21	<=33.01	Pass	
		16QAM	2510	1	0	21.81	3.07	24.88	<=33.01	Pass
					50	22.01	3.07	25.08	<=33.01	Pass
99	22.82				3.07	25.89	<=33.01	Pass		
12	0			21.74	3.07	24.81	<=33.01	Pass		
	44			21.80	3.07	24.87	<=33.01	Pass		
	88			21.02	3.07	24.09	<=33.01	Pass		
27	0			21.81	3.07	24.88	<=33.01	Pass		
2535	1			0	22.15	3.07	25.22	<=33.01	Pass	
				50	22.71	3.07	25.78	<=33.01	Pass	
			99	22.43	3.07	25.5	<=33.01	Pass		
	12		0	22.73	3.07	25.8	<=33.01	Pass		
			44	22.53	3.07	25.6	<=33.01	Pass		
			88	22.21	3.07	25.28	<=33.01	Pass		
	27		0	21.94	3.07	25.01	<=33.01	Pass		
	2560		1	0	22.14	3.07	25.21	<=33.01	Pass	
				50	22.73	3.07	25.8	<=33.01	Pass	
99				22.59	3.07	25.66	<=33.01	Pass		
12			0	22.12	3.07	25.19	<=33.01	Pass		
			44	22.37	3.07	25.44	<=33.01	Pass		
			88	21.86	3.07	24.93	<=33.01	Pass		
27			73	21.33	3.07	24.4	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										