

Quick Start Guide

Q161 QR Code Terminal



The pictures and descriptions in this guide are for reference only, please refer to the physical objects



Operation Instructions:

一、 Power On/off

Power on: when the device is off, long press the power key until the screen lights up;

Shutdown: When the device is powered on, long press the power key until the screen turns off.

- 二、Function settings
- 1. Code scanning distribution network
- 1) When the equipment is in standby mode, press **[F1]** and **[4]** to enter the code scanning distribution network mode;
- 2) Turn on the mobile phone and connect it to the 2.4G band WIFI network. The WIFI connected to the mobile phone and the WIFI to be connected to the Q161 must be the same WIFI;
- 3) Open WeChat on the mobile terminal to scan, scan the QR code of the distribution network at the bottom of Q161 with the mobile phone, and enter the configuration interface;
 - 4) Click "Configuration" on the mobile interface;
- 5) Input the password of the WIFI to be connected to Q161 on the mobile phone, click the "Connect" button and wait for the WIFI configuration to succeed. If WIFI does not have a password, it is not necessary to enter the password, and directly click the "Connect" button to wait for the success of WIFI distribution network;
- 6) Note: The distribution network should be completed within 150 seconds, otherwise the equipment will exit the distribution network mode, and the Q161 can

only connect to the WIFI network in the 2.4G band.

- 2 Switch network
- 1) Press **[F1]** and **[5]** in the standby interface to switch between 4G network and WiFi network.
- 3. Press up and down keys in standby interface to adjust the volume The merchant presses the up button to increase the volume gradually (up arrow) according to actual needs.
 - The merchant presses the down button to gradually decrease the volume (down arrow) according to actual needs.
- Ξ Payment operation
- 1. Merchant passive collection
- (1) Consumers use their mobile phones to scan the merchant's QR code for collection, and enter the consumption amount on their mobile phones to make payment.
 - (2) Payment completed.
- Merchant active collection
- (1) The merchant uses the keyboard to input the consumption amount, and the main display screen displays the input amount.
 - (2) Consumers can choose the following three payment methods
 - 1. Use the QR code automatically generated on the mobile phone scanning device screen to check the amount before making payment;
 - 2. Use the NFC of the mobile phone to aim at the card reading area of the device to pay (only with non receiving version);
 - 3. Use digital RMB to pay in the touch touch zone (only for the touch touch version);
 - (3) Payment completed.

matters needing attention

- 1) It is recommended to use the power plug board with fuse, and the grounding is good;
- 2) Do not damage the power cord and power adapter. If the power cord or power adapter is damaged, it can no longer be used;
- 3) Please use the adapter with 3C certification and the original battery, and unplug the charging cable in time after fully charging;
- 4) The equipment shall be placed on a stable platform indoors, and shall not be placed in a place with direct sunlight, high temperature, humidity or dust;
- 5) Keep away from liquids;
- 6) Do not insert any into any interface of the equipment, which may seriously damage the equipment;
- 7) In case of equipment failure, please contact the special maintenance personnel, and the user shall not repair the equipment without authorization;
- 8) No one is allowed to charge overnight.
- 9) If consumers use power adapters for power supply, they should purchase matching power adapters that meet the requirements of corresponding safety

standards or that have obtained CCC certification.

10) Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion. Leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas

FCC compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two cond itions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could v oid the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, p ursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection a gainst harmful interference in a residential installation. This equipment generates, uses and can r adiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that in terference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be d etermined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

FCC SAR statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environ ment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-

located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves establishe d by the Federal Communications Commission (USA).

These requirements set a SAR limit of 4.0 W/kg averaged over ten grams of tissue. The highest SA R value reported under this standard during product certification for use when properly worn on the limbs.

_

after-sale service

If you have any questions, please contact our resident service center or call 4001088166.

Product warranty card

Product name:
Product model:
Warranty terms:
1.The company will provide you with quality after-sales service.
2.If the user causes damage due to human factors, the company will charge maintenance fees when repairing
3.Please keep this card properly, and our company will take it as the warranty basis.
certificate
Examination clerk:
Date: