



Report No.: 07303801  
I/P: Adaptor, 3pins  
Talk with Charging Mode  
AC Mains "L"

Report No.:0730380

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |              |
|-------------|------|------|-------------------|----------|--------|-------|--------------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k               | PK+AV    | 10ms   | AUTO  | LN OFF 60dB  |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 2 1            | 9k    | 30M  | EW0699 |
| 12             | 9k    | 30M  | EW1449 |





Report No.: 07303801  
I/P: Adaptor, 3pins  
Talk with Charging Mode  
AC Mains "L"

Report No.:0730380

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 4.00500   | 37.3     | 56.0     | -18.7 |
| 4.14000   | 36.1     | 56.0     | -19.9 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 0.27000   | 27.2     | 51.1     | -23.9 |
| 0.34000   | 35.3     | 49.2     | -13.9 |
| 0.75000   | 26.8     | 46.0     | -19.2 |
| 0.81500   | 28.0     | 46.0     | -18.0 |
| 1.36000   | 27.2     | 46.0     | -18.8 |
| 1.83500   | 26.5     | 46.0     | -19.5 |
| 2.92000   | 26.9     | 46.0     | -19.1 |
| 4.00500   | 36.2     | 46.0     | -9.8  |
| 5.02500   | 35.6     | 46.0     | -10.4 |
| 5.77000   | 20.2     | 50.0     | -29.8 |
| 9.16500   | 14.4     | 50.0     | -35.6 |
| 12.56000  | 13.8     | 50.0     | -36.2 |
| 17.26000  | 11.8     | 50.0     | -38.2 |

\* limit exceeded

Ctrl No.: N/A



Report No.: 07303801  
I/P: Adaptor, 3pins  
Talk with Charging Mode  
AC Mains "N"

Report No.:0730380

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |        |       |
|-------------|------|------|-------|-------------------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp | OpRge |
| 150k        | 30M  | 5k   | 10k   | PK+AV             | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

|   |    |    |     |        |
|---|----|----|-----|--------|
| 2 | 1  | 9k | 30M | EW0699 |
|   | 12 | 9k | 30M | EW1449 |





Report No.: 07303801  
I/P: Adaptor, 3pins  
Talk with Charging Mode  
AC Mains "N"

Report No.:0730380

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 0.20500   | 47.7     | 63.4     | -15.7 |
| 0.34000   | 41.0     | 59.2     | -18.2 |
| 0.41000   | 32.7     | 57.7     | -25.0 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 0.20500   | 40.4     | 53.4     | -13.0 |
| 0.27000   | 35.8     | 51.1     | -15.3 |
| 0.34000   | 38.2     | 49.2     | -11.0 |
| 0.42500   | 27.8     | 47.4     | -19.6 |
| 0.68000   | 26.6     | 46.0     | -19.4 |
| 0.81500   | 28.0     | 46.0     | -18.0 |
| 1.29000   | 26.8     | 46.0     | -19.2 |
| 4.07500   | 30.8     | 46.0     | -15.2 |
| 5.64000   | 32.5     | 50.0     | -17.5 |
| 7.95000   | 33.4     | 50.0     | -16.6 |
| 9.65000   | 34.2     | 50.0     | -15.8 |
| 15.22000  | 33.4     | 50.0     | -16.6 |
| 16.22500  | 34.2     | 50.0     | -15.8 |
| 21.81500  | 10.2     | 50.0     | -39.8 |

\* limit exceeded

Ctrl No.: N/A



Report No.: 07303801  
I/P: USB  
Talk with Charging Mode


Report No.:0730380

Scan Settings (1 Range)

| Frequencies ----- |      |      |       | Receiver Settings ----- |        |       |        |       |
|-------------------|------|------|-------|-------------------------|--------|-------|--------|-------|
| Start             | Stop | Step | IF BW | Detector                | M-Time | Atten | Preamp | OpRge |
| 150k              | 30M  | 5k   | 10k   | PK+AV                   | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 2 1            | 9k    | 30M  | EW0699 |
| 12             | 9k    | 30M  | EW1449 |





Report No.: 07303801  
I/P: USB  
Talk with Charging Mode

Report No.:0730380

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 0.15500   | 45.5     | 65.7     | -20.2 |
| 10.39000  | 33.9     | 60.0     | -26.1 |
| 15.29000  | 40.5     | 60.0     | -19.5 |
| 15.50000  | 36.4     | 60.0     | -23.6 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz       | dBuV     | dBuV     | dB    |
| 0.15500   | 39.1     | 55.7     | -16.6 |
| 0.37500   | 36.1     | 48.4     | -12.3 |
| 10.47000  | 31.6     | 50.0     | -18.4 |
| 15.29000  | 35.3     | 50.0     | -14.7 |
| 16.00000  | 34.1     | 50.0     | -15.9 |
| 24.00000  | 28.5     | 50.0     | -21.5 |

\* limit exceeded

Ctrl No.: N/A