

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16


Acc Margin: 20dB

Transducer No. Start Stop Name

2 1 9k 30M EW0700

3 9k 30M EW2454

12 9k 30M EW0090





Report No.: HK08050497-1
I/P: Adaptor, /05 3-pin
Talk with Charging Mode
AC Mains "L"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.34000	40.3	59.2	-18.9
0.41000	36.4	57.7	-21.3
0.81500	35.6	56.0	-20.4
1.49500	41.1	56.0	-14.9
1.56500	36.5	56.0	-19.5
2.92500	38.9	56.0	-17.1
3.94500	36.7	56.0	-19.3
4.21500	37.0	56.0	-19.0

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.20500	33.6	53.4	-19.8
0.27000	32.3	51.1	-18.8
0.34000	37.5	49.2	-11.7
0.47500	33.5	46.4	-12.9
0.62500	27.8	46.0	-18.2
0.88500	32.2	46.0	-13.8
1.49500	37.6	46.0	-8.4
1.56500	32.8	46.0	-13.2
2.92500	36.3	46.0	-9.7
4.08000	36.0	46.0	-10.0
4.28500	36.2	46.0	-9.8
6.53000	35.2	50.0	-14.8
9.79500	36.2	50.0	-13.8
15.03000	37.5	50.0	-12.5
16.59500	37.7	50.0	-12.3
21.69500	31.9	50.0	-18.1

* limit exceeded

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16


Acc Margin: 20dB

Transducer No. Start Stop Name

2 1 9k 30M EW0700

3 9k 30M EW2454

12 9k 30M EW0090





Report No.: HK08050497-1
I/P: Adaptor, /05 3-pin
Talk with Charging Mode
AC Mains "N"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.40500	37.4	57.8	-20.4
0.41000	38.8	57.7	-18.9
0.68000	36.5	56.0	-19.5
1.49500	39.2	56.0	-16.8
1.56500	38.9	56.0	-17.1
2.17500	35.5	56.0	-20.5
3.19500	33.2	56.0	-22.8

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.27000	32.7	51.1	-18.4
0.40500	35.8	47.8	-12.0
0.41000	37.3	47.7	-10.4
0.68000	34.6	46.0	-11.4
0.81500	32.7	46.0	-13.3
1.49500	37.3	46.0	-8.7
1.56500	37.0	46.0	-9.0
2.38000	34.6	46.0	-11.4
3.19500	25.8	46.0	-20.2
4.41500	26.7	46.0	-19.3
19.72000	10.5	50.0	-39.5

* limit exceeded