





Tx. Spurious NVNT n20 2412MHz Ant0 Ref




Tx. Spurious NVNT n20 2412MHz Ant0 Emission






Tx. Spurious NVNT n20 2437MHz Ant0 Ref




Tx. Spurious NVNT n20 2437MHz Ant0 Emission






Tx. Spurious NVNT n20 2462MHz Ant0 Ref




Tx. Spurious NVNT n20 2462MHz Ant0 Emission






Tx. Spurious NVNT n40 2422MHz Ant0 Ref




Tx. Spurious NVNT n40 2422MHz Ant0 Emission






Tx. Spurious NVNT n40 2437MHz Ant0 Ref




Tx. Spurious NVNT n40 2437MHz Ant0 Emission






Tx. Spurious NVNT n40 2452MHz Ant0 Ref




Tx. Spurious NVNT n40 2452MHz Ant0 Emission






Tx. Spurious NVNT ax20 2412MHz Ant0 Ref




Tx. Spurious NVNT ax20 2412MHz Ant0 Emission






Tx. Spurious NVNT ax20 2437MHz Ant0 Ref




Tx. Spurious NVNT ax20 2437MHz Ant0 Emission








Tx. Spurious NVNT ax20 2462MHz Ant0 Ref




Tx. Spurious NVNT ax20 2462MHz Ant0 Emission






Tx. Spurious NVNT ax40 2422MHz Ant0 Ref




Tx. Spurious NVNT ax40 2422MHz Ant0 Emission






Tx. Spurious NVNT ax40 2437MHz Ant0 Ref




Tx. Spurious NVNT ax40 2437MHz Ant0 Emission






Tx. Spurious NVNT ax40 2452MHz Ant0 Ref



Tx. Spurious NVNT ax40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-54.47	-20	Pass
NVNT	b	2437	Ant1	-54.71	-20	Pass
NVNT	b	2462	Ant1	-53.89	-20	Pass
NVNT	g	2412	Ant1	-48.47	-20	Pass
NVNT	g	2437	Ant1	-49.23	-20	Pass
NVNT	g	2462	Ant1	-51.16	-20	Pass
NVNT	n20	2412	Ant1	-48.14	-20	Pass
NVNT	n20	2437	Ant1	-46.96	-20	Pass
NVNT	n20	2462	Ant1	-49.51	-20	Pass
NVNT	n40	2422	Ant1	-45.42	-20	Pass
NVNT	n40	2437	Ant1	-45.23	-20	Pass
NVNT	n40	2452	Ant1	-45.92	-20	Pass
NVNT	ax20	2412	Ant1	-47.61	-20	Pass
NVNT	ax20	2437	Ant1	-48.39	-20	Pass
NVNT	ax20	2462	Ant1	-48.36	-20	Pass
NVNT	ax40	2422	Ant1	-44.64	-20	Pass
NVNT	ax40	2437	Ant1	-45.42	-20	Pass
NVNT	ax40	2452	Ant1	-45.9	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission








Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission








Tx. Spurious NVNT n40 2452MHz Ant1 Ref




Tx. Spurious NVNT n40 2452MHz Ant1 Emission






Tx. Spurious NVNT ax20 2412MHz Ant1 Ref




Tx. Spurious NVNT ax20 2412MHz Ant1 Emission






Tx. Spurious NVNT ax20 2437MHz Ant1 Ref




Tx. Spurious NVNT ax20 2437MHz Ant1 Emission






Tx. Spurious NVNT ax20 2462MHz Ant1 Ref




Tx. Spurious NVNT ax20 2462MHz Ant1 Emission






Tx. Spurious NVNT ax40 2422MHz Ant1 Ref




Tx. Spurious NVNT ax40 2422MHz Ant1 Emission






Tx. Spurious NVNT ax40 2437MHz Ant1 Ref




Tx. Spurious NVNT ax40 2437MHz Ant1 Emission






Tx. Spurious NVNT ax40 2452MHz Ant1 Ref



Tx. Spurious NVNT ax40 2452MHz Ant1 Emission





### A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.34	0	0.01
NVNT	b	2437	Ant0	99.34	0	0.01
NVNT	b	2462	Ant0	99.34	0	0.01
NVNT	g	2412	Ant0	96.14	0.17	0.72
NVNT	g	2437	Ant0	96.14	0.17	0.72
NVNT	g	2462	Ant0	96.15	0.17	0.72
NVNT	n20	2412	Ant0	95.9	0.18	0.76
NVNT	n20	2437	Ant0	95.89	0.18	0.76
NVNT	n20	2462	Ant0	95.89	0.18	0.76
NVNT	n40	2422	Ant0	92.05	0.36	1.54
NVNT	n40	2437	Ant0	92.07	0.36	1.54
NVNT	n40	2452	Ant0	91.78	0.37	1.54
NVNT	ax20	2412	Ant0	94.79	0.23	0.98
NVNT	ax20	2437	Ant0	94.8	0.23	0.98
NVNT	ax20	2462	Ant0	94.8	0.23	0.98
NVNT	ax40	2422	Ant0	90.6	0.43	1.85
NVNT	ax40	2437	Ant0	90.27	0.44	1.86
NVNT	ax40	2452	Ant0	90.57	0.43	1.86




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity








Test Graphs



Duty Cycle NVNT b 2412MHz Ant0





Duty Cycle NVNT b 2437MHz Ant0

















Duty Cycle NVNT n20 2462MHz Ant0





Duty Cycle NVNT n40 2422MHz Ant0

















Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.34	0	0.01
NVNT	b	2437	Ant1	99.34	0	0.01
NVNT	b	2462	Ant1	99.32	0	0.01
NVNT	g	2412	Ant1	96.01	0.18	0.72
NVNT	g	2437	Ant1	96.14	0.17	0.72
NVNT	g	2462	Ant1	96.01	0.18	0.72
NVNT	n20	2412	Ant1	95.9	0.18	0.76
NVNT	n20	2437	Ant1	95.89	0.18	0.76
NVNT	n20	2462	Ant1	95.9	0.18	0.76
NVNT	n40	2422	Ant1	92.05	0.36	1.54
NVNT	n40	2437	Ant1	92.07	0.36	1.54
NVNT	n40	2452	Ant1	92.05	0.36	1.54
NVNT	ax20	2412	Ant1	90.64	0.43	1.85
NVNT	ax20	2437	Ant1	90.64	0.43	1.85
NVNT	ax20	2462	Ant1	90.64	0.43	1.85
NVNT	ax40	2422	Ant1	84.36	0.74	3.31
NVNT	ax40	2437	Ant1	83.8	0.77	3.33
NVNT	ax40	2452	Ant1	83.8	0.77	3.33




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs



Duty Cycle NVNT b 2412MHz Ant1





Duty Cycle NVNT b 2437MHz Ant1















Duty Cycle NVNT n20 2462MHz Ant1







Duty Cycle NVNT n40 2422MHz Ant1

















### A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-50.49	5.46	50.20	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-57.41	5.46	43.28	Average	54	Pass
NVNT	b	2412	Ant0	2373.882	-45.89	5.46	54.80	Peak	74	Pass
NVNT	b	2412	Ant0	2375.754	-56.5	5.46	44.19	Average	54	Pass
NVNT	b	2412	Ant0	2390	-49.47	5.46	51.22	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-56.7	5.46	43.99	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-48.5	5.46	52.19	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-56.86	5.46	43.83	Average	54	Pass
NVNT	b	2462	Ant0	2487.333	-45.5	5.46	55.19	Peak	74	Pass
NVNT	b	2462	Ant0	2499.947	-56.62	5.46	44.07	Average	54	Pass
NVNT	b	2462	Ant0	2500	-49.69	5.46	51.00	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-56.63	5.46	44.06	Average	54	Pass
NVNT	g	2412	Ant0	2310	-49	5.46	51.69	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-57	5.46	43.69	Average	54	Pass
NVNT	g	2412	Ant0	2388.975	-45.72	5.46	54.97	Peak	74	Pass
NVNT	g	2412	Ant0	2389.56	-55.11	5.46	45.58	Average	54	Pass
NVNT	g	2412	Ant0	2390	-47.57	5.46	53.12	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-55.24	5.46	45.45	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-48.7	5.46	51.99	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-55.76	5.46	44.93	Average	54	Pass
NVNT	g	2462	Ant0	2483.57	-44.84	5.46	55.85	Peak	74	Pass
NVNT	g	2462	Ant0	2484.365	-55.4	5.46	45.29	Average	54	Pass
NVNT	g	2462	Ant0	2500	-47.97	5.46	52.72	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-56.2	5.46	44.49	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-50.02	5.46	50.67	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-56.52	5.46	44.17	Average	54	Pass
NVNT	n20	2412	Ant0	2321.232	-46.23	5.46	54.46	Peak	74	Pass
NVNT	n20	2412	Ant0	2388.507	-55.5	5.46	45.19	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-48.61	5.46	52.08	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-55.63	5.46	45.06	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-47.53	5.46	53.16	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-54.78	5.46	45.91	Average	54	Pass
NVNT	n20	2462	Ant0	2493.11	-45.9	5.46	54.79	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.517	-54.78	5.46	45.91	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-48.71	5.46	51.98	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-55.8	5.46	44.89	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	n40	2422	Ant0	2310	-50.08	5.46	50.61	Peak	74	Pass
NVNT	n40	2422	Ant0	2310	-56.5	5.46	44.19	Average	54	Pass
NVNT	n40	2422	Ant0	2389.946	-45.22	5.46	55.47	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.804	-53.91	5.46	46.78	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-45.22	5.46	55.47	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-54.22	5.46	46.47	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-49.8	5.46	50.89	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-56.37	5.46	44.32	Average	54	Pass
NVNT	n40	2452	Ant0	2492.98	-46.57	5.46	54.12	Peak	74	Pass
NVNT	n40	2452	Ant0	2487.442	-56.09	5.46	44.60	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-49.44	5.46	51.25	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-56.52	5.46	44.17	Average	54	Pass
NVNT	ax20	2412	Ant0	2310	-49.29	5.46	51.40	Peak	74	Pass
NVNT	ax20	2412	Ant0	2310	-56.33	5.46	44.36	Average	54	Pass
NVNT	ax20	2412	Ant0	2387.805	-44.7	5.46	55.99	Peak	74	Pass
NVNT	ax20	2412	Ant0	2389.56	-55.28	5.46	45.41	Average	54	Pass
NVNT	ax20	2412	Ant0	2390	-48.04	5.46	52.65	Peak	74	Pass
NVNT	ax20	2412	Ant0	2390	-55.69	5.46	45.00	Average	54	Pass
NVNT	ax20	2462	Ant0	2483.5	-48.93	5.46	51.76	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.5	-54.71	5.46	45.98	Average	54	Pass
NVNT	ax20	2462	Ant0	2485.054	-45.91	5.46	54.78	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.57	-54.67	5.46	46.02	Average	54	Pass
NVNT	ax20	2462	Ant0	2500	-48.3	5.46	52.39	Peak	74	Pass
NVNT	ax20	2462	Ant0	2500	-55.59	5.46	45.10	Average	54	Pass
NVNT	ax40	2422	Ant0	2310	-49.77	5.46	50.92	Peak	74	Pass
NVNT	ax40	2422	Ant0	2310	-56.34	5.46	44.35	Average	54	Pass
NVNT	ax40	2422	Ant0	2387.958	-45.24	5.46	55.45	Peak	74	Pass
NVNT	ax40	2422	Ant0	2389.52	-53.86	5.46	46.83	Average	54	Pass
NVNT	ax40	2422	Ant0	2390	-47.75	5.46	52.94	Peak	74	Pass
NVNT	ax40	2422	Ant0	2390	-54.26	5.46	46.43	Average	54	Pass
NVNT	ax40	2452	Ant0	2483.5	-48.28	5.46	52.41	Peak	74	Pass
NVNT	ax40	2452	Ant0	2483.5	-54.36	5.46	46.33	Average	54	Pass
NVNT	ax40	2452	Ant0	2484.244	-44.85	5.46	55.84	Peak	74	Pass
NVNT	ax40	2452	Ant0	2484.244	-53.57	5.46	47.12	Average	54	Pass
NVNT	ax40	2452	Ant0	2500	-49.08	5.46	51.61	Peak	74	Pass
NVNT	ax40	2452	Ant0	2500	-55.6	5.46	45.09	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs



Restrict Band NVNT b 2412MHz Ant0 Peak





Restrict Band NVNT b 2412MHz Ant0 Average



































Restrict Band NVNT ax20 2462MHz Ant0 Peak




Restrict Band NVNT ax20 2462MHz Ant0 Average






Restrict Band NVNT ax40 2422MHz Ant0 Peak




Restrict Band NVNT ax40 2422MHz Ant0 Average








Restrict Band NVNT ax40 2452MHz Ant0 Peak



Restrict Band NVNT ax40 2452MHz Ant0 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-48.31	5.46	52.38	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-56.63	5.46	44.06	Average	54	Pass
NVNT	b	2412	Ant1	2361.831	-45.42	5.46	55.27	Peak	74	Pass
NVNT	b	2412	Ant1	2383.125	-54.39	5.46	46.30	Average	54	Pass
NVNT	b	2412	Ant1	2390	-47.96	5.46	52.73	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-54.94	5.46	45.75	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-47.7	5.46	52.99	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-55.72	5.46	44.97	Average	54	Pass
NVNT	b	2462	Ant1	2488.075	-43.82	5.46	56.87	Peak	74	Pass
NVNT	b	2462	Ant1	2486.485	-54.17	5.46	46.52	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.23	5.46	52.46	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-55.65	5.46	45.04	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.27	5.46	50.42	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-55.53	5.46	45.16	Average	54	Pass
NVNT	g	2412	Ant1	2356.8	-44.95	5.46	55.74	Peak	74	Pass
NVNT	g	2412	Ant1	2389.326	-53.85	5.46	46.84	Average	54	Pass
NVNT	g	2412	Ant1	2390	-47.82	5.46	52.87	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.07	5.46	46.62	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-46.27	5.46	54.42	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-53.58	5.46	47.11	Average	54	Pass
NVNT	g	2462	Ant1	2492.209	-44.06	5.46	56.63	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-53.58	5.46	47.11	Average	54	Pass
NVNT	g	2462	Ant1	2500	-47.26	5.46	53.43	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-54.51	5.46	46.18	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50.26	5.46	50.43	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.45	5.46	44.24	Average	54	Pass
NVNT	n20	2412	Ant1	2375.52	-45.59	5.46	55.10	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.56	-54.98	5.46	45.71	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-48.67	5.46	52.02	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-55.05	5.46	45.64	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-48.01	5.46	52.68	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-54.49	5.46	46.20	Average	54	Pass
NVNT	n20	2462	Ant1	2487.121	-44.92	5.46	55.77	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.517	-54.49	5.46	46.20	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-48.35	5.46	52.34	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.36	5.46	45.33	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-49.1	5.46	51.59	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-56	5.46	44.69	Average	54	Pass





NVNT	n40	2422	Ant1	2377.876	-44.94	5.46	55.75	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.52	-53.11	5.46	47.58	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-46.82	5.46	53.87	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-53.27	5.46	47.42	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-47.04	5.46	53.65	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-53.39	5.46	47.30	Average	54	Pass
NVNT	n40	2452	Ant1	2484.868	-44.31	5.46	56.38	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.01	-52.77	5.46	47.92	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-47.25	5.46	53.44	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-55.12	5.46	45.57	Average	54	Pass
NVNT	ax20	2412	Ant1	2310	-50.09	5.46	50.60	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-55.62	5.46	45.07	Average	54	Pass
NVNT	ax20	2412	Ant1	2389.677	-45.25	5.46	55.44	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.443	-53.52	5.46	47.17	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-48.03	5.46	52.66	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-54.3	5.46	46.39	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-46.64	5.46	54.05	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-53.73	5.46	46.96	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.683	-45.38	5.46	55.31	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.57	-53.61	5.46	47.08	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-48.39	5.46	52.30	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-54.79	5.46	45.90	Average	54	Pass
NVNT	ax40	2422	Ant1	2310	-49.33	5.46	51.36	Peak	74	Pass
NVNT	ax40	2422	Ant1	2310	-55.84	5.46	44.85	Average	54	Pass
NVNT	ax40	2422	Ant1	2389.662	-43.89	5.46	56.80	Peak	74	Pass
NVNT	ax40	2422	Ant1	2389.662	-53.16	5.46	47.53	Average	54	Pass
NVNT	ax40	2422	Ant1	2390	-47.44	5.46	53.25	Peak	74	Pass
NVNT	ax40	2422	Ant1	2390	-53.25	5.46	47.44	Average	54	Pass
NVNT	ax40	2452	Ant1	2483.5	-47.82	5.46	52.87	Peak	74	Pass
NVNT	ax40	2452	Ant1	2483.5	-53.05	5.46	47.64	Average	54	Pass
NVNT	ax40	2452	Ant1	2483.698	-45.03	5.46	55.66	Peak	74	Pass
NVNT	ax40	2452	Ant1	2483.854	-52.1	5.46	48.59	Average	54	Pass
NVNT	ax40	2452	Ant1	2500	-48.34	5.46	52.35	Peak	74	Pass
NVNT	ax40	2452	Ant1	2500	-54.9	5.46	45.79	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average










Restrict Band NVNT b 2462MHz Ant1 Peak





Restrict Band NVNT b 2462MHz Ant1 Average



























Restrict Band NVNT ax20 2412MHz Ant1 Peak




Restrict Band NVNT ax20 2412MHz Ant1 Average










Restrict Band NVNT ax20 2462MHz Ant1 Peak



Restrict Band NVNT ax20 2462MHz Ant1 Average









MIMO:

Condition	Mode	Spur Freq (MHz)	Power (dBm)			Gain (dBi)	Ground Reflection Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
			Ant0	Ant1	MIMO						
NVNT	n20	2310	-50.02	-50.26	-47.13	8.47	0	56.57	Peak	74	Pass
NVNT	n20	2310	-56.52	-56.45	-53.47	8.47	0	50.23	Average	54	Pass
NVNT	n20	2321.232	-46.23	-45.59	-42.89	8.47	0	60.81	Peak	74	Pass
NVNT	n20	2388.507	-55.5	-54.98	-52.22	8.47	0	51.48	Average	54	Pass
NVNT	n20	2390	-48.61	-48.67	-45.63	8.47	0	58.07	Peak	74	Pass
NVNT	n20	2390	-55.63	-55.05	-52.32	8.47	0	51.38	Average	54	Pass
NVNT	n20	2483.5	-47.53	-48.01	-44.75	8.47	0	58.95	Peak	74	Pass
NVNT	n20	2483.5	-54.78	-54.49	-51.62	8.47	0	52.08	Average	54	Pass
NVNT	n20	2493.11	-45.9	-44.92	-42.37	8.47	0	61.33	Peak	74	Pass
NVNT	n20	2483.517	-54.78	-54.49	-51.62	8.47	0	52.08	Average	54	Pass
NVNT	n20	2500	-48.71	-48.35	-45.52	8.47	0	58.18	Peak	74	Pass
NVNT	n20	2500	-55.8	-55.36	-52.56	8.47	0	51.14	Average	54	Pass
NVNT	n40	2310	-50.08	-49.1	-46.55	8.47	0	57.15	Peak	74	Pass
NVNT	n40	2310	-56.5	-56	-53.23	8.47	0	50.47	Average	54	Pass
NVNT	n40	2389.946	-45.22	-44.94	-42.07	8.47	0	61.63	Peak	74	Pass
NVNT	n40	2389.804	-53.91	-53.11	-50.48	8.47	0	53.22	Average	54	Pass
NVNT	n40	2390	-45.22	-46.82	-42.94	8.47	0	60.76	Peak	74	Pass
NVNT	n40	2390	-54.22	-53.27	-50.71	8.47	0	52.99	Average	54	Pass
NVNT	n40	2483.5	-49.8	-47.04	-45.19	8.47	0	58.51	Peak	74	Pass
NVNT	n40	2483.5	-56.37	-53.39	-51.62	8.47	0	52.08	Average	54	Pass
NVNT	n40	2492.98	-46.57	-44.31	-42.28	8.47	0	61.42	Peak	74	Pass
NVNT	n40	2487.442	-56.09	-52.77	-51.11	8.47	0	52.59	Average	54	Pass
NVNT	n40	2500	-49.44	-47.25	-45.20	8.47	0	58.50	Peak	74	Pass
NVNT	n40	2500	-56.52	-55.12	-52.75	8.47	0	50.95	Average	54	Pass
NVNT	ax20	2310	-49.29	-50.09	-46.66	8.47	0	57.04	Peak	74	Pass
NVNT	ax20	2310	-56.33	-55.62	-52.95	8.47	0	50.75	Average	54	Pass
NVNT	ax20	2387.805	-44.7	-45.25	-41.96	8.47	0	61.74	Peak	74	Pass
NVNT	ax20	2389.56	-55.28	-53.52	-51.30	8.47	0	52.40	Average	54	Pass
NVNT	ax20	2390	-48.04	-48.03	-45.02	8.47	0	58.68	Peak	74	Pass
NVNT	ax20	2390	-55.69	-54.3	-51.93	8.47	0	51.77	Average	54	Pass
NVNT	ax20	2483.5	-48.93	-46.64	-44.63	8.47	0	59.07	Peak	74	Pass
NVNT	ax20	2483.5	-54.71	-53.73	-51.18	8.47	0	52.52	Average	54	Pass
NVNT	ax20	2485.054	-45.91	-45.38	-42.63	8.47	0	61.07	Peak	74	Pass
NVNT	ax20	2483.57	-54.67	-53.61	-51.10	8.47	0	52.60	Average	54	Pass
NVNT	ax20	2500	-48.3	-48.39	-45.33	8.47	0	58.37	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity





NVNT	ax20	2500	-55.59	-54.79	-52.16	8.47	0	51.54	Average	54	Pass
NVNT	ax40	2310	-49.77	-49.33	-46.53	8.47	0	57.17	Peak	74	Pass
NVNT	ax40	2310	-56.34	-55.84	-53.07	8.47	0	50.63	Average	54	Pass
NVNT	ax40	2387.958	-45.24	-43.89	-41.50	8.47	0	62.20	Peak	74	Pass
NVNT	ax40	2389.52	-53.86	-53.16	-50.49	8.47	0	53.21	Average	54	Pass
NVNT	ax40	2390	-47.75	-47.44	-44.58	8.47	0	59.12	Peak	74	Pass
NVNT	ax40	2390	-54.26	-53.25	-50.72	8.47	0	52.98	Average	54	Pass
NVNT	ax40	2483.5	-48.28	-47.82	-45.03	8.47	0	58.67	Peak	74	Pass
NVNT	ax40	2483.5	-54.36	-53.05	-50.65	8.47	0	53.05	Average	54	Pass
NVNT	ax40	2484.244	-44.85	-45.03	-41.93	8.47	0	61.77	Peak	74	Pass
NVNT	ax40	2484.244	-53.57	-52.1	-49.76	8.47	0	53.94	Average	54	Pass
NVNT	ax40	2500	-49.08	-48.34	-45.68	8.47	0	58.02	Peak	74	Pass
NVNT	ax40	2500	-55.6	-54.9	-52.23	8.47	0	51.47	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity