



Appendix C

RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: wireless router

Test Model: CF-WR631AX

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant0	15.633	>=0.5	Pass
NVNT	a	5785	Ant0	16.299	>=0.5	Pass
NVNT	a	5825	Ant0	15.529	>=0.5	Pass
NVNT	n20	5745	Ant0	17.52	>=0.5	Pass
NVNT	n20	5785	Ant0	17.558	>=0.5	Pass
NVNT	n20	5825	Ant0	15.976	>=0.5	Pass
NVNT	n40	5755	Ant0	35.095	>=0.5	Pass
NVNT	n40	5795	Ant0	35.102	>=0.5	Pass
NVNT	ac20	5745	Ant0	16.307	>=0.5	Pass
NVNT	ac20	5785	Ant0	17.169	>=0.5	Pass
NVNT	ac20	5825	Ant0	15.936	>=0.5	Pass
NVNT	ac40	5755	Ant0	35.115	>=0.5	Pass
NVNT	ac40	5795	Ant0	35.107	>=0.5	Pass
NVNT	ac80	5775	Ant0	75.116	>=0.5	Pass
NVNT	ax20	5745	Ant0	18.031	>=0.5	Pass
NVNT	ax20	5785	Ant0	18.146	>=0.5	Pass
NVNT	ax20	5825	Ant0	17.643	>=0.5	Pass
NVNT	ax40	5755	Ant0	35.102	>=0.5	Pass
NVNT	ax40	5795	Ant0	35.106	>=0.5	Pass
NVNT	ax80	5775	Ant0	75.227	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0




-6dB Bandwidth NVNT a 5785MHz Ant0






-6dB Bandwidth NVNT a 5825MHz Ant0




-6dB Bandwidth NVNT n20 5745MHz Ant0










-6dB Bandwidth NVNT n20 5785MHz Ant0



-6dB Bandwidth NVNT n20 5825MHz Ant0











-6dB Bandwidth NVNT ac20 5825MHz Ant0




-6dB Bandwidth NVNT ac40 5755MHz Ant0






-6dB Bandwidth NVNT ac40 5795MHz Ant0




-6dB Bandwidth NVNT ac80 5775MHz Ant0










-6dB Bandwidth NVNT ax20 5745MHz Ant0



-6dB Bandwidth NVNT ax20 5785MHz Ant0









Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.32	>=0.5	Pass
NVNT	a	5785	Ant1	16.269	>=0.5	Pass
NVNT	a	5825	Ant1	16.321	>=0.5	Pass
NVNT	n20	5745	Ant1	17.518	>=0.5	Pass
NVNT	n20	5785	Ant1	17.536	>=0.5	Pass
NVNT	n20	5825	Ant1	17.577	>=0.5	Pass
NVNT	n40	5755	Ant1	35.098	>=0.5	Pass
NVNT	n40	5795	Ant1	35.095	>=0.5	Pass
NVNT	ac20	5745	Ant1	17.542	>=0.5	Pass
NVNT	ac20	5785	Ant1	17.538	>=0.5	Pass
NVNT	ac20	5825	Ant1	17.324	>=0.5	Pass
NVNT	ac40	5755	Ant1	35.291	>=0.5	Pass
NVNT	ac40	5795	Ant1	35.05	>=0.5	Pass
NVNT	ac80	5775	Ant1	75.094	>=0.5	Pass
NVNT	ax20	5745	Ant1	18.579	>=0.5	Pass
NVNT	ax20	5785	Ant1	18.219	>=0.5	Pass
NVNT	ax20	5825	Ant1	18.597	>=0.5	Pass
NVNT	ax40	5755	Ant1	35.042	>=0.5	Pass
NVNT	ax40	5795	Ant1	36.521	>=0.5	Pass
NVNT	ax80	5775	Ant1	75.079	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1








-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1








-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1






-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1






-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1






-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1






-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1






-6dB Bandwidth NVNT ax20 5825MHz Ant1




-6dB Bandwidth NVNT ax40 5755MHz Ant1






-6dB Bandwidth NVNT ax40 5795MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant2	16.301	>=0.5	Pass
NVNT	a	5785	Ant2	16.267	>=0.5	Pass
NVNT	a	5825	Ant2	16.01	>=0.5	Pass
NVNT	n20	5745	Ant2	16.312	>=0.5	Pass
NVNT	n20	5785	Ant2	16.319	>=0.5	Pass
NVNT	n20	5825	Ant2	16.321	>=0.5	Pass
NVNT	n40	5755	Ant2	35.11	>=0.5	Pass
NVNT	n40	5795	Ant2	35.081	>=0.5	Pass
NVNT	ac20	5745	Ant2	17.538	>=0.5	Pass
NVNT	ac20	5785	Ant2	17.254	>=0.5	Pass
NVNT	ac20	5825	Ant2	15.72	>=0.5	Pass
NVNT	ac40	5755	Ant2	35.108	>=0.5	Pass
NVNT	ac40	5795	Ant2	35.092	>=0.5	Pass
NVNT	ac80	5775	Ant2	75.087	>=0.5	Pass
NVNT	ax20	5745	Ant2	17.518	>=0.5	Pass
NVNT	ax20	5785	Ant2	18.445	>=0.5	Pass
NVNT	ax20	5825	Ant2	17.911	>=0.5	Pass
NVNT	ax40	5755	Ant2	36.049	>=0.5	Pass
NVNT	ax40	5795	Ant2	36.216	>=0.5	Pass
NVNT	ax80	5775	Ant2	75.094	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant2




-6dB Bandwidth NVNT a 5785MHz Ant2






-6dB Bandwidth NVNT a 5825MHz Ant2




-6dB Bandwidth NVNT n20 5745MHz Ant2








-6dB Bandwidth NVNT n20 5785MHz Ant2




-6dB Bandwidth NVNT n20 5825MHz Ant2








-6dB Bandwidth NVNT ac20 5745MHz Ant2




-6dB Bandwidth NVNT ac20 5785MHz Ant2








-6dB Bandwidth NVNT ac20 5825MHz Ant2




-6dB Bandwidth NVNT ac40 5755MHz Ant2








-6dB Bandwidth NVNT ax20 5745MHz Ant2




-6dB Bandwidth NVNT ax20 5785MHz Ant2






-6dB Bandwidth NVNT ax20 5825MHz Ant2




-6dB Bandwidth NVNT ax40 5755MHz Ant2






-6dB Bandwidth NVNT ax40 5795MHz Ant2



-6dB Bandwidth NVNT ax80 5775MHz Ant2





C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	17.44	0.17	17.61	29.57	Pass
NVNT	a	5785	Ant0	17.3	0.17	17.47	29.57	Pass
NVNT	a	5825	Ant0	18.17	0.17	18.34	29.57	Pass
NVNT	n20	5745	Ant0	15.98	0.18	16.16	29.57	Pass
NVNT	n20	5785	Ant0	18.57	0.18	18.75	29.57	Pass
NVNT	n20	5825	Ant0	16.75	0.19	16.94	29.57	Pass
NVNT	n40	5755	Ant0	15.35	0.86	16.21	29.57	Pass
NVNT	n40	5795	Ant0	14.71	0.84	15.55	29.57	Pass
NVNT	ac20	5745	Ant0	15.57	0.49	16.06	29.57	Pass
NVNT	ac20	5785	Ant0	15.45	0.48	15.93	29.57	Pass
NVNT	ac20	5825	Ant0	13.35	0.48	13.83	29.57	Pass
NVNT	ac40	5755	Ant0	15.34	0.86	16.2	29.57	Pass
NVNT	ac40	5795	Ant0	17.58	0.85	18.43	29.57	Pass
NVNT	ac80	5775	Ant0	16.71	1.39	18.1	29.57	Pass
NVNT	ax20	5745	Ant0	15.73	0.59	16.32	29.57	Pass
NVNT	ax20	5785	Ant0	18.31	0.58	18.89	29.57	Pass
NVNT	ax20	5825	Ant0	13.32	0.59	13.91	29.57	Pass
NVNT	ax40	5755	Ant0	15.47	0.94	16.41	29.57	Pass
NVNT	ax40	5795	Ant0	14.91	0.94	15.85	29.57	Pass
NVNT	ax80	5775	Ant0	16.96	1.43	18.39	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	17.81	0.17	17.98	29.57	Pass
NVNT	a	5785	Ant1	17.75	0.17	17.92	29.57	Pass
NVNT	a	5825	Ant1	15.91	0.17	16.08	29.57	Pass
NVNT	n20	5745	Ant1	16.31	0.18	16.49	29.57	Pass
NVNT	n20	5785	Ant1	16.12	0.18	16.3	29.57	Pass
NVNT	n20	5825	Ant1	14.42	0.19	14.61	29.57	Pass
NVNT	n40	5755	Ant1	15.96	0.86	16.82	29.57	Pass
NVNT	n40	5795	Ant1	15.46	0.84	16.3	29.57	Pass
NVNT	ac20	5745	Ant1	16.22	0.48	16.7	29.57	Pass
NVNT	ac20	5785	Ant1	16.21	0.49	16.7	29.57	Pass
NVNT	ac20	5825	Ant1	14.32	0.49	14.81	29.57	Pass
NVNT	ac40	5755	Ant1	16.05	0.84	16.89	29.57	Pass
NVNT	ac40	5795	Ant1	15.56	0.86	16.42	29.57	Pass
NVNT	ac80	5775	Ant1	13.72	2.77	16.49	29.57	Pass
NVNT	ax20	5745	Ant1	16.4	0.59	16.99	29.57	Pass
NVNT	ax20	5785	Ant1	16.35	0.58	16.93	29.57	Pass
NVNT	ax20	5825	Ant1	17.56	0.58	18.14	29.57	Pass
NVNT	ax40	5755	Ant1	16.13	0.94	17.07	29.57	Pass
NVNT	ax40	5795	Ant1	15.62	0.94	16.56	29.57	Pass
NVNT	ax80	5775	Ant1	11.47	2.35	13.82	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	17.94	0.17	18.11	29.57	Pass
NVNT	a	5785	Ant2	17.51	0.17	17.68	29.57	Pass
NVNT	a	5825	Ant2	16.6	0.17	16.77	29.57	Pass
NVNT	n20	5745	Ant2	16.67	0.17	16.84	29.57	Pass
NVNT	n20	5785	Ant2	18.97	0.17	19.14	29.57	Pass
NVNT	n20	5825	Ant2	15.64	0.17	15.81	29.57	Pass
NVNT	n40	5755	Ant2	14.99	0.37	15.36	29.57	Pass
NVNT	n40	5795	Ant2	14.19	0.37	14.56	29.57	Pass
NVNT	ac20	5745	Ant2	15.15	0.18	15.33	29.57	Pass
NVNT	ac20	5785	Ant2	14.72	0.18	14.9	29.57	Pass
NVNT	ac20	5825	Ant2	14.1	0.18	14.28	29.57	Pass
NVNT	ac40	5755	Ant2	15.01	0.36	15.37	29.57	Pass
NVNT	ac40	5795	Ant2	14.26	0.36	14.62	29.57	Pass
NVNT	ac80	5775	Ant2	14.5	1.39	15.89	29.57	Pass
NVNT	ax20	5745	Ant2	15.36	0.23	15.59	29.57	Pass
NVNT	ax20	5785	Ant2	14.88	0.23	15.11	29.57	Pass
NVNT	ax20	5825	Ant2	14.21	0.23	14.44	29.57	Pass
NVNT	ax40	5755	Ant2	15.16	0.43	15.59	29.57	Pass
NVNT	ax40	5795	Ant2	14.42	0.43	14.85	29.57	Pass
NVNT	ax80	5775	Ant2	14.89	1.43	16.32	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Antenna		Total Power (dBm)	Limit (dBm)	Verdict
			Ant0	Ant1			
NVNT	n20	5745	16.16	16.49	19.34	29.57	Pass
NVNT	n20	5785	18.75	16.3	20.71	29.57	Pass
NVNT	n20	5825	16.94	14.61	18.94	29.57	Pass
NVNT	n40	5755	16.21	16.82	19.54	29.57	Pass
NVNT	n40	5795	15.55	16.3	18.95	29.57	Pass
NVNT	ac20	5745	16.06	16.7	19.40	29.57	Pass
NVNT	ac20	5785	15.93	16.7	19.34	29.57	Pass
NVNT	ac20	5825	13.83	14.81	17.36	29.57	Pass
NVNT	ac40	5755	16.2	16.89	19.57	29.57	Pass
NVNT	ac40	5795	18.43	16.42	20.55	29.57	Pass
NVNT	ac80	5775	18.1	16.49	20.38	29.57	Pass
NVNT	ax20	5745	16.32	16.99	19.68	29.57	Pass
NVNT	ax20	5785	18.89	16.93	21.03	29.57	Pass
NVNT	ax20	5825	13.91	18.14	19.53	29.57	Pass
NVNT	ax40	5755	16.41	17.07	19.76	29.57	Pass
NVNT	ax40	5795	15.85	16.56	19.23	29.57	Pass
NVNT	ax80	5775	18.39	13.82	19.69	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	4.27	0.17	4.44	29.57	Pass
NVNT	a	5785	Ant0	4.23	0.17	4.4	29.57	Pass
NVNT	a	5825	Ant0	5.11	0.17	5.28	29.57	Pass
NVNT	n20	5745	Ant0	2.45	0.18	2.63	29.57	Pass
NVNT	n20	5785	Ant0	5.3	0.18	5.48	29.57	Pass
NVNT	n20	5825	Ant0	3.27	0.19	3.46	29.57	Pass
NVNT	n40	5755	Ant0	-0.56	0.86	0.3	29.57	Pass
NVNT	n40	5795	Ant0	-0.87	0.84	-0.03	29.57	Pass
NVNT	ac20	5745	Ant0	2.44	0.49	2.93	29.57	Pass
NVNT	ac20	5785	Ant0	2.47	0.48	2.95	29.57	Pass
NVNT	ac20	5825	Ant0	0.36	0.48	0.84	29.57	Pass
NVNT	ac40	5755	Ant0	-0.09	0.86	0.77	29.57	Pass
NVNT	ac40	5795	Ant0	2.07	0.85	2.92	29.57	Pass
NVNT	ac80	5775	Ant0	-1.33	1.39	0.06	29.57	Pass
NVNT	ax20	5745	Ant0	2.13	0.59	2.72	29.57	Pass
NVNT	ax20	5785	Ant0	4.94	0.58	5.52	29.57	Pass
NVNT	ax20	5825	Ant0	-0.16	0.59	0.43	29.57	Pass
NVNT	ax40	5755	Ant0	-0.06	0.94	0.88	29.57	Pass
NVNT	ax40	5795	Ant0	-0.95	0.94	-0.01	29.57	Pass
NVNT	ax80	5775	Ant0	-1.29	1.43	0.14	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	4.69	0.17	4.86	29.57	Pass
NVNT	a	5785	Ant1	4.64	0.17	4.81	29.57	Pass
NVNT	a	5825	Ant1	3.11	0.17	3.28	29.57	Pass
NVNT	n20	5745	Ant1	3.04	0.18	3.22	29.57	Pass
NVNT	n20	5785	Ant1	2.88	0.18	3.06	29.57	Pass
NVNT	n20	5825	Ant1	1.23	0.19	1.42	29.57	Pass
NVNT	n40	5755	Ant1	0.33	0.86	1.19	29.57	Pass
NVNT	n40	5795	Ant1	0.19	0.84	1.03	29.57	Pass
NVNT	ac20	5745	Ant1	3.19	0.48	3.67	29.57	Pass
NVNT	ac20	5785	Ant1	2.9	0.49	3.39	29.57	Pass
NVNT	ac20	5825	Ant1	1.17	0.49	1.66	29.57	Pass
NVNT	ac40	5755	Ant1	0.51	0.84	1.35	29.57	Pass
NVNT	ac40	5795	Ant1	-0.07	0.86	0.79	29.57	Pass
NVNT	ac80	5775	Ant1	-3.14	2.77	-0.37	29.57	Pass
NVNT	ax20	5745	Ant1	2.9	0.59	3.49	29.57	Pass
NVNT	ax20	5785	Ant1	3.05	0.58	3.63	29.57	Pass
NVNT	ax20	5825	Ant1	4.21	0.58	4.79	29.57	Pass
NVNT	ax40	5755	Ant1	0.96	0.94	1.9	29.57	Pass
NVNT	ax40	5795	Ant1	0.3	0.94	1.24	29.57	Pass
NVNT	ax80	5775	Ant1	-6.45	2.35	-4.1	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	3.59	0.17	3.76	29.57	Pass
NVNT	a	5785	Ant2	3.36	0.17	3.53	29.57	Pass
NVNT	a	5825	Ant2	2.41	0.17	2.58	29.57	Pass
NVNT	n20	5745	Ant2	3.58	0.17	3.75	29.57	Pass
NVNT	n20	5785	Ant2	5.94	0.17	6.11	29.57	Pass
NVNT	n20	5825	Ant2	2.65	0.17	2.82	29.57	Pass
NVNT	n40	5755	Ant2	-0.41	0.37	-0.04	29.57	Pass
NVNT	n40	5795	Ant2	-1.35	0.37	-0.98	29.57	Pass
NVNT	ac20	5745	Ant2	1.86	0.18	2.04	29.57	Pass
NVNT	ac20	5785	Ant2	1.61	0.18	1.79	29.57	Pass
NVNT	ac20	5825	Ant2	0.67	0.18	0.85	29.57	Pass
NVNT	ac40	5755	Ant2	-0.7	0.36	-0.34	29.57	Pass
NVNT	ac40	5795	Ant2	-1.35	0.36	-0.99	29.57	Pass
NVNT	ac80	5775	Ant2	-0.71	1.39	0.68	29.57	Pass
NVNT	ax20	5745	Ant2	1.78	0.23	2.01	29.57	Pass
NVNT	ax20	5785	Ant2	1.32	0.23	1.55	29.57	Pass
NVNT	ax20	5825	Ant2	1.05	0.23	1.28	29.57	Pass
NVNT	ax40	5755	Ant2	-0.9	0.43	-0.47	29.57	Pass
NVNT	ax40	5795	Ant2	-1.09	0.43	-0.66	29.57	Pass
NVNT	ax80	5775	Ant2	-2.83	1.43	-1.4	29.57	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Antenna		Total PSD (dBm)	Limit (dBm)	Verdict
			Ant0	Ant1			
NVNT	n20	5745	2.63	3.22	5.95	26.56	Pass
NVNT	n20	5785	5.48	3.06	7.45	26.56	Pass
NVNT	n20	5825	3.46	1.42	5.57	26.56	Pass
NVNT	n40	5755	0.3	1.19	3.78	26.56	Pass
NVNT	n40	5795	-0.03	1.03	3.54	26.56	Pass
NVNT	ac20	5745	2.93	3.67	6.33	26.56	Pass
NVNT	ac20	5785	2.95	3.39	6.19	26.56	Pass
NVNT	ac20	5825	0.84	1.66	4.28	26.56	Pass
NVNT	ac40	5755	0.77	1.35	4.08	26.56	Pass
NVNT	ac40	5795	2.92	0.79	4.99	26.56	Pass
NVNT	ac80	5775	0.06	-0.37	2.86	26.56	Pass
NVNT	ax20	5745	2.72	3.49	6.13	26.56	Pass
NVNT	ax20	5785	5.52	3.63	7.69	26.56	Pass
NVNT	ax20	5825	0.43	4.79	6.15	26.56	Pass
NVNT	ax40	5755	0.88	1.9	4.43	26.56	Pass
NVNT	ax40	5795	-0.01	1.24	3.67	26.56	Pass
NVNT	ax80	5775	0.14	-4.1	1.53	26.56	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity






Test Graphs



PSD NVNT a 5745MHz Ant0







PSD NVNT a 5785MHz Ant0



































Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1










PSD NVNT a 5825MHz Ant1







PSD NVNT n20 5745MHz Ant1































Test Graphs

PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2










PSD NVNT a 5825MHz Ant2







PSD NVNT n20 5745MHz Ant2





























C.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	5650	-49.29	6.43	-42.86	Peak	-27	Pass
NVNT	a	5745	Ant0	5650	-55.91	6.43	-49.48	Average	-27	Pass
NVNT	a	5745	Ant0	5700	-48.21	6.43	-41.78	Peak	10	Pass
NVNT	a	5745	Ant0	5700	-55.8	6.43	-49.37	Average	10	Pass
NVNT	a	5745	Ant0	5720	-47.48	6.43	-41.05	Peak	15.6	Pass
NVNT	a	5745	Ant0	5720	-55.23	6.43	-48.80	Average	15.6	Pass
NVNT	a	5745	Ant0	5725	-47.28	6.43	-40.85	Peak	27	Pass
NVNT	a	5745	Ant0	5725	-54.31	6.43	-47.88	Average	27	Pass
NVNT	a	5825	Ant0	5850	-48.65	6.43	-42.22	Peak	27	Pass
NVNT	a	5825	Ant0	5850	-56.86	6.43	-50.43	Average	27	Pass
NVNT	a	5825	Ant0	5855	-48.56	6.43	-42.13	Peak	15.6	Pass
NVNT	a	5825	Ant0	5855	-56.82	6.43	-50.39	Average	15.6	Pass
NVNT	a	5825	Ant0	5875	-49.26	6.43	-42.83	Peak	10	Pass
NVNT	a	5825	Ant0	5875	-56.79	6.43	-50.36	Average	10	Pass
NVNT	a	5825	Ant0	5925	-48.67	6.43	-42.24	Peak	-27	Pass
NVNT	a	5825	Ant0	5925	-56.5	6.43	-50.07	Average	-27	Pass
NVNT	n20	5745	Ant0	5650	-47.41	6.43	-40.98	Peak	-27	Pass
NVNT	n20	5745	Ant0	5650	-56.32	6.43	-49.89	Average	-27	Pass
NVNT	n20	5745	Ant0	5700	-49.23	6.43	-42.80	Peak	10	Pass
NVNT	n20	5745	Ant0	5700	-56.36	6.43	-49.93	Average	10	Pass
NVNT	n20	5745	Ant0	5720	-49.14	6.43	-42.71	Peak	15.6	Pass
NVNT	n20	5745	Ant0	5720	-55.82	6.43	-49.39	Average	15.6	Pass
NVNT	n20	5745	Ant0	5725	-47.74	6.43	-41.31	Peak	27	Pass
NVNT	n20	5745	Ant0	5725	-54.89	6.43	-48.46	Average	27	Pass
NVNT	n20	5825	Ant0	5850	-50.76	6.43	-44.33	Peak	27	Pass
NVNT	n20	5825	Ant0	5850	-57.19	6.43	-50.76	Average	27	Pass
NVNT	n20	5825	Ant0	5855	-49.41	6.43	-42.98	Peak	15.6	Pass
NVNT	n20	5825	Ant0	5855	-57.26	6.43	-50.83	Average	15.6	Pass
NVNT	n20	5825	Ant0	5875	-50.35	6.43	-43.92	Peak	10	Pass
NVNT	n20	5825	Ant0	5875	-56.9	6.43	-50.47	Average	10	Pass
NVNT	n20	5825	Ant0	5925	-48.36	6.43	-41.93	Peak	-27	Pass
NVNT	n20	5825	Ant0	5925	-56.63	6.43	-50.20	Average	-27	Pass
NVNT	n40	5755	Ant0	5650	-50.17	6.43	-43.74	Peak	-27	Pass
NVNT	n40	5755	Ant0	5650	-55.7	6.43	-49.27	Average	-27	Pass
NVNT	n40	5755	Ant0	5700	-49.22	6.43	-42.79	Peak	10	Pass
NVNT	n40	5755	Ant0	5700	-55.24	6.43	-48.81	Average	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	n40	5755	Ant0	5720	-48.85	6.43	-42.42	Peak	15.6	Pass
NVNT	n40	5755	Ant0	5720	-54.73	6.43	-48.30	Average	15.6	Pass
NVNT	n40	5755	Ant0	5725	-45.16	6.43	-38.73	Peak	27	Pass
NVNT	n40	5755	Ant0	5725	-52.06	6.43	-45.63	Average	27	Pass
NVNT	n40	5795	Ant0	5850	-51.04	6.43	-44.61	Peak	27	Pass
NVNT	n40	5795	Ant0	5850	-56.58	6.43	-50.15	Average	27	Pass
NVNT	n40	5795	Ant0	5855	-51.56	6.43	-45.13	Peak	15.6	Pass
NVNT	n40	5795	Ant0	5855	-56.61	6.43	-50.18	Average	15.6	Pass
NVNT	n40	5795	Ant0	5875	-50.53	6.43	-44.10	Peak	10	Pass
NVNT	n40	5795	Ant0	5875	-56.37	6.43	-49.94	Average	10	Pass
NVNT	n40	5795	Ant0	5925	-50.33	6.43	-43.90	Peak	-27	Pass
NVNT	n40	5795	Ant0	5925	-56.25	6.43	-49.82	Average	-27	Pass
NVNT	ac20	5745	Ant0	5650	-48.18	6.43	-41.75	Peak	-27	Pass
NVNT	ac20	5745	Ant0	5650	-56.14	6.43	-49.71	Average	-27	Pass
NVNT	ac20	5745	Ant0	5700	-49.74	6.43	-43.31	Peak	10	Pass
NVNT	ac20	5745	Ant0	5700	-56.2	6.43	-49.77	Average	10	Pass
NVNT	ac20	5745	Ant0	5720	-48.77	6.43	-42.34	Peak	15.6	Pass
NVNT	ac20	5745	Ant0	5720	-55.72	6.43	-49.29	Average	15.6	Pass
NVNT	ac20	5745	Ant0	5725	-48.2	6.43	-41.77	Peak	27	Pass
NVNT	ac20	5745	Ant0	5725	-54.34	6.43	-47.91	Average	27	Pass
NVNT	ac20	5825	Ant0	5850	-50.31	6.43	-43.88	Peak	27	Pass
NVNT	ac20	5825	Ant0	5850	-57.02	6.43	-50.59	Average	27	Pass
NVNT	ac20	5825	Ant0	5855	-49.32	6.43	-42.89	Peak	15.6	Pass
NVNT	ac20	5825	Ant0	5855	-56.97	6.43	-50.54	Average	15.6	Pass
NVNT	ac20	5825	Ant0	5875	-49.53	6.43	-43.10	Peak	10	Pass
NVNT	ac20	5825	Ant0	5875	-56.62	6.43	-50.19	Average	10	Pass
NVNT	ac20	5825	Ant0	5925	-47.41	6.43	-40.98	Peak	-27	Pass
NVNT	ac20	5825	Ant0	5925	-56.12	6.43	-49.69	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-49.83	6.43	-43.40	Peak	-27	Pass
NVNT	ac40	5755	Ant0	5650	-55.64	6.43	-49.21	Average	-27	Pass
NVNT	ac40	5755	Ant0	5700	-50.17	6.43	-43.74	Peak	10	Pass
NVNT	ac40	5755	Ant0	5700	-55.48	6.43	-49.05	Average	10	Pass
NVNT	ac40	5755	Ant0	5720	-49.64	6.43	-43.21	Peak	15.6	Pass
NVNT	ac40	5755	Ant0	5720	-54.78	6.43	-48.35	Average	15.6	Pass
NVNT	ac40	5755	Ant0	5725	-46.22	6.43	-39.79	Peak	27	Pass
NVNT	ac40	5755	Ant0	5725	-52.21	6.43	-45.78	Average	27	Pass
NVNT	ac40	5795	Ant0	5850	-49.9	6.43	-43.47	Peak	27	Pass
NVNT	ac40	5795	Ant0	5850	-56.6	6.43	-50.17	Average	27	Pass
NVNT	ac40	5795	Ant0	5855	-50.16	6.43	-43.73	Peak	15.6	Pass
NVNT	ac40	5795	Ant0	5855	-56.66	6.43	-50.23	Average	15.6	Pass





NVNT	ac40	5795	Ant0	5875	-51.13	6.43	-44.70	Peak	10	Pass
NVNT	ac40	5795	Ant0	5875	-56.26	6.43	-49.83	Average	10	Pass
NVNT	ac40	5795	Ant0	5925	-49.87	6.43	-43.44	Peak	-27	Pass
NVNT	ac40	5795	Ant0	5925	-56.24	6.43	-49.81	Average	-27	Pass
NVNT	ac80	5775	Ant0	5850	-49.74	6.43	-43.31	Peak	27	Pass
NVNT	ac80	5775	Ant0	5850	-55.6	6.43	-49.17	Average	27	Pass
NVNT	ac80	5775	Ant0	5855	-50.3	6.43	-43.87	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5855	-55.91	6.43	-49.48	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5875	-49.88	6.43	-43.45	Peak	10	Pass
NVNT	ac80	5775	Ant0	5875	-55.71	6.43	-49.28	Average	10	Pass
NVNT	ac80	5775	Ant0	5925	-49.84	6.43	-43.41	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5925	-55.63	6.43	-49.20	Average	-27	Pass
NVNT	ac80	5775	Ant0	5650	-50.94	6.43	-44.51	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5650	-55.53	6.43	-49.10	Average	-27	Pass
NVNT	ac80	5775	Ant0	5700	-48.17	6.43	-41.74	Peak	10	Pass
NVNT	ac80	5775	Ant0	5700	-54.71	6.43	-48.28	Average	10	Pass
NVNT	ac80	5775	Ant0	5720	-48.71	6.43	-42.28	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5720	-54.43	6.43	-48.00	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5725	-47.88	6.43	-41.45	Peak	27	Pass
NVNT	ac80	5775	Ant0	5725	-52.45	6.43	-46.02	Average	27	Pass
NVNT	ax20	5745	Ant0	5650	-48.87	6.43	-42.44	Peak	-27	Pass
NVNT	ax20	5745	Ant0	5650	-55.88	6.43	-49.45	Average	-27	Pass
NVNT	ax20	5745	Ant0	5700	-47.81	6.43	-41.38	Peak	10	Pass
NVNT	ax20	5745	Ant0	5700	-55.76	6.43	-49.33	Average	10	Pass
NVNT	ax20	5745	Ant0	5720	-48.38	6.43	-41.95	Peak	15.6	Pass
NVNT	ax20	5745	Ant0	5720	-55.7	6.43	-49.27	Average	15.6	Pass
NVNT	ax20	5745	Ant0	5725	-49.03	6.43	-42.60	Peak	27	Pass
NVNT	ax20	5745	Ant0	5725	-54.24	6.43	-47.81	Average	27	Pass
NVNT	ax20	5825	Ant0	5850	-50.99	6.43	-44.56	Peak	27	Pass
NVNT	ax20	5825	Ant0	5850	-56.79	6.43	-50.36	Average	27	Pass
NVNT	ax20	5825	Ant0	5855	-51.39	6.43	-44.96	Peak	15.6	Pass
NVNT	ax20	5825	Ant0	5855	-56.87	6.43	-50.44	Average	15.6	Pass
NVNT	ax20	5825	Ant0	5875	-51.19	6.43	-44.76	Peak	10	Pass
NVNT	ax20	5825	Ant0	5875	-56.52	6.43	-50.09	Average	10	Pass
NVNT	ax20	5825	Ant0	5925	-50.06	6.43	-43.63	Peak	-27	Pass
NVNT	ax20	5825	Ant0	5925	-56.4	6.43	-49.97	Average	-27	Pass
NVNT	ax40	5755	Ant0	5650	-50.56	6.43	-44.13	Peak	-27	Pass
NVNT	ax40	5755	Ant0	5650	-55.89	6.43	-49.46	Average	-27	Pass
NVNT	ax40	5755	Ant0	5700	-47.48	6.43	-41.05	Peak	10	Pass
NVNT	ax40	5755	Ant0	5700	-55.3	6.43	-48.87	Average	10	Pass





NVNT	ax40	5755	Ant0	5720	-48.06	6.43	-41.63	Peak	15.6	Pass
NVNT	ax40	5755	Ant0	5720	-54.68	6.43	-48.25	Average	15.6	Pass
NVNT	ax40	5755	Ant0	5725	-46.72	6.43	-40.29	Peak	27	Pass
NVNT	ax40	5755	Ant0	5725	-52.05	6.43	-45.62	Average	27	Pass
NVNT	ax40	5795	Ant0	5850	-51.32	6.43	-44.89	Peak	27	Pass
NVNT	ax40	5795	Ant0	5850	-56.55	6.43	-50.12	Average	27	Pass
NVNT	ax40	5795	Ant0	5855	-49.76	6.43	-43.33	Peak	15.6	Pass
NVNT	ax40	5795	Ant0	5855	-56.82	6.43	-50.39	Average	15.6	Pass
NVNT	ax40	5795	Ant0	5875	-51.17	6.43	-44.74	Peak	10	Pass
NVNT	ax40	5795	Ant0	5875	-56.48	6.43	-50.05	Average	10	Pass
NVNT	ax40	5795	Ant0	5925	-49.24	6.43	-42.81	Peak	-27	Pass
NVNT	ax40	5795	Ant0	5925	-55.97	6.43	-49.54	Average	-27	Pass
NVNT	ax80	5775	Ant0	5850	-50.63	6.43	-44.20	Peak	27	Pass
NVNT	ax80	5775	Ant0	5850	-55.06	6.43	-48.63	Average	27	Pass
NVNT	ax80	5775	Ant0	5855	-49.08	6.43	-42.65	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5855	-55.35	6.43	-48.92	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5875	-48	6.43	-41.57	Peak	10	Pass
NVNT	ax80	5775	Ant0	5875	-55.87	6.43	-49.44	Average	10	Pass
NVNT	ax80	5775	Ant0	5925	-51.28	6.43	-44.85	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5925	-55.54	6.43	-49.11	Average	-27	Pass
NVNT	ax80	5775	Ant0	5650	-50.28	6.43	-43.85	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5650	-55.29	6.43	-48.86	Average	-27	Pass
NVNT	ax80	5775	Ant0	5700	-46.63	6.43	-40.20	Peak	10	Pass
NVNT	ax80	5775	Ant0	5700	-54.54	6.43	-48.11	Average	10	Pass
NVNT	ax80	5775	Ant0	5720	-48	6.43	-41.57	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5720	-53.93	6.43	-47.50	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5725	-47.81	6.43	-41.38	Peak	27	Pass
NVNT	ax80	5775	Ant0	5725	-52.29	6.43	-45.86	Average	27	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity






Test Graphs



Restrict Band NVNT a 5745MHz Ant0 Peak







Restrict Band NVNT a 5745MHz Ant0 Average


























Restrict Band NVNT ac40 5755MHz Ant0 Peak



Restrict Band NVNT ac40 5755MHz Ant0 Average

