




### OBW NVNT n(HT20) 5180MHz Ant.A




### OBW NVNT n(HT20) 5180MHz Ant.B



OBW NVNT n(HT20) 5200MHz Ant.A




OBW NVNT n(HT20) 5200MHz Ant.B







OBW NVNT n(HT20) 5240MHz Ant.A




OBW NVNT n(HT20) 5240MHz Ant.B



### OBW NVNT n(HT40) 5190MHz Ant.A




### OBW NVNT n(HT40) 5190MHz Ant.B






OBW NVNT n(HT40) 5230MHz Ant.A



OBW NVNT n(HT40) 5230MHz Ant.B




Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant.A	17.616	0.5	Pass
NVNT	a	5745	Ant.B	17.606	0.5	Pass
NVNT	a	5785	Ant.A	17.641	0.5	Pass
NVNT	a	5785	Ant.B	17.615	0.5	Pass
NVNT	a	5825	Ant.A	17.643	0.5	Pass
NVNT	a	5825	Ant.B	17.588	0.5	Pass
NVNT	ac(VHT20)	5745	Ant.A	17.614	0.5	Pass
NVNT	ac(VHT20)	5745	Ant.B	17.606	0.5	Pass
NVNT	ac(VHT20)	5785	Ant.A	17.614	0.5	Pass
NVNT	ac(VHT20)	5785	Ant.B	17.589	0.5	Pass
NVNT	ac(VHT20)	5825	Ant.A	17.629	0.5	Pass
NVNT	ac(VHT20)	5825	Ant.B	17.613	0.5	Pass
NVNT	ac(VHT40)	5755	Ant.A	36.416	0.5	Pass
NVNT	ac(VHT40)	5755	Ant.B	36.421	0.5	Pass
NVNT	ac(VHT40)	5795	Ant.A	36.463	0.5	Pass
NVNT	ac(VHT40)	5795	Ant.B	36.376	0.5	Pass
NVNT	ac(VHT80)	5775	Ant.A	76.312	0.5	Pass
NVNT	ac(VHT80)	5775	Ant.B	76.041	0.5	Pass
NVNT	n(HT20)	5745	Ant.A	17.601	0.5	Pass
NVNT	n(HT20)	5745	Ant.B	17.63	0.5	Pass
NVNT	n(HT20)	5785	Ant.A	17.625	0.5	Pass
NVNT	n(HT20)	5785	Ant.B	17.598	0.5	Pass
NVNT	n(HT20)	5825	Ant.A	17.636	0.5	Pass
NVNT	n(HT20)	5825	Ant.B	17.605	0.5	Pass
NVNT	n(HT40)	5755	Ant.A	36.427	0.5	Pass
NVNT	n(HT40)	5755	Ant.B	36.407	0.5	Pass
NVNT	n(HT40)	5795	Ant.A	36.439	0.5	Pass
NVNT	n(HT40)	5795	Ant.B	36.418	0.5	Pass




### Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant.A




-6dB Bandwidth NVNT a 5745MHz Ant.B



-6dB Bandwidth NVNT a 5785MHz Ant.A




-6dB Bandwidth NVNT a 5785MHz Ant.B







-6dB Bandwidth NVNT a 5825MHz Ant.A




-6dB Bandwidth NVNT a 5825MHz Ant.B



-6dB Bandwidth NVNT ac(VHT20) 5745MHz Ant.A




-6dB Bandwidth NVNT ac(VHT20) 5745MHz Ant.B







-6dB Bandwidth NVNT ac(VHT20) 5785MHz Ant.A




-6dB Bandwidth NVNT ac(VHT20) 5785MHz Ant.B



-6dB Bandwidth NVNT ac(VHT20) 5825MHz Ant.A




-6dB Bandwidth NVNT ac(VHT20) 5825MHz Ant.B







-6dB Bandwidth NVNT ac(VHT40) 5755MHz Ant.A




-6dB Bandwidth NVNT ac(VHT40) 5755MHz Ant.B



-6dB Bandwidth NVNT ac(VHT40) 5795MHz Ant.A




-6dB Bandwidth NVNT ac(VHT40) 5795MHz Ant.B







-6dB Bandwidth NVNT ac(VHT80) 5775MHz Ant.A




-6dB Bandwidth NVNT ac(VHT80) 5775MHz Ant.B



-6dB Bandwidth NVNT n(HT20) 5745MHz Ant.A




-6dB Bandwidth NVNT n(HT20) 5745MHz Ant.B







-6dB Bandwidth NVNT n(HT20) 5785MHz Ant.A




-6dB Bandwidth NVNT n(HT20) 5785MHz Ant.B



-6dB Bandwidth NVNT n(HT20) 5825MHz Ant.A




-6dB Bandwidth NVNT n(HT20) 5825MHz Ant.B







-6dB Bandwidth NVNT n(HT40) 5755MHz Ant.A




-6dB Bandwidth NVNT n(HT40) 5755MHz Ant.B



-6dB Bandwidth NVNT n(HT40) 5795MHz Ant.A



-6dB Bandwidth NVNT n(HT40) 5795MHz Ant.B





## Attachment E--AVG Output Power Test Data

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant.A	3.135	0	3.135	24	Pass
NVNT	a	5180	Ant.B	3.032	0	3.032	24	Pass
NVNT	a	5200	Ant.A	3.13	0	3.13	24	Pass
NVNT	a	5200	Ant.B	3.23	0	3.23	24	Pass
NVNT	a	5240	Ant.A	3.275	0	3.275	24	Pass
NVNT	a	5240	Ant.B	3.054	0	3.054	24	Pass
NVNT	ac(VHT20)	5180	Ant.A	0.038	0	0.038	24	Pass
NVNT	ac(VHT20)	5180	Ant.B	0.133	0	0.133	24	Pass
NVNT	ac(VHT20)	5180	Sum	3.096	0	3.096	24	Pass
NVNT	ac(VHT20)	5200	Ant.A	0.532	0	0.532	24	Pass
NVNT	ac(VHT20)	5200	Ant.B	0.166	0	0.166	24	Pass
NVNT	ac(VHT20)	5200	Sum	3.363	0	3.363	24	Pass
NVNT	ac(VHT20)	5240	Ant.A	0.276	0	0.276	24	Pass
NVNT	ac(VHT20)	5240	Ant.B	0.436	0	0.436	24	Pass
NVNT	ac(VHT20)	5240	Sum	3.367	0	3.367	24	Pass
NVNT	ac(VHT40)	5190	Ant.A	0.247	0	0.247	24	Pass
NVNT	ac(VHT40)	5190	Ant.B	0.286	0	0.286	24	Pass
NVNT	ac(VHT40)	5190	Sum	3.277	0	3.277	24	Pass
NVNT	ac(VHT40)	5230	Ant.A	0.749	0	0.749	24	Pass
NVNT	ac(VHT40)	5230	Ant.B	0.027	0	0.027	24	Pass
NVNT	ac(VHT40)	5230	Sum	3.413	0	3.413	24	Pass
NVNT	ac(VHT80)	5210	Ant.A	0.864	0	0.864	24	Pass
NVNT	ac(VHT80)	5210	Ant.B	0.3	0	0.3	24	Pass
NVNT	ac(VHT80)	5210	Sum	3.601	0	3.601	24	Pass
NVNT	n(HT20)	5180	Ant.A	0.989	0	0.989	24	Pass
NVNT	n(HT20)	5180	Ant.B	0.445	0	0.445	24	Pass
NVNT	n(HT20)	5180	Sum	3.736	0	3.736	24	Pass
NVNT	n(HT20)	5200	Ant.A	0.848	0	0.848	24	Pass
NVNT	n(HT20)	5200	Ant.B	0.203	0	0.203	24	Pass
NVNT	n(HT20)	5200	Sum	3.548	0	3.548	24	Pass
NVNT	n(HT20)	5240	Ant.A	0.326	0	0.326	24	Pass
NVNT	n(HT20)	5240	Ant.B	0.509	0	0.509	24	Pass
NVNT	n(HT20)	5240	Sum	3.429	0	3.429	24	Pass
NVNT	n(HT40)	5190	Ant.A	0.734	0	0.734	24	Pass
NVNT	n(HT40)	5190	Ant.B	0.416	0	0.416	24	Pass
NVNT	n(HT40)	5190	Sum	3.588	0	3.588	24	Pass
NVNT	n(HT40)	5230	Ant.A	0.69	0	0.69	24	Pass
NVNT	n(HT40)	5230	Ant.B	0.828	0	0.828	24	Pass
NVNT	n(HT40)	5230	Sum	3.77	0	3.77	24	Pass




Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant.A	4.105	0	4.105	30	Pass
NVNT	a	5745	Ant.B	4.406	0	4.406	30	Pass
NVNT	a	5785	Ant.A	3.306	0	3.306	30	Pass
NVNT	a	5785	Ant.B	3.606	0	3.606	30	Pass
NVNT	a	5825	Ant.A	3.769	0	3.769	30	Pass
NVNT	a	5825	Ant.B	3.117	0	3.117	30	Pass
NVNT	ac(VHT20)	5745	Ant.A	0.448	0	0.448	30	Pass
NVNT	ac(VHT20)	5745	Ant.B	0.785	0	0.785	30	Pass
NVNT	ac(VHT20)	5745	Sum	3.63	0	3.63	30	Pass
NVNT	ac(VHT20)	5785	Ant.A	1.197	0	1.197	30	Pass
NVNT	ac(VHT20)	5785	Ant.B	0.648	0	0.648	30	Pass
NVNT	ac(VHT20)	5785	Sum	3.941	0	3.941	30	Pass
NVNT	ac(VHT20)	5825	Ant.A	1.64	0	1.64	30	Pass
NVNT	ac(VHT20)	5825	Ant.B	0.304	0	0.304	30	Pass
NVNT	ac(VHT20)	5825	Sum	4.033	0	4.033	30	Pass
NVNT	ac(VHT40)	5755	Ant.A	0.192	0	0.192	30	Pass
NVNT	ac(VHT40)	5755	Ant.B	-0.371	0	-0.371	30	Pass
NVNT	ac(VHT40)	5755	Sum	2.93	0	2.93	30	Pass
NVNT	ac(VHT40)	5795	Ant.A	0.759	0	0.759	30	Pass
NVNT	ac(VHT40)	5795	Ant.B	-0.574	0	-0.574	30	Pass
NVNT	ac(VHT40)	5795	Sum	3.154	0	3.154	30	Pass
NVNT	ac(VHT80)	5775	Ant.A	0.379	0	0.379	30	Pass
NVNT	ac(VHT80)	5775	Ant.B	-0.196	0	-0.196	30	Pass
NVNT	ac(VHT80)	5775	Sum	3.111	0	3.111	30	Pass
NVNT	n(HT20)	5745	Ant.A	0.572	0	0.572	30	Pass
NVNT	n(HT20)	5745	Ant.B	0.538	0	0.538	30	Pass
NVNT	n(HT20)	5745	Sum	3.565	0	3.565	30	Pass
NVNT	n(HT20)	5785	Ant.A	1.006	0	1.006	30	Pass
NVNT	n(HT20)	5785	Ant.B	0.719	0	0.719	30	Pass
NVNT	n(HT20)	5785	Sum	3.875	0	3.875	30	Pass
NVNT	n(HT20)	5825	Ant.A	1.399	0	1.399	30	Pass
NVNT	n(HT20)	5825	Ant.B	1.02	0	1.02	30	Pass
NVNT	n(HT20)	5825	Sum	4.224	0	4.224	30	Pass
NVNT	n(HT40)	5755	Ant.A	0.133	0	0.133	30	Pass
NVNT	n(HT40)	5755	Ant.B	0.817	0	0.817	30	Pass
NVNT	n(HT40)	5755	Sum	3.499	0	3.499	30	Pass
NVNT	n(HT40)	5795	Ant.A	0.696	0	0.696	30	Pass
NVNT	n(HT40)	5795	Ant.B	-0.18	0	-0.18	30	Pass
NVNT	n(HT40)	5795	Sum	3.29	0	3.29	30	Pass




Test Mode		Duty cycle
U-NII-1	802.11 a	>98%
	802.11 n(HT20)	
	802.11 ac(VHT20)	
	802.11 n(HT40)	
	802.11 ac(VHT40)	
	802.11 ac(VHT80)	
U-NII-3	802.11 a	
	802.11 n(HT20)	
	802.11 ac(VHT20)	
	802.11 n(HT40)	
	802.11 ac(VHT40)	
	802.11 ac(VHT80)	
Please see the next plots.		

**802.11 a 5200MHz U-NII-1**




**802.11 n(HT20) 5200MHz U-NII-1**







**802.11 ac(VHT20) 5200MHz U-NII-1**




**802.11 n(HT40) 5190MHz U-NII-1**



**802.11 ac(VHT40) 5190MHz U-NII-1**




**802.11 ac(VHT80) 5210MHz U-NII-1**







**802.11 a 5785MHz U-NII-3**




**802.11 n(HT20) 5785MHz U-NII-3**



**802.11 ac(VHT20) 5785MHz U-NII-3**




**802.11 n(HT40) 5755MHz U-NII-3**






**802.11 ac(VHT40) 5755MHz U-NII-3**



**802.11 ac(VHT80) 5775MHz U-NII-3**




## Attachment F-- Power Spectral Density Test Data

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant.A	-7.671	10	Pass
NVNT	a	5180	Ant.B	-7.915	10	Pass
NVNT	a	5200	Ant.A	-8.602	10	Pass
NVNT	a	5200	Ant.B	-7.546	10	Pass
NVNT	a	5240	Ant.A	-7.685	10	Pass
NVNT	a	5240	Ant.B	-8.38	10	Pass
NVNT	ac(VHT20)	5180	Ant.A	-10.926	10	Pass
NVNT	ac(VHT20)	5180	Ant.B	-10.1	10	Pass
NVNT	ac(VHT20)	5180	Sum	-7.483	10	Pass
NVNT	ac(VHT20)	5200	Ant.A	-10.309	10	Pass
NVNT	ac(VHT20)	5200	Ant.B	-10.554	10	Pass
NVNT	ac(VHT20)	5200	Sum	-7.419	10	Pass
NVNT	ac(VHT20)	5240	Ant.A	-10.183	10	Pass
NVNT	ac(VHT20)	5240	Ant.B	-10.345	10	Pass
NVNT	ac(VHT20)	5240	Sum	-7.253	10	Pass
NVNT	ac(VHT40)	5190	Ant.A	-12.767	10	Pass
NVNT	ac(VHT40)	5190	Ant.B	-13.776	10	Pass
NVNT	ac(VHT40)	5190	Sum	-10.232	10	Pass
NVNT	ac(VHT40)	5230	Ant.A	-12.905	10	Pass
NVNT	ac(VHT40)	5230	Ant.B	-13.969	10	Pass
NVNT	ac(VHT40)	5230	Sum	-10.394	10	Pass
NVNT	ac(VHT80)	5210	Ant.A	-14.78	10	Pass
NVNT	ac(VHT80)	5210	Ant.B	-15.859	10	Pass
NVNT	ac(VHT80)	5210	Sum	-12.276	10	Pass
NVNT	n(HT20)	5180	Ant.A	-9.461	10	Pass
NVNT	n(HT20)	5180	Ant.B	-10.45	10	Pass
NVNT	n(HT20)	5180	Sum	-6.917	10	Pass
NVNT	n(HT20)	5200	Ant.A	-9.739	10	Pass
NVNT	n(HT20)	5200	Ant.B	-10.649	10	Pass
NVNT	n(HT20)	5200	Sum	-7.16	10	Pass
NVNT	n(HT20)	5240	Ant.A	-10.571	10	Pass
NVNT	n(HT20)	5240	Ant.B	-9.993	10	Pass
NVNT	n(HT20)	5240	Sum	-7.262	10	Pass
NVNT	n(HT40)	5190	Ant.A	-12.984	10	Pass
NVNT	n(HT40)	5190	Ant.B	-13.34	10	Pass
NVNT	n(HT40)	5190	Sum	-10.148	10	Pass
NVNT	n(HT40)	5230	Ant.A	-14.014	10	Pass
NVNT	n(HT40)	5230	Ant.B	-13.934	10	Pass
NVNT	n(HT40)	5230	Sum	-10.964	10	Pass




Test Graphs


PSD NVNT a 5180MHz Ant.A




PSD NVNT a 5180MHz Ant.B



PSD NVNT a 5200MHz Ant.A




PSD NVNT a 5200MHz Ant.B




PSD NVNT a 5240MHz Ant.A







PSD NVNT a 5240MHz Ant.B



PSD NVNT ac(VHT20) 5180MHz Ant.A




PSD NVNT ac(VHT20) 5180MHz Ant.B







PSD NVNT ac(VHT20) 5200MHz Ant.A




PSD NVNT ac(VHT20) 5200MHz Ant.B



PSD NVNT ac(VHT20) 5240MHz Ant.A




PSD NVNT ac(VHT20) 5240MHz Ant.B







PSD NVNT ac(VHT40) 5190MHz Ant.A




PSD NVNT ac(VHT40) 5190MHz Ant.B



PSD NVNT ac(VHT40) 5230MHz Ant.A




PSD NVNT ac(VHT40) 5230MHz Ant.B







PSD NVNT ac(VHT80) 5210MHz Ant.A




PSD NVNT ac(VHT80) 5210MHz Ant.B



PSD NVNT n(HT20) 5180MHz Ant.A




PSD NVNT n(HT20) 5180MHz Ant.B







PSD NVNT n(HT20) 5200MHz Ant.A




PSD NVNT n(HT20) 5200MHz Ant.B



PSD NVNT n(HT20) 5240MHz Ant.A




PSD NVNT n(HT20) 5240MHz Ant.B







PSD NVNT n(HT40) 5190MHz Ant.A




PSD NVNT n(HT40) 5190MHz Ant.B



PSD NVNT n(HT40) 5230MHz Ant.A



PSD NVNT n(HT40) 5230MHz Ant.B







Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant.A	-9.56	30	Pass
NVNT	a	5745	Ant.B	-9.187	30	Pass
NVNT	a	5785	Ant.A	-10.862	30	Pass
NVNT	a	5785	Ant.B	-10.24	30	Pass
NVNT	a	5825	Ant.A	-10.007	30	Pass
NVNT	a	5825	Ant.B	-10.706	30	Pass
NVNT	ac(VHT20)	5745	Ant.A	-13.441	30	Pass
NVNT	ac(VHT20)	5745	Ant.B	-13.03	30	Pass
NVNT	ac(VHT20)	5745	Sum	-10.22	30	Pass
NVNT	ac(VHT20)	5785	Ant.A	-12.661	30	Pass
NVNT	ac(VHT20)	5785	Ant.B	-13.206	30	Pass
NVNT	ac(VHT20)	5785	Sum	-9.915	30	Pass
NVNT	ac(VHT20)	5825	Ant.A	-12.609	30	Pass
NVNT	ac(VHT20)	5825	Ant.B	-13.729	30	Pass
NVNT	ac(VHT20)	5825	Sum	-10.123	30	Pass
NVNT	ac(VHT40)	5755	Ant.A	-16.374	30	Pass
NVNT	ac(VHT40)	5755	Ant.B	-17.153	30	Pass
NVNT	ac(VHT40)	5755	Sum	-13.736	30	Pass
NVNT	ac(VHT40)	5795	Ant.A	-16.781	30	Pass
NVNT	ac(VHT40)	5795	Ant.B	-17.574	30	Pass
NVNT	ac(VHT40)	5795	Sum	-14.149	30	Pass
NVNT	ac(VHT80)	5775	Ant.A	-18.457	30	Pass
NVNT	ac(VHT80)	5775	Ant.B	-19.969	30	Pass
NVNT	ac(VHT80)	5775	Sum	-16.137	30	Pass
NVNT	n(HT20)	5745	Ant.A	-13.499	30	Pass
NVNT	n(HT20)	5745	Ant.B	-13.421	30	Pass
NVNT	n(HT20)	5745	Sum	-10.45	30	Pass
NVNT	n(HT20)	5785	Ant.A	-13.021	30	Pass
NVNT	n(HT20)	5785	Ant.B	-13.327	30	Pass
NVNT	n(HT20)	5785	Sum	-10.161	30	Pass
NVNT	n(HT20)	5825	Ant.A	-12.652	30	Pass
NVNT	n(HT20)	5825	Ant.B	-12.618	30	Pass
NVNT	n(HT20)	5825	Sum	-9.625	30	Pass
NVNT	n(HT40)	5755	Ant.A	-17.435	30	Pass
NVNT	n(HT40)	5755	Ant.B	-16.798	30	Pass
NVNT	n(HT40)	5755	Sum	-14.095	30	Pass
NVNT	n(HT40)	5795	Ant.A	-16.469	30	Pass
NVNT	n(HT40)	5795	Ant.B	-17.461	30	Pass
NVNT	n(HT40)	5795	Sum	-13.926	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant.A




PSD NVNT a 5745MHz Ant.B







PSD NVNT a 5785MHz Ant.A




PSD NVNT a 5785MHz Ant.B



PSD NVNT a 5825MHz Ant.A




PSD NVNT a 5825MHz Ant.B







PSD NVNT ac(VHT20) 5745MHz Ant.A




PSD NVNT ac(VHT20) 5745MHz Ant.B



PSD NVNT ac(VHT20) 5785MHz Ant.A




PSD NVNT ac(VHT20) 5785MHz Ant.B







PSD NVNT ac(VHT20) 5825MHz Ant.A




PSD NVNT ac(VHT20) 5825MHz Ant.B



PSD NVNT ac(VHT40) 5755MHz Ant.A




PSD NVNT ac(VHT40) 5755MHz Ant.B







PSD NVNT ac(VHT40) 5795MHz Ant.A




PSD NVNT ac(VHT40) 5795MHz Ant.B



PSD NVNT ac(VHT80) 5775MHz Ant.A




PSD NVNT ac(VHT80) 5775MHz Ant.B







PSD NVNT n(HT20) 5745MHz Ant.A




PSD NVNT n(HT20) 5745MHz Ant.B



PSD NVNT n(HT20) 5785MHz Ant.A




PSD NVNT n(HT20) 5785MHz Ant.B







PSD NVNT n(HT20) 5825MHz Ant.A




PSD NVNT n(HT20) 5825MHz Ant.B



PSD NVNT n(HT40) 5755MHz Ant.A




PSD NVNT n(HT40) 5755MHz Ant.B






PSD NVNT n(HT40) 5795MHz Ant.A



PSD NVNT n(HT40) 5795MHz Ant.B



## Attachment G----Frequency Stability Measurement Data

Only show the worst case 802.11 a Mode 5180MHz.

801.11a U-NII-1: 5180 MHz	
Voltage vs. Frequency Stability	
Voltage (V)	Measurement Frequency (MHz)
132	5180.0500
120	5180.0400
118	5180.0600
<b>Limit Range (MHz)</b>	5150-5250
<b>Result</b>	PASS
Temperature vs. Frequency Stability	
Temperature (°C)	Measurement Frequency (MHz)
0	5180.0500
10	5180.0300
20	5180.0300
30	5180.0500
40	5180.0600
50	5180.0600
<b>Limit Range (MHz)</b>	5150-5250
<b>Result</b>	PASS



Only show the worst case 802.11 a Mode 5745MHz.

<b>801.11a U-NII-3: 5745 MHz</b>	
<b>Voltage vs. Frequency Stability</b>	
<b>Voltage (V)</b>	<b>Measurement Frequency (MHz)</b>
132	5745.0500
120	5745.0300
118	5744.0200
<b>Limit Range (MHz)</b>	5725-5850
<b>Result</b>	PASS
<b>Temperature vs. Frequency Stability</b>	
<b>Temperature (°C)</b>	<b>Measurement Frequency (MHz)</b>
0	5745.0300
10	5745.0000
20	5745.0200
30	5745.0470
40	5745.0300
50	5745.0200
<b>Limit Range (MHz)</b>	5725-5850
<b>Result</b>	PASS

-----END OF REPORT-----