



APPENDIX H
: USER'S MANUAL

C011 User Information

(Model Name : C011)

[KOREA]

Table of Contents

1. Overview and Specification of C011

- (1) Overview
- (2) Specification

2. Precautions

3. Customer Support



1. Overview and Specification of C011

(1) Overview

This remote control uses wireless communication in the 2.4GHz band, It is a product that can be controlled with the MAKITA Module receiver and key button.

(2) Specifications

구 분	내 용
Model No.	C011
Range of frequency	2402~2480 MHz
Channel	40 Channel
Output power	3 dBm
Receive sensitivity	-92 dBm
Size	Width 58mm X Thickness 15.9 mm X Length 131.5 mm (tolerance± 0.8 mm)
Weight	63.2g (tolerance± 5g, battery not applied)
Power source	AAA x 2EA, (2 alkaline batteries are used)
Operational Temperature range	-20 °C ~ + 50 °C
Importer	3-11-8, Sumiyoshi-cho, Anjo, Aichi 446-8502 Japan

2. Precaution

- (1) After replacement of the battery, use the remote control following pairing in accordance with user manual.
- (2) If the unit does not operate after replacement of battery, reattempt pairing in accordance with the user manual.
- (3) If the remote controller is not being used for prolonged period of time, it is recommended you remove the battery from the unit.
- (4) Do not dismantle or exert heat to the battery.
- (5) Do not drop battery or exert extreme impact that may even cause the case to be damaged.
- (6) Do not immerse the battery in water.
- (7) There is danger of explosion if a the battery is inserted reversely.
- (8) Properly dispose of used batteries.

3. Customer Support

Refer to the contact number for services provided in the MAKITA Manual.

[KC certification mark and number]



Certification number : R-C-OHS-C011

[TELEC certification mark and number]



Certification number :XXXXXX

[FCC ID certification mark and number]

Certification number :OZ5TC011MA

[IC certification mark and number]

Certification number :21703-C011

[CE certification mark]



"Since the wireless device has the potential for radio wave interference, services related to personal safety cannot be provided."

Business name : Ohsung Electronics Co., Ltd

Manufacturing date : 2020.12

Manufacturer/Country of Manufacture : Ohsung Electronics Co., Ltd / Korea

Equipment/Model name : Specific low power wireless device (wireless device for wireless data communication system / C011

FCC Caution

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1.This device may not cause harmful interference
- 2.This device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate equipment. The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Federal Communication Commissions (FCC) Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Canadian (IC)

Two-part Statement (English and French)

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : 1) L'appareil ne doit pas produire de brouillage; 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.