



APPENDIX L

: TEST PLOTS




◆ Occupied bandwidth



Ref 99 dB μ V/m *Att 40 dB *RBW 30 kHz Delta 2 [T1]
*VBW 100 kHz -1.01 dB
*SWT 200 ms 936.000000000 kHz

1 PK
VIEW




(433.92 MHz)



◆ Complete Pulse Train/ On-time of the Head

1. NEC Format (15A_002)




No. of code GR. Per 100ms	Head		Data		Total Width(ms)	Duty Cycle	
	No. of pulse	Width of pulse(ms)	No. of pulse	Width of pulse(ms)		(%)	(dB)
	335	0.006ms	693	0.006ms	6.168	6.17%	-24.19

계산식 : $(335 \times 0.006) + (693 \times 0.006) = 6.168$ [693 = $(1 \times 33 \times 21)$]



2. TC9012 Format (14A_044)




No. of code GR. Per 100ms	Head		Data		Total Width(ms)	Duty Cycle	
	No. of pulse	Width of pulse(ms)	No. of pulse	Width of pulse(ms)		(%)	(dB)
	166	0.006ms	693	0.006ms	5.15	5.15%	-25.757

계산식 : $(166 \times 0.006) + (693 \times 0.006) = 5.154$ [693 = $(1 \times 33 \times 21)$]



3. MN6014 Format (18A_052)



No. of code GR. Per 100ms	Head		Data		Total Width(ms)	Duty Cycle	
	No. of pulse	Width of pulse(ms)	No. of pulse	Width of pulse(ms)		(%)	(dB)
	118	0.006ms	693	0.006ms	5.658	5.66%	-24.94

계산식 : (118*0.006)+(825*0.006) = 5.658 [825 = (1*33*25)]