



Agilent




<b>Freq/Channel</b>
<b>Center Freq</b> 419.590000 MHz
<b>Start Freq</b> 414.590000 MHz
<b>Stop Freq</b> 424.590000 MHz
<b>CF Step</b> 1.00000000 MHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

Agilent



<b>Freq/Channel</b>
<b>Center Freq</b> 419.590000 MHz
<b>Start Freq</b> 414.590000 MHz
<b>Stop Freq</b> 424.590000 MHz
<b>CF Step</b> 1.00000000 MHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

Agilent



Freq/Channel

Center Freq  
419.600000 MHz

Start Freq  
419.600000 MHz

Stop Freq  
419.600000 MHz


CF Step  
100.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

Agilent



Freq/Channel

Center Freq  
419.600000 MHz

Start Freq  
419.600000 MHz

Stop Freq  
419.600000 MHz

CF Step  
100.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

Agilent

OH SUNG Model: MX-700UHF RF Remote  
Ref -50 dBm Atten 5 dB

Peak  
Log  
5  
dB/

V1 S2  
S3 FC  
AA



Center 419.6 MHz Span 0 Hz  
Res BW 100 kHz #VBW 300 kHz Sweep 100 ms (401 pts)

Freq/Channel

Center Freq  
419.600000 MHz

Start Freq  
419.600000 MHz

Stop Freq  
419.600000 MHz

CF Step  
100.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

Agilent

OH SUNG Model: MX-700UHF RF Remote  
Ref -50 dBm Atten 5 dB

Peak  
Log  
5  
dB/

V1 S2  
S3 FC  
AA



Center 419.6 MHz Span 0 Hz  
Res BW 100 kHz #VBW 300 kHz Sweep 100 ms (401 pts)

Freq/Channel

Center Freq  
419.600000 MHz

Start Freq  
419.600000 MHz

Stop Freq  
419.600000 MHz

CF Step  
100.000000 kHz  
Auto Man


Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

OH SUNG Elect. Model: MX-700UHF  
Infrared Remote Control LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	28.757	32.85	-	-	32.85	48.00	-15.15
2	28.705	32.87	-	-	32.87	48.00	-15.13
3	28.526	32.61	-	-	32.61	48.00	-15.39
4	29.121	32.28	-	-	32.28	48.00	-15.72
5	28.010	31.19	-	-	31.19	48.00	-16.81
6	28.152	32.03	-	-	32.03	48.00	-15.97
7	27.873	30.92	-	-	30.92	48.00	-17.08
8	28.207	31.83	-	-	31.83	48.00	-16.17
9	.450	26.81	-	-	26.81	48.00	-21.19
10	27.709	30.31	-	-	30.31	48.00	-17.69

OH SUNG Elect. Model: MX-700UHF  
Infrared Remote Control LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	28.621	32.47	-	-	32.47	48.00	-15.53
2	28.854	32.22	-	-	32.22	48.00	-15.78
3	28.238	31.73	-	-	31.73	48.00	-16.27
4	29.006	32.16	-	-	32.16	48.00	-15.84
5	27.550	29.74	-	-	29.74	48.00	-18.26
6	27.966	31.05	-	-	31.05	48.00	-16.95
7	29.234	31.72	-	-	31.72	48.00	-16.28
8	28.083	31.33	-	-	31.33	48.00	-16.67
9	.450	27.19	-	-	27.19	48.00	-20.81
10	29.547	29.98	-	-	29.98	48.00	-18.02