

APPENDIX H : USER'S MANUAL

MX-890 Color LCD Screen Owner's Manual





This remote control was Custom Programmed for you by:

For questions about your Custom Programming call:

Custom Programming of a complex home theater and/or a multi-room system is one of the most challenging tasks within an audio/video installation. It involves an intimate knowledge of how the components interact and exact details on the proper sequences of control.

Only a Complete Control dealer has the requisite experience and training to quickly and effectively customize a remote control for true automated operation.

Congratulations on your choice!

MX-890 Owner's Manual © 2012 Universal Remote Control, Inc.

The information in this manual is copyright protected. No part of this manual may be copied or reproduced in any form without prior written consent from Universal Remote Control, Inc.

UNIVERSAL REMOTE CONTROL, INC. SHALL NOT BE LIABLE FOR OPERATIONAL, TECHNICAL OR EDITORIAL ERRORS/OMISSIONS MADE IN THIS MANUAL.

The information in this manual may be subject to change without prior notice.

Complete Control is a registered trademark of Universal Remote Control, Inc.

All other brand or product names are trademarks or registered trademarks of their respective companies or organizations.



500 Mamaroneck Avenue, Harrison, NY 10528 Phone: (914) 835-4484 Fax: (914) 835-4532

TABLE OF CONTENTS

Congratulations!	1
Using the MX-890	2
Connecting the Battery Pack	3
Using the Charging Base	3
Resetting the MX-890	3
Displaying the Settings Screen	4
Sleep Settings	5
System	5
Brightness	5
Power	6
Button Light	6
Date and Time	6
Sound	7
Pickup Settings	7
Factory Default	7
Exit	7
Maintaining Your MX-890	8
Specifications	8
USA Limited Warranty Statement	9
Federal Communication Commission	
Interference Statement	11

Congratulations

Thank you for purchasing the Complete Control MX-890 color LCD screen universal remote control. This remote can directly control your devices via IR or wirelessly control your devices throughout the home using an RF base station. Controlling your home is simple with the MX-890 remote.

Brilliant 2" color LCD screen with pickup sensor

The MX-890 has a programmable 2" color LCD screen. When the remote is picked up, the color LCD screen as well as the remote buttons, will light up.

Control devices using ultra-reliable narrow band RF

The MX-890 can communicate directly to RF base stations, such as the MRX-1/RFX-250, MRF-350 and the MRF-260. It also natively communicates to URC Lighting via RF. This gives the MX-890 the ability to control your system without being in direct line-of-sight.

Identify a remote using Room Labels

Use the included room labels to keep track of each room's MX-890. No longer will you have the kitchen remote in the living room; simply add a room label for easy identification.

Charging Base Included..no need for batteries

There is no need to constantly purchase batteries, just place the remote on the charging base and recharge the battery...DONE!

Fast setup of complex systems via Complete Control PC Program

To fully automate your audio/video system, the programmer must have detailed knowledge of each component and how the system is connected and operated. Only a trained and certified professional audio/video installer can program an MX-890 remote control in a timely and efficient manner.

User interface customizable for any activity

Each button is customizable for activities such as Watch TV or Listen to Radio. These activities can contain multiple commands (macros) which enable a single button press to turn the needed devices ON or OFF. Only a trained and certified professional audio/video installer can program an MX-890 remote control in a timely and efficient manner.

Using the MX-890

The MX-890's main pages display the activities and devices in your system. Press the MAIN button to view your devices or the activities placed here by your custom professional. Large systems may have more than one page. Press either of the PAGE buttons if you don't see all your devices. Press any LCD hard button, to select an activity or a device. The screen will change to display the buttons you need for that activity/device. The PAGE buttons may reveal additional buttons for some devices and activities.

When you would like to control another device, press the MAIN page button and select a new device button.



Connecting the Battery Pack

Unlock the rear cover by pressing down on the spring lock at the top of the cover. Remove the cover. For shipment from the factory, the battery is left out of the MX-890. Place the battery into the battery compartment, making sure you align the contacts on the battery to the contacts on the MX-890. The battery will snap into place when aligned properly. Replace the cover and snap it into place.

Using the Charging Base

Plug the 5V adapter into a power outlet and into the back of the charging base.

Gently place the MX-890 into the cradle of the charging base. It automatically aligns itself to the contacts on the charging base.

The Status light should immediately light. Red indicates that it is charging. Blue shows that it is fully charged. There is no harm in leaving the MX-890 on its charging base whenever it is not in use.

Optionally, the 5V power adapter can be plugged directly to the bottom of the MX-890.



Red indicates charging, Blue that the remote is fully charged.

Resetting the MX-890

Normally, resetting the MX-890 is not necessary. However, if you notice unusual behavior, press the reset button within the battery compartment. Press the Reset button to cycle the MX-890's power and reboot the unit.

Displaying the Settings Screen

You can enter the Settings menu by pressing and holding the MAIN and ENT button for three seconds. The MX-890 will timeout after it is idle for 30 seconds and return to the previous setting or Main screen. There are two pages of Settings screens. Select a setting by pressing a button on the LCD screen. Press either of the PAGE buttons to access the other page. To go back a step or to get out of the settings screen, press the MAIN button.

There are two pages of Settings screen. To access the other page, press either of the PAGE buttons.



Page buttons reveal the rest of the settings.



Page 1 of the Settings Screen



Page 2 of the Settings Screen

Sleep Settings

Conserve energy by configuring the MX-890 to fall a sleep after a specified amount of time. Select an amount of time by pressing the left or right hard buttons, to adjust the slide bar.

System

The System Information screen displays data about your MX-890's operating system, memory etc.

Brightness


Adjust the screen brightness by pressing the left or right hard buttons to move the slider. Min (minimum) is the dimmest setting and Max (maximum) is the brightest setting.



Sleep Settings

Trun off MX-890 if not used for On battery power





Power

You can display the remaining charge by selecting Power. Press the left or right hard buttons to move the slider. MIN or MAX adjusts the timing of the low battery warning notification.

Battery p	ower remainir	g:100%
	111111	Ш
Low b	attery warnin	ng at :
Low b	attery warnin	ng at :
Low b	attery warnin	ng at :

Button Light

You can adjust the brightness of the LEDs that backlight the buttons of the MX-890. Press the left hard button to dim or press the right hard button to brighten the backlighting.

in 10 seco	ods Mat

Date and Time

Your MX-890 may have been programmed to display the date or time on the LCD screen. If you need to, press the left or right hard buttons to adjust the time displayed by changing the settings on this screen.

Change D	late
🗹 Year	Month Day
2000	1 1
Change T	ime
Hour	Minute AM/PN
12	00 AM
SAVE	CANCEL

Sound

Adjust the button beep level to Off or Loudest by pressing the left or right hard buttons.

Pickup Settings


You can set your MX-890 to turn on when picked up. Adjust the Pickup Sensor by pressing the associated hard button adjacent to the ON or OFF check box.

Factory Default

WARNING! Only use this button when instructed to by Technical Support. It resets the memory of the MX-890 to the factory condition. All your programming will be lost! Press and hold the Erase button to return the remote to its factory condition.

Exit

When you have finished adjusting Settings, simply tap the Exit button to return to normal operation.



Do you really want to erase all your work and reset the remot the factory demo configuration

Warning! This remote will no longer operate your system!

CANCEL

ERASE

How load the beep t		on like	
Button Be	ep level		
of	0	1	Londest
SAVE		6	ANCEL

Pickup

Pickup Sensor On/Off

Pickup Sensor On

Pickup Sensor Off

Maintaining Your MX-890

Keep it away from extreme cold or heat. The MX-890 is not waterproof. Do not use it in any location that is damp or wet. If you spill water on it, take out the battery pack and let the MX-890 dry for 48 hours before powering it up again. If you spill coffee or another beverage on it, clean it with distilled water. Make sure no water gets inside the MX-890. Don't drop the MX-890 or impact it against anything.

Use a soft, damp cloth to clean the screen. Do not use anything abrasive and don't use too much water, some might leak into the interior.

Precautions & Information: Rechargeable Lithium Ion Batteries

If you will not be using your remote control for an extended period of time, be sure to remove the battery. Do not attempt to disassemble, alter or apply heat to the battery. Use care to avoid dropping the battery or subjecting it to severe impact that could damage the case. The battery should not be immersed in water. Lithium Ion batteries are recyclable. For the address of a recycle drop-off location near you call toll free 1-800-822-8837 or visit <u>http://www.rbrc.com</u>

Specifications

CPU : ARM 32-bit Cortex-M3 (72MHz) Memory : 8Mbit SRAM, 64Mbit Flash Customization Capability : Up to 200 devices and up to 10 pages each for a total of 2000 pages. Learning Capability : Standard frequencies (15kHz to 460kHz) Macro Capability : Up to 255 steps each IR Range (Line of Sight via Infrared) : 30-50 feet, depending on the environment RF Range (radio frequency) : 50 to 100 feet, depending upon the environment RF Frequency : 418 MHz Weight : 5.73 ounces (with battery loaded) Size : 8.46"H x1.97"W x 1.02" D Battery : Lithium Ion rechargeable battery included

USA Limited Warranty Statement

Your Universal Remote Control, when delivered to you in new condition, is warranted against defects in materials or workmanship as follows: **UNIVERSAL REMOTE CONTROL, INC.** warrants this product against defects in material or workmanship for a period of one (1) year and as set forth below. Universal Remote Control will, at its sole option, repair the product using new or comparable rebuilt parts, or exchange the product for a comparable new or rebuilt product. **In the event of a defect, these are your exclusive remedies.**

This Limited Warranty covers only the hardware components packaged with the Product. It does not cover technical assistance for hardware or software usage and it does not cover any software products whether or not contained in the Product; any such software is provided "AS IS" unless expressly provided for in any enclosed software Limited Warranty.

To obtain warranty service, you must deliver the product, freight prepaid, in its original packaging or packaging affording adequate protection to Universal Remote Control at the address provided in the Owner's Manual. It is your responsibility to backup any macro programming, artwork, software or other materials that may have been programmed into your unit. It is likely that such data, software, or other materials will be lost during service and Universal Remote Control will not be responsible for any such damage or loss. A dated purchase receipt, Bill of Sale, Installation Contract or other verifiable Proof of Purchase is required. For product support and other important information visit Universal Remote Control's website: http://www.UniversalRemote.com or call the Customer Service Center (914) 835-4484.

This Limited Warranty only covers product issues caused by defects in material or workmanship during ordinary consumer use. It does not cover product issues caused by any other reason, including but not limited to product issues due to commercial use, acts of God, thirdparty installation, misuse, limitations of technology, or modification of or to any part of the Universal Remote Control product. This Limited Warranty does not cover Universal Remote Control products sold as USED, AS IS, REFURBISHED, so-called "B STOCK" or consumables (such as batteries). This Limited Warranty is invalid if the factory-applied serial number has been altered or removed from the product. This Limited Warranty is valid only in the United States of America. **This Limited Warranty specifically excludes products sold by unauthorized resellers.**

LIMITATION OF REMEDIES

UNIVERSAL REMOTE CONTROL SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY OR CONDITION ON THIS PRODUCT. IN NO EVENT SHALL UNIVERSAL REMOTE CONTROL BE LIABLE, WHETHER IN CONTRACT OR IN TORT (INCLUDING NEGLIGENCE) FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT, ACCESSORY OR SOFTWARE, OR FOR ANY INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, SOFT-WARE OR APPLICATIONS OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE ABILITY OR INABILITY TO USE THE PRODUCTS, ACCESSORIES OR SOFTWARE TO THE FULL EXTENT THESE DAMAGES MAY BE DISCLAIMED BY LAW.

EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, THERE IS NO OTHER WARRANTY EXPRESSED OR IMPLIED. UNIVERSAL REMOTE CONTROL WILL NOT BE HELD RESPONSIBLE FOR STATE-MENTS MADE BY OTHERS CONCERNING THE MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT. Some states or jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This Limited Warranty gives you specific legal rights and you may have other rights which vary from state to state or jurisdiction to jurisdiction.

REV020708

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one more of the following measures:

- Reorient or relocate the receiving antenna.
- ◆ Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning!

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

Note : The manufacturer is not responsible for any Radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

FCC Caution

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate equipment.



-C Declaration of Conformity

Code of Federal Regulations (CFR) 47, Part 2.906

MODEL NAME:	MX-890
TRADE NAME:	UNIVERSAL Remote Control
RESPONSIBLE PARTY:	Universal Remote Control Inc.
ADDRESS:	500Mamaroneck Avenue, Harrison, NY 10528, U.S.A
CONTACT PERSON:	James Novak
TELEPHONE NUMBER:	(914)835-4484

Equipment Class	:	Computing device peripheral
EUT Type	:	RF REMOTE CONTROLLER
Rule Part(s)	:	FCC Part 15 subpart B
Test Procedure(s)	:	ANSI C63.4 (2009)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operating.

We hereby declare that this device bearing the trade name and model specified above has been shown to be in compliance with the applicable FCC rules under the most accurate measurement standards possible, and that all the necessary steps have been taken and are in force to assure that production units of the same equipment will continue to comply with the commission's requirement

Date of issue

:

Name and signature of authorized person :

James Novak Universal Remote Control Inc.



500 Mamaroneck Avenue, Harrison, NY 10528 Phone: (914) 835-4484 Fax: (914) 835-4532 www.universalremote.com

OCE-0142A Rev 01

X