

Amplidyne, Inc.
 59 La Grange Street,
 Raritan, NJ 08869
 Phone: 908-233-6870 Fax: 908-233-6875

Item Number		Amplidyne Part No.	Rev LTR	Qty.	Description	Reference	Vendor & Part Number
1					Artwork,		
2		PCB500208			PCB, Material:G200 H=28 MIL		
3					Housing		
4					Drawing.		
5							
6				7	56 PF,CHIP CAP, TYPE 0603	C21,30,7,16,19,13,18	ROHM
7				4	100 PF,CHIP CAP, TYPE 0805	C20,23,30,35	ROHM
8				8	1000 PF,CHIP CAP, TYPE 0805	C4,24,3,27,26,43,34,40	ROHM
9				2	120 PF, CHIP CAP, TYPE 0805	C5,22	ATC
10				2	1PF,CHIP CAP,TYPE 0805	C8,17	
11				7	15 PF,CHIP CAP, TYPE 0805	C1,28,31,37,46,49,42	
12				8	1uF,CHIP CAP, 10%,	C2,26,6,25,11,44,47,36	
13				4	0.1uF,CHIP CAP, 5%,	C14,15,9,12	
14				5	10uF,CHIP CAP, 20%,	C38,32,33,48,13	
15							
16				2	2.7nH, Chip Inductor, Type0603	L1,3	Toko#LL1608-F2n7K
17				1	100nH, Chip Inductor, Type0603	L5	Toko#LL1608-FR10K
18				1	5.6nH, Chip Inductor, Type0603	L4	Toko#LL1608-F5N6K
19				1	12nH, Chip Inductor, Type0603	L2	Toko#LL1608-F12NK
20				2	3Turns Coil	L6,8	
21							
22				6	51 Ohm, Chip, Res. 5%, Type0805,	R17,7,12,26,27,14	
23				2	56K Ohm, Chip, Res. 5%, Type0805,	R8,16,	
24				1	68 Ohm, Chip, Res. 5%, Type0805,	R25,	
25				1	10 Ohm, Chip, Res. 5%, Type0805,	R10	
26				2	110 Ohm, Chip, Res. 5%, Type0805,	R13,15	
27							
28				1	30 Ohm, Chip, Res. 5%, Type0805,	R21	
29				1	180 Ohm, Chip, Res. 5%, Type0805,	R19,22	
30				4	10 KOhm, Chip, Res. 5%, Type0805,	R1,9,11,16	
31				2	180 Ohm, Chip, Res. 5%, Type0805,	R21,22	
32				2	2 KOhm, Chip, Res. 5%, Type0805,	R4,2	
33				2	82 Ohm, Chip, Res. 5%, Type0805,	R1,18	
34				4	2 Kohm, Trimpot, SMT, 10 Turns, 4mm, Top Adjust	P1,2,3,4	Bourns #3224W001202E
35							

Form: PL-10001-00A - 01/98

File Name: TR-2400-3.xls
 Date Printed: 4/13/00
 Page: 1 of 3

Dwg No.: **PCB500208**

PROJECT: AMP2425-27S

Revision: A

Engineer: Yuanzheng Zhang

Released Date:

Date: 02/22/00

Approved:

Item Number	Amplidyne Part No.	Rev LTR	Qty.	Description	Reference	Vendor & Part Number
1				Artwork,		
2	PCB500319			PCB, Material:FR4 H=60MIL		
3				Pallet,		
4				Drawing,		
5						
6			2	15 PF,CHIP CAP, TYPE 0805	C1,4	
7			1	1000 PF, CHIP CAP, TYPE 0805	C2	
8			1	10UF, CAP, 35V	C3	
9						
10			5	2 Kohm Chip Res. 5%, Type 0805	R1,2,7,10,13	
11			1	11 Kohm Chip Res. 5%, Type 0805	R12	
12						
13			1	10 Kohm Chip Res. 5%, Type 0805	R5	
14			2	100 Kohm Chip Res. 5%, Type 0805	R4,9	
15			2	20 Kohm Chip Res. 5%, Type 0805	R3,11	
16			1	0 ohm Chip Res. 5%, Type 0805	R6	
17			1	2 ohm Res., 1W	R8	
18						
19			1	Differential AMP. 1N105	U1	
20			1	Comparator. LM339	U2	
21						
22			1	LED Green	D1	
23			1	LED Red	D2	
24			1	Voltage Compress Diode, P6SMB15AT3	D3	
25						
26			1	Power Jack PJ-002A		
27			2	N-Type Panel Mt. Female Connector		
28						
29						
30						
31						
32						
33						
34						
35						

Form: PL-10001-00A - 01/98

File Name: DC injector.xls
Date Printed: 4/13/00

Page: **Amplidyne, Inc.**
144 Belmont Drive

Title:
Project:

Dwg No.:

PCB500121

Engineer:

Date:

Amplidyne, Inc.
 59 La Grange Street,
 Raritan, NJ 08869
 Phone: 908-253-6870 Fax: 908-253-6875

Title: Spread Spectrum T/R Amplifier
Project: Wireless Internet

Engineer: Yuanzheng Zhang
Date: 08/20/99

Revision:
Released Date:

Approved:
Date:

Item Number	Amplidyne Part No.	Rev	Qty.	Part Description	Reference	Vendor & Part Number
36			2	Transistor, NE34018	Q6,9	NEC#NE34018
37			1	Transistor, AH1	Q10	WJ, Ah1
38			1	Transistor, FLL101	Q1	Fujitsu
39			1	Transistor, SCA-2	Q4	Stanford
40			1	Regulator, LM7805, TO202	Q12	
41			2	T/R Switch, ITT501AJ	Q3,8	Gastek
42			1	Band Passm Filter	Q11	Trans-Tech#957820-1
43			2	3DB Hybrid, 2.3-2.6Ghz	U6,7	Anaren# 1X603
44			2	Transistor, MTD20P03HDL, Dpak	Q2,5	Motorola# MTD20P03-HDL
45			2	IC, TC4428	U2,9	
46			1	IC, LM339	U1	
47			1	IC, LM7905 SO-8	U3	
48			1	IC, 7662CBD SO-14	U5	
49			1	IC, Power Detect, AD8313	U8	Analog Devices #AD8313
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						