


Customer: Amplidyn, Inc.
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum Transmitter System
 Model No.: AMP-2425-27S FCC ID: XXXAMP2425-27S
 Test Method: FCC Part 15 / C, Para 15.207 (a) AC Line Conducted Emissions
 Notes: Channel No.: Low Channel Lead: Hot
 Detector Function: Peak
 Date: March 6, 2000 Tech: N. Dragotta Sheet 1 of 6



Retlif Testing Laboratories

Report No. R-8288




Customer: Amplidyn, Inc.
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum Transmitter System
 Model No.: AMP-2425-27S FCC ID: XXXAMP2425-27S
 Test Method: FCC Part 15 / C, Para 15.207 (a) AC Line Conducted Emissions
 Notes: Channel No.: Low Channel Lead: Neutral
 Detector Function: Peak
 Date: March 6, 2000 Tech: N. Dragotta Sheet 2 of 6



Retlif Testing Laboratories

Report No. R-8288




Customer: Ampidyne, Inc. *Handwritten initials*
 Test Sample: 2.4 GHz *Handwritten: 2.4 GHz* Spread Spectrum Transmitter System
 Model No.: AMP-2425-27S FCC ID: XXXAMP2425-27S
 Test Method: FCC Part 15 / C, Para 15.207 (a) AC Line Conducted Emissions
 Notes: Channel No.: 6 Lead: Hot
 Detector Function: Peak
 Date: March 6, 2000 Tech: N. Dragotta Sheet 3 of 6



Retlif Testing Laboratories

Report No. R-8288




| | |
|--------------|---|
| Customer: | Amplify, Inc. |
| Test Sample: | 2.4 GHz Direct Sequence Spread Spectrum Transmitter System |
| Model No.: | AMP-2425-27S FCC ID: XXXAMP2425-27S |
| Test Method: | FCC Part 15 / C, Para 15.207 (a) AC Line Conducted Emissions |
| Notes: | Channel No.: 8 Lead: Neutral Detector Function: Peak |
| Date: | March 6, 2000 |
| Tech: | N. Dragotta |
| Sheet: | 4 of 6 |



Retlif Testing Laboratories

Report No. R-8288




START 450kHz STOP 30.00MHz
*RBW 10kHz VBW 30kHz *SWP 20.0sec

| | |
|--------------|--|
| Customer: | Amplifone, Inc. |
| Test Sample: | 2.4 GHz Frequency Hopping Spread Spectrum Transmitter System |
| Model No.: | AMP-2425-27S FCC ID: XXXAMP2425-27S |
| Test Method: | FCC Part 15 / C, Para 15.207 (a) AC Line Conducted Emissions |
| Notes: | Channel No.: 11 Lead: Hot Detector Function: Peak |
| Date: | March 6, 2010 |
| Tech: | N. Dragotta |
| Sheet: | 5 of 6 |



Retlif Testing Laboratories

Report No. R-8288



Customer: Ampldine, Inc.
 Test Sample: 2.4 GHz ~~Retliff~~ Hopping Spread Spectrum Transmitter System
 Model No.: AMP-2425-27S FCC ID: XXXAMP2425-27S
 Test Method: FCC Part 15 /C, Para 15.207 (a) AC Line Conducted Emissions
 Notes: Channel No.: 11 Lead: Neutral
 Detector Function: Peak
 Date: March 6, 2000 Tech: N. Dragotta Sheet 6 of 6



Retliff Testing Laboratories

Report No. R-8288