


EUT : HCS801A
 Power : 110V 60Hz
 Test Mode : 802.11g CH LO
 Memo :


Pol/Phase : NEUTRAL
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.179	54.06	0.41	54.47	64.55	-10.08	QP
0.179	41.39	0.41	41.80	54.55	-12.75	AVERAGE
0.238	44.19	0.43	44.62	62.17	-17.56	QP
0.238	30.89	0.43	31.32	52.17	-20.86	AVERAGE
2.494	38.80	0.55	39.35	56.00	-16.65	QP
2.494	32.30	0.55	32.85	46.00	-13.15	AVERAGE
2.554	37.76	0.55	38.31	56.00	-17.69	QP
2.554	32.03	0.55	32.58	46.00	-13.42	AVERAGE
20.261	29.73	0.88	30.61	50.00	-19.39	AVERAGE
20.261	33.42	0.88	34.30	60.00	-25.70	QP
23.131	32.36	0.95	33.31	50.00	-16.69	AVERAGE
23.131	34.99	0.95	35.94	60.00	-24.06	QP

EUT : HCS801A
 Power : 110V 60Hz
 Test Mode : 802.11g CH LO
 Memo :


Pol/Phase : LINE
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.178	54.37	0.41	54.78	64.56	-9.78	QP
0.178	41.36	0.41	41.77	54.56	-12.79	AVERAGE
0.238	44.05	0.43	44.48	62.17	-17.70	QP
0.238	34.20	0.43	34.63	52.17	-17.55	AVERAGE
2.019	35.01	0.54	35.55	56.00	-20.45	QP
2.019	30.07	0.54	30.61	46.00	-15.39	AVERAGE
2.495	35.97	0.55	36.52	56.00	-19.48	QP
2.495	29.95	0.55	30.50	46.00	-15.50	AVERAGE
20.261	29.81	0.90	30.71	50.00	-19.29	AVERAGE
20.261	33.49	0.90	34.39	60.00	-25.61	QP
23.131	32.13	1.14	33.27	50.00	-16.73	AVERAGE
23.131	34.91	1.14	36.05	60.00	-23.95	QP

EUT : HCS801A
 Power : 110V 60Hz
 Test Mode : 802.11g CH MID
 Memo :


Pol/Phase : NEUTRAL
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.179	54.08	0.41	54.49	64.56	-10.06	QP
0.179	41.44	0.41	41.85	54.56	-12.70	AVERAGE
0.238	44.16	0.43	44.59	62.15	-17.56	QP
0.238	31.00	0.43	31.43	52.15	-20.72	AVERAGE
2.494	38.62	0.55	39.17	56.00	-16.83	QP
2.494	32.15	0.55	32.70	46.00	-13.30	AVERAGE
2.554	37.39	0.55	37.94	56.00	-18.06	QP
2.554	32.09	0.55	32.64	46.00	-13.36	AVERAGE
20.260	29.37	0.88	30.25	50.00	-19.75	AVERAGE
20.260	33.63	0.88	34.51	60.00	-25.49	QP
23.131	33.66	0.95	34.61	50.00	-15.39	AVERAGE
23.131	36.25	0.95	37.20	60.00	-22.80	QP

EUT : NCS801A
 Power : 110V 60Hz
 Test Mode : 802.11g CH MID
 Memo :


Pol/Phase : LINE
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.178	54.14	0.41	54.55	64.57	-10.02	QP
0.178	41.37	0.41	41.78	54.57	-12.79	AVERAGE
0.238	43.86	0.43	44.29	62.17	-17.88	QP
0.238	34.13	0.43	34.56	52.17	-17.61	AVERAGE
1.960	30.07	0.54	30.61	46.00	-15.39	AVERAGE
1.960	33.84	0.54	34.38	56.00	-21.62	QP
2.495	30.03	0.55	30.58	46.00	-15.42	AVERAGE
2.495	36.11	0.55	36.66	56.00	-19.34	QP
20.260	29.72	0.90	30.62	50.00	-19.38	AVERAGE
20.260	33.43	0.90	34.33	60.00	-25.67	QP
23.131	32.33	1.14	33.47	50.00	-16.53	AVERAGE
23.131	35.07	1.14	36.21	60.00	-23.79	QP

EUT : HCS801A
 Power : 110V 60Hz
 Test Mode : 802.11g CH HI
 Memo :


Pol/Phase : NEUTRAL
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.178	54.10	0.41	54.51	64.58	-10.07	QP
0.178	41.64	0.41	42.05	54.58	-12.53	AVERAGE
0.238	44.23	0.43	44.66	62.18	-17.52	QP
0.238	31.20	0.43	31.63	52.18	-20.55	AVERAGE
2.496	38.44	0.55	38.99	56.00	-17.01	QP
2.496	31.93	0.55	32.48	46.00	-13.52	AVERAGE
2.554	37.72	0.55	38.27	56.00	-17.73	QP
2.554	31.90	0.55	32.45	46.00	-13.55	AVERAGE
20.261	29.54	0.88	30.42	50.00	-19.58	AVERAGE
20.261	33.55	0.88	34.43	60.00	-25.57	QP
23.131	32.59	0.95	33.54	50.00	-16.46	AVERAGE
23.131	35.22	0.95	36.17	60.00	-23.83	QP

EUT : NCS801A
 Power : 110W 60Hz
 Test Mode : 802.11g CH HI
 Memo :

Pol/Phase : LINE
 Temperature : 26 °C
 Humidity : 58 %



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.179	54.54	0.41	54.95	64.55	-9.60	QP
0.179	41.83	0.41	42.24	54.55	-12.31	AVERAGE
0.356	35.41	0.45	35.86	58.83	-22.97	QP
0.356	30.74	0.45	31.19	48.83	-17.64	AVERAGE
2.020	34.52	0.54	35.06	56.00	-20.94	QP
2.020	29.84	0.54	30.38	46.00	-15.62	AVERAGE
2.495	35.72	0.55	36.27	56.00	-19.73	QP
2.495	29.96	0.55	30.51	46.00	-15.49	AVERAGE
20.261	29.76	0.90	30.66	50.00	-19.34	AVERAGE
20.261	33.92	0.90	34.82	60.00	-25.18	QP
23.131	32.92	1.14	34.06	50.00	-15.94	AVERAGE
23.131	35.52	1.14	36.66	60.00	-23.34	QP

Test by: Carol

4.2.1. Photographs of Conducted Emission Test

FRONT VIEW



REAR VIEW

