



**RF Power Output
Results:
ATEMC000043 – Annex 1**

**Applicant:
Arrista Technologies Inc.
5-55 Henlow Bay
Winnipeg, MB, CA
R3Y 1G4**

**Equipment Under Test (EUT):
AMPS / TDMA / CDMA
Bi-Directional Cellular Signal Amplifier**

**MODEL:
CR100**


**FCC ID:
P35UTHNEXW9**

**IN ACCORDANCE WITH:
FCC PART 2,
FCC PART 22, SUBPART H
CELLULAR BAND REPEATERS**


1. RF POWER OUTPUT MEASUREMENTS

1.1. PLOT DATA

Power Output; Up-link; Primary Port; Frequency 825.0 MHz




Power Output; Up-link; Primary Port; Frequency 837.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Power Output; Up-link; Primary Port; Frequency 848.0 MHz




Power Output; Up-link; Secondary Port; Frequency 825.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Power Output; Up-link; Secondary Port; Frequency 837.0 MHz




Power Output; Up-link; Secondary Port; Frequency 848.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Power Output; Down-link; Primary Port; Frequency 870.0 MHz




Power Output; Down-link; Primary Port; Frequency 881.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Power Output; Down -link; Primary Port; Frequency 892.0 MHz




Power Output; Down -link; Secondary Port; Frequency 870.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Power Output; Down -link; Secondary Port; Frequency 881.0 MHz



Power Output; Down -link; Secondary Port; Frequency 892.0 MHz



Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier