

Unimax communications

Mar 07,2018

Declaration-MIF for HAC RF Interference Evaluation

To Whom It May Concern,

This device, with FCC ID: P46-U452TL, Hearing Aid Compatibility Requirement will be certified under ANAI C63.19-2011 version per Part 20.19.

The M rating was determined by measuring the maximum steady state average E-field values in dB(V/m) as documented in the HAC report and adding the MIF value in dB(V/m) using pre-determined values provided by Speag under UID 10011 CAB (12.5.2017) / UID 10170 CAD (12.5.2017) / UID 10176 CAE (12.5.2017) / UID 10178 CAE (12.5.2017) / UID 10182 CAD (12.5.2017) / UID 10185 CAD (12.5.2017) / UID 10188 CAD (12.5.2017) / UID 10061 CAB (12.5.2017) / UID 10077 CAB (12.5.2017)

Speag-reference documentation for supporting the pre-determined MIF value is Schmid & Partner Engineering AG, UID SUMMARY (Communication Systems for Calibration, Issued Date 2017/12/5).

We confirm that the Speag simulation provided represents all the air interface modes applicable for a HAC rating for this handset.

Sincerely Yours,



Unimax communications

Tel: 0755-22671491

Fax: 0755-22671491

E-mail: Dan Gannon@unimaxcomm.com