


Annex C. Photographs

Radiated Test Setup:






Sample #01 – Smartphone



Sample #02 – Smartphone



Battery	Battery
 <p>A photograph of a rectangular UMX battery placed next to a black ruler for scale. The ruler shows centimeter markings from 0 to 90. The battery label includes the following text: UMX PIN: U307TG 3.7 V Li-Ion Battery Standard Capacity: 1350mAh, 4.995Wh Battery Manufactured by FH Cell Manufactured in China Battery Manufactured in China Caution: Do not expose to high temperature (140°F/60°C). Do not disassemble. Do not allow metal objects to contact or short circuit the battery terminals. Do not incinerate or expose to fire. Dispose of properly. (Ex: Recycling number 1-800-822-8837) S/N: FH46A53300382</p>	 <p>A photograph of the same UMX battery with two red wires and one black wire connected to its terminals. The battery is placed next to a black ruler for scale. The ruler shows centimeter markings from 0 to 100. The battery label includes the following text: UMX PIN: U307TG 3.7 V Li-Ion Battery Standard Capacity: 1350mAh, 4.995Wh Battery Manufactured by FH Cell Manufactured in China Battery Manufactured in China Caution: Do not expose to high temperature (140°F/60°C). Do not disassemble. Do not allow metal objects to contact or short circuit the battery terminals. Do not incinerate or expose to fire. Dispose of properly. (Ex: Recycling number: 1-800-822-8837) S/N: FH46A53300382</p>
USB cable	
 <p>A photograph of a black USB cable with a standard USB-A connector on one end and a micro-USB connector on the other. The cable is placed next to a black ruler for scale. The ruler shows centimeter markings from 0 to 100.</p>	