


A

B

C

D

E



	TOLERANCES	A	B	C	D	ANGLE
~16	±0.05	±0.1	±0.2	±0.4	±10°	
16~63	±0.1	±0.2	±0.4	±0.6	±15°	
63~150	±0.15	±0.25	±0.5	±0.8	±30°	
150~250	±0.2	±0.3	±0.6	±1	±	
250~500	±0.4	±0.6	±0.8	±1.5	±	



PANTONE 8403C (refer to signed sample)

NOTE:

1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: NO
7. TEXTURE NUMBER: NO
8. ALL SUBSTANCE NEED TO MEET THE HALOGENFREE/ROHS/REACH/PRO65/VOC REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B			
A	PROTOTYPE-A4	2021/8/30	LIANGQIAO
ISS	CHANGE RECORDS	DATE	REVISER

TITLE: TVee model 22 底蓋絲印圖	REV	SHEET	MODEL:TS-0000112AA	DATE: 2021/8/30
	A	1/1	UNIT: mm	SCALE: 1:1
MATERIAL: NA	NO. NA		APPROVAL.	CHECKED.
COLOR: PANTONE 8403C (refer to signed sample)	DRAWER: LIANGQIAO		DESIGN.	
			POBBY	YONG
				LIANGQIAO

A

B

C

D

E