

## 8.5 CONDUCTED BAND EDGE MEASUREMENT

### Limit

#### **FCC Part 90.691, FCC Part 90.543**

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

### Test Procedures

KDB 971168 D01,

1. RBW  $\geq$  1% of the emission bandwidth
2. VBW  $\geq$  3 x RBW
3. Span was set large enough so as to capture all out of emissions near the band edge.


Report No.: T191105W01-RP14

## Test Results:

### LTE Band 14


CHANNEL BANDWIDTH: 5MHz / QPSK / 1RB ALLOCATED

### LOWER BAND EDGE




Date: 12.DEC.2019 14:49:13

### HIGHER BAND EDGE




Date: 12.DEC.2019 14:51:01

## CHANNEL BANDWIDTH: 5MHz / 16QAM / 1RB ALLOCATED LOWER BAND EDGE




Date: 12.DEC.2019 14:44:30

## HIGHER BAND EDGE




Date: 12.DEC.2019 14:49:15

## CHANNEL BANDWIDTH: 10MHz / QPSK / 1RB ALLOCATED MIDDLE BAND EDGE




## CHANNEL BANDWIDTH: 10MHz / 16QAM / 1RB ALLOCATED MIDDLE BAND EDGE




Date: 12.DEC.2019 14:35:07

## CHANNEL BANDWIDTH: 5MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 12.DEC.2019 14:41:55


## HIGHER BAND EDGE




Date: 12.DEC.2019 14:51:40

Report No.: T191105W01-RP14


## CHANNEL BANDWIDTH: 5MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



## HIGHER BAND EDGE




## CHANNEL BANDWIDTH: 10MHz / QPSK / 100% RB ALLOCATED MIDDLE BAND EDGE






## CHANNEL BANDWIDTH: 10MHz / 16QAM / 100% RB ALLOCATED MIDDLE BAND EDGE




Report No.: T191105W01-RP14

## LTE Band 26 CHANNEL BANDWIDTH: 1.4MHz / QPSK / 1RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:11:57

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:31:11

## CHANNEL BANDWIDTH: 1.4MHz / 16QAM / 1RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:12:38

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:33:43

## CHANNEL BANDWIDTH: 3MHz / QPSK / 1RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:21:54

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:25:37

## CHANNEL BANDWIDTH: 3MHz / 16QAM / 1RB ALLOCATED LOWER BAND EDGE



Date: 16.DEC.2019 09:22:42


## HIGHER BAND EDGE



Date: 15.JAN.2020 10:24:20


Report No.: T191105W01-RP14

## CHANNEL BANDWIDTH: 5MHz / QPSK / 1RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:27:01

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:44:05


## CHANNEL BANDWIDTH: 5MHz / 16QAM / 1RB ALLOCATED LOWER BAND EDGE



## HIGHER BAND EDGE




## CHANNEL BANDWIDTH: 10MHz / QPSK / 1RB ALLOCATED MIDDLE BAND EDGE



Date: 15.JAN.2020 10:52:28




## CHANNEL BANDWIDTH: 10MHz / 16QAM / 1RB ALLOCATED MIDDLE BAND EDGE




Date: 15.JAN.2020 10:51:19

## CHANNEL BANDWIDTH: 1.4MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 16.DEC.2019 09:11:01


## HIGHER BAND EDGE



Date: 15.JAN.2020 10:29:00


Report No.: T191105W01-RP14

## CHANNEL BANDWIDTH: 1.4MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:13:06

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:37:19

## CHANNEL BANDWIDTH: 3MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 16.DEC.2019 09:23:31


## HIGHER BAND EDGE



Date: 15.JAN.2020 10:27:00


Report No.: T191105W01-RP14

## CHANNEL BANDWIDTH: 3MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:23:07

## HIGHER BAND EDGE




Date: 15.JAN.2020 10:22:52


## CHANNEL BANDWIDTH: 5MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



## HIGHER BAND EDGE




## CHANNEL BANDWIDTH: 5MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE




Date: 16.DEC.2019 09:25:16

## HIGHER BAND EDGE



Date: 15.JAN.2020 10:40:41


## CHANNEL BANDWIDTH: 10MHz / QPSK / 100% RB ALLOCATED MIDDLE BAND EDGE



Date: 15.JAN.2020 10:55:00



## CHANNEL BANDWIDTH: 10MHz / 16QAM / 100% RB ALLOCATED MIDDLE BAND EDGE



## 8.6 CONDUCTED SPURIOUS EMISSIONS

### Limits

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10}(P)$  dB. The limit of emission equal to  $-13\text{dBm}$

### Test Procedures

1. According to KDB 971168 D01,
2. The EUT was connect to spectrum analyzer and call box.
3. The RF output of EUT was connected to the spectrum analyzer.
4. Set the spectrum analyzer , RBW=1MHz, VBW=3MHz.
5. Record the maximum spurious emission.
6. The fundamental frequency should be excluded against the limit in operating band.


Report No.: T191105W01-RP14

## Test Results


### LTE Band 14

CHANNEL BANDWIDTH: 5MHz / QPSK


### CH Low



### CH Mid




## CH High




Date: 12.DEC.2019 14:13:17

## CHANNEL BANDWIDTH: 10MHz / QPSK CH Mid




Date: 12.DEC.2019 14:08:17


## CHANNEL BANDWIDTH: 5MHz / 16QAM CH Low




## CH Mid



## CH High




## CHANNEL BANDWIDTH: 10MHz / 16QAM CH Mid






Report No.: T191105W01-RP14

## LTE Band 26 CHANNEL BANDWIDTH: 1.4MHz / QPSK CH Low




Date: 14.JAN.2020 19:07:10

## CH Mid




Date: 14.JAN.2020 18:56:35

## CH High




Date: 14.JAN.2020 19:11:01


## CHANNEL BANDWIDTH: 3MHz / QPSK CH Low



## CH Mid




## CH High



Date: 14.JAN.2020 19:16:49


Report No.: T191105W01-RP14

## CHANNEL BANDWIDTH: 5MHz / QPSK CH Low




Date: 13.DEC.2019 16:45:54

## CH Mid




Date: 14.JAN.2020 18:57:41

## CH High




Date: 14.JAN.2020 19:18:37

## CHANNEL BANDWIDTH: 10MHz / QPSK CH Mid




Report No.: T191105W01-RP14

## CHANNEL BANDWIDTH: 1.4MHz / 16QAM CH Low




## CH Mid







## CH High




## CHANNEL BANDWIDTH: 3MHz / 16QAM CH Low



## CH Mid




## CH High




Date: 14.JAN.2020 19:16:11

## CHANNEL BANDWIDTH: 5MHz / 16QAM CH Low




Date: 13.DEC.2019 16:46:17

## CH Mid




Date: 14.JAN.2020 18:56:10

## CH High



## CHANNEL BANDWIDTH: 10MHz / 16QAM CH Mid




## 8.7 SPURIOUS RADIATION MEASUREMENT

### LIMIT


The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10}(P)$  dB. The limit of emission equal to  $-13\text{dBm}$


### Test Configuration

#### Below 1 GHz



#### Above 1 GHz



**Substituted Method Test Set-up****TEST PROCEDURE**

1. According to KDB 971168 D01 Power Meas License Digital Systems and TIA-603-E Section 2.2.12.
2. The EUT was placed on a turntable
  - (1) Below 1G : 0.8m
  - (2) Above 1G : 0.8m
  - (3) EUT set 3m from the receiving antenna
  - (4) The table was rotated 360 degrees of the highest spurious emission to determine the position.
3. Set the spectrum analyzer , RBW=1MHz, VBW=3MHz.
4. A horn antenna was driven by a signal generator.
5. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission

$$\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable (dB)} - 2.15$$

$$\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable (dB)}$$

**TEST RESULTS**

Refer to the attached tabular data sheets.

**Remark: Above 1GHz**

Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.



Report No.: T191105W01-RP14

**Test Results**

**LTE Band 14 / BW: 10MHz / QPSK / RB =1, RB Offset = 0**

**Operation Mode:** Tx / Low CH


**Test Date:** December 18, 2019

**Temperature:** 18.6°C

**Tested by:** Jerry Chang

**Humidity:** 59% RH

**Polarity:** Ver.




Freq. (MHz)	ERP/EIRP (dBm)	SG Output Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
56.19	-65.55	-54.44	-10.50	-0.61	-13.00	-52.55	V
78.50	-64.66	-55.38	-8.55	-0.73	-13.00	-51.66	V
175.50	-64.06	-58.12	-4.85	-1.09	-13.00	-51.06	V
185.20	-64.94	-59.74	-4.08	-1.12	-13.00	-51.94	V
633.34	-63.57	-59.82	-1.63	-2.12	-13.00	-50.57	V
973.81	-59.76	-55.74	-1.38	-2.64	-13.00	-46.76	V
1586.00	-58.39	-64.44	9.52	-3.47	-40.00	-18.39	V
2379.00	-49.30	-55	10.13	-4.43	-13.00	-36.30	V

Report No.: T191105W01-RP14

**Operation Mode:** Tx / Low CH  
**Temperature:** 18.6°C  
**Humidity:** 59% RH

**Test Date:** December 18, 2019  
**Tested by:** Jerry Chang  
**Polarity:** Hor.



Freq. (MHz)	ERP/EIRP (dBm)	SG Output Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
80.44	-65.11	-55.92	-8.46	-0.73	-13.00	-52.11	H
175.50	-62.34	-56.4	-4.85	-1.09	-13.00	-49.34	H
185.20	-62.03	-56.83	-4.08	-1.12	-13.00	-49.03	H
204.60	-65.51	-61.37	-2.96	-1.18	-13.00	-52.51	H
904.94	-62.53	-58.68	-1.30	-2.55	-13.00	-49.53	H
992.24	-61.69	-57.62	-1.40	-2.67	-13.00	-48.69	H
1586.00	-50.46	-56.51	9.52	-3.47	-40.00	-10.46	H
2379.00	-37.88	-43.58	10.13	-4.43	-13.00	-24.88	H

Report No.: T191105W01-RP14

**LTE Band 26 / BW: 10MHz / QPSK / RB =1, RB Offset = 0**

**Operation Mode:** Tx / Mid CH

**Test Date:**

December 18, 2019

**Temperature:** 18.6°C


**Tested by:**

Jerry Chang

**Humidity:** 59% RH

**Polarity:**

Ver.




Freq. (MHz)	ERP/EIRP (dBm)	SG Output Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
160.95	-67.48	-60.33	-6.11	-1.04	-13.00	-54.48	V
216.24	-69.56	-66.27	-2.08	-1.21	-13.00	-56.56	V
633.34	-64.53	-60.78	-1.63	-2.12	-13.00	-51.53	V
720.64	-60.73	-57.07	-1.40	-2.26	-13.00	-47.73	V
919.49	-61.02	-57.15	-1.30	-2.57	-13.00	-48.02	V
963.14	-60.35	-56.42	-1.30	-2.63	-13.00	-47.35	V
1663.00	-59.91	-66.12	9.78	-3.57	-13.00	-46.91	V
2494.50	-42.43	-48.64	10.78	-4.57	-13.00	-29.43	V
4157.50	-47.81	-54.65	12.90	-6.06	-13.00	-34.81	V

Report No.: T191105W01-RP14

**Operation Mode:** Tx / Mid CH  
**Temperature:** 18.6°C  
**Humidity:** 59% RH

**Test Date:** December 18, 2019  
**Tested by:** Jerry Chang  
**Polarity:** Hor.



Freq. (MHz)	ERP/EIRP (dBm)	SG Output Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
172.59	-73.67	-67.45	-5.14	-1.08	-13.00	-60.67	H
357.86	-70.27	-67.07	-1.63	-1.57	-13.00	-57.27	H
547.01	-68.15	-65.01	-1.20	-1.94	-13.00	-55.15	H
628.49	-65.70	-62.12	-1.47	-2.11	-13.00	-52.70	H
721.61	-64.06	-60.4	-1.40	-2.26	-13.00	-51.06	H
951.50	-61.22	-57.4	-1.20	-2.62	-13.00	-48.22	H
1663.00	-59.62	-65.83	9.78	-3.57	-13.00	-46.62	H
2494.50	-43.15	-49.36	10.78	-4.57	-13.00	-30.15	H
4157.50	-47.30	-54.14	12.90	-6.06	-13.00	-34.30	H

**- End of Test Report -**