



Band66 20MHz QPSK\_RB1\_0\_CH132072



Band71 20MHz QPSK\_RB1\_0\_CH133222




Band66 20MHz QPSK\_RB1\_0\_CH132322



Band71 20MHz QPSK\_RB1\_0\_CH133297



Band66 20MHz QPSK\_RB1\_0\_CH132572



Band71 20MHz QPSK\_RB1\_0\_CH133372



## 8.6 SPURIOUS RADIATION MEASUREMENT


### LIMIT

According to FCC §2.1053


The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10}(P)$  dB. The limit of emission equal to  $-13\text{dBm}$

### Test Configuration


#### Below 1 GHz



#### Above 1 GHz



## Substituted Method Test Set-up



## TEST PROCEDURE


1. According to KDB 971168 D01 and ANSI C63.26.
2. The EUT was placed on a turntable
  - (1) Below 1G : 0.8m
  - (2) Above 1G : 1.5m
  - (3) EUT set 3m from the receiving antenna
  - (4) The table was rotated 360 degrees of the highest spurious emission to determine the position.
3. Set the spectrum analyzer , RBW=1MHz, VBW=3MHz.
4. A horn antenna was driven by a signal generator.
5. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission

## TEST RESULTS

Refer to the attached tabular data sheets.

## TEST RESULTS

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band2_CH18675_15M_QPSK(1,74)	Temp./Humi.	:24.6/57
Frequency	:1857.5 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.85	-66.87	-59.30	-7.44	0.13	-13.00	-53.87
135.63	-68.30	-61.59	-6.51	0.20	-13.00	-55.30
199.85	-64.33	-61.77	-2.31	0.25	-13.00	-51.33
306.74	-69.47	-69.70	0.55	0.32	-13.00	-56.47
441.57	-70.30	-70.25	0.36	0.41	-13.00	-57.30
801.73	-64.96	-65.41	1.04	0.59	-13.00	-51.96
3735.00	-55.12	-61.68	7.80	1.24	-13.00	-42.12
5602.50	-35.83	-44.66	10.31	1.48	-13.00	-22.83

**Remark:**


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No :TM-2305000074P  
 Operation Band :LTE\_Band2\_CH18675\_  
 15M\_QPSK(1,74)  
 Frequency :1857.5 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :

Test Date :2023-10-24  
 Temp./Humi. :24.6/57  
 Antenna Pol. :HORIZONTAL  
 Engineer :Tony.Chao  
 Test Chamber :966A



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.80	-68.77	-63.02	-5.58	0.17	-13.00	-55.77
134.95	-63.53	-56.59	-6.74	0.20	-13.00	-50.53
198.78	-56.12	-53.61	-2.26	0.25	-13.00	-43.12
305.87	-66.60	-66.83	0.55	0.32	-13.00	-53.60
444.48	-68.59	-68.58	0.41	0.42	-13.00	-55.59
923.08	-63.35	-64.01	1.30	0.64	-13.00	-50.35
3735.00	-55.57	-62.13	7.80	1.24	-13.00	-42.57
5602.50	-36.03	-44.86	10.31	1.48	-13.00	-23.03


**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band4_CH20350_ 10M_QPSK(1,49)	Temp./Humi.	:24.6/57
Frequency	:1750 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.85	-68.74	-61.17	-7.44	0.13	-13.00	-55.74
198.88	-66.06	-63.55	-2.26	0.25	-13.00	-53.06
304.90	-71.87	-72.09	0.54	0.32	-13.00	-58.87
439.73	-71.87	-71.79	0.34	0.41	-13.00	-58.87
604.34	-68.88	-69.88	1.51	0.50	-13.00	-55.88
784.95	-67.24	-67.51	0.85	0.58	-13.00	-54.24
3508.80	-48.75	-55.33	7.78	1.20	-13.00	-35.75
5263.20	-24.85	-33.41	10.00	1.44	-13.00	-11.85

**Remark:**


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No :TM-2305000074P  
 Operation Band :LTE\_Band4\_CH20350\_10M\_QPSK(1,49)  
 Frequency :1750 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :

Test Date :2023-10-24  
 Temp./Humi. :24.6/57  
 Antenna Pol. :HORIZONTAL  
 Engineer :Tony.Chao  
 Test Chamber :966A




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.96	-71.01	-65.76	-5.09	0.15	-13.00	-58.01
134.47	-66.30	-59.39	-6.72	0.20	-13.00	-53.30
196.74	-58.52	-56.24	-2.04	0.25	-13.00	-45.52
303.64	-69.68	-69.88	0.53	0.32	-13.00	-56.68
455.25	-71.33	-71.42	0.51	0.42	-13.00	-58.33
725.68	-69.04	-69.54	1.05	0.55	-13.00	-56.04
3508.80	-51.14	-57.72	7.78	1.20	-13.00	-38.14
5263.20	-20.79	-29.34	10.00	1.44	-13.00	-7.79

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band5_CH20600_ 10M_QPSK(1,49)	Temp./Humi.	:24.6/57
Frequency	:844 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.09	-72.09	-64.18	-7.79	0.12	-13.00	-59.09
142.04	-71.74	-65.84	-5.70	0.20	-13.00	-58.74
191.02	-68.02	-66.26	-1.52	0.24	-13.00	-55.02
310.62	-74.97	-75.21	0.57	0.33	-13.00	-61.97
596.67	-71.36	-72.43	1.57	0.50	-13.00	-58.36
742.08	-71.19	-71.65	1.02	0.56	-13.00	-58.19
1696.80	-46.60	-51.27	5.52	0.85	-13.00	-33.60
2545.20	-26.50	-31.34	5.87	1.03	-13.00	-13.50

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No :TM-2305000074P  
 Operation Band :LTE\_Band5\_CH20600\_  
 10M\_QPSK(1,49)  
 Frequency :844 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :

Test Date :2023-10-24  
 Temp./Humi. :24.6/57  
 Antenna Pol. :HORIZONTAL  
 Engineer :Tony.Chao  
 Test Chamber :966A




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
139.80	-68.18	-62.11	-5.87	0.20	-13.00	-55.18
191.12	-60.04	-58.27	-1.53	0.24	-13.00	-47.04
316.54	-71.62	-71.85	0.56	0.33	-13.00	-58.62
462.23	-73.12	-73.06	0.37	0.43	-13.00	-60.12
634.21	-72.76	-73.06	0.81	0.51	-13.00	-59.76
968.48	-68.39	-69.09	1.35	0.65	-13.00	-55.39
1696.80	-37.66	-42.33	5.52	0.85	-13.00	-24.66
2545.20	-14.58	-19.42	5.87	1.03	-13.00	-1.58

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band7_CH20850_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:2510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.95	-68.91	-61.35	-7.43	0.13	-13.00	-55.91
196.55	-66.19	-63.91	-2.03	0.25	-13.00	-53.19
308.78	-71.48	-71.72	0.57	0.33	-13.00	-58.48
333.13	-72.14	-72.61	0.81	0.34	-13.00	-59.14
581.64	-69.88	-70.38	0.99	0.49	-13.00	-56.88
745.67	-55.68	-56.12	1.01	0.56	-13.00	-42.68
5002.20	-40.33	-48.62	9.71	1.41	-13.00	-27.33
7503.30	-35.56	-45.78	11.89	1.67	-13.00	-22.56

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band7_CH20850_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:2510 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.68	-57.24	-30.58	-26.57	0.09	-13.00	-44.24
164.73	-50.00	-46.52	-3.26	0.22	-13.00	-37.00
198.78	-58.48	-55.97	-2.26	0.25	-13.00	-45.48
331.86	-61.57	-62.01	0.78	0.34	-13.00	-48.57
646.53	-69.58	-69.91	0.84	0.52	-13.00	-56.58
932.68	-67.46	-67.96	1.14	0.64	-13.00	-54.46
5002.20	-36.57	-44.87	9.71	1.41	-13.00	-23.57
7503.30	-32.57	-42.79	11.89	1.67	-13.00	-19.57

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band12_CH23060_ 10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:704 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
45.23	-72.18	-59.19	-12.88	0.11	-13.00	-59.18
141.07	-71.77	-65.72	-5.85	0.20	-13.00	-58.77
191.02	-70.05	-68.29	-1.52	0.24	-13.00	-57.05
337.30	-74.46	-74.98	0.87	0.35	-13.00	-61.46
642.46	-70.76	-71.05	0.81	0.52	-13.00	-57.76
882.34	-68.64	-69.05	1.03	0.62	-13.00	-55.64
1399.00	-40.91	-44.83	4.69	0.77	-13.00	-27.91
2098.50	-32.95	-37.01	5.00	0.94	-13.00	-19.95

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band12_CH23060_10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:704 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
140.77	-68.59	-62.54	-5.85	0.20	-13.00	-55.59
188.79	-60.84	-59.1	-1.50	0.24	-13.00	-47.84
306.45	-72.04	-72.27	0.55	0.32	-13.00	-59.04
442.06	-72.74	-72.69	0.37	0.42	-13.00	-59.74
634.41	-73.03	-73.33	0.81	0.51	-13.00	-60.03
861.97	-70.23	-70.59	0.97	0.61	-13.00	-57.23
1399.00	-32.41	-36.33	4.69	0.77	-13.00	-19.41
2098.50	-28.35	-32.41	5.00	0.94	-13.00	-15.35

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band13_CH23230_ 10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:782 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
45.71	-69.79	-57.24	-12.44	0.11	-13.00	-56.79
193.15	-69.21	-67.33	-1.64	0.24	-13.00	-56.21
300.82	-74.91	-75.10	0.51	0.32	-13.00	-61.91
490.17	-74.88	-74.71	0.27	0.44	-13.00	-61.88
661.66	-71.13	-71.51	0.90	0.52	-13.00	-58.13
962.85	-66.26	-66.75	1.14	0.65	-13.00	-53.26
1555.00	-49.39	-54.97	6.39	0.81	-13.00	-36.39
2332.50	-35.23	-39.84	5.60	0.99	-13.00	-22.23


**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band13_CH23230_10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:782 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
136.60	-70.02	-63.49	-6.33	0.20	-13.00	-57.02
189.86	-60.90	-59.10	-1.56	0.24	-13.00	-47.90
301.99	-71.33	-71.53	0.52	0.32	-13.00	-58.33
563.60	-75.26	-75.59	0.81	0.48	-13.00	-62.26
673.21	-72.21	-72.60	0.92	0.53	-13.00	-59.21
935.79	-69.14	-69.55	1.05	0.64	-13.00	-56.14
1555.00	-47.21	-52.79	6.39	0.81	-13.00	-34.21
2332.50	-36.90	-41.51	5.60	0.99	-13.00	-23.90

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with "N/A" remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band14_CH23330_ 10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:793 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.08	-56.08	-46.72	-9.25	0.11	-13.00	-43.08
139.90	-69.52	-63.47	-5.85	0.20	-13.00	-56.52
188.69	-67.62	-65.89	-1.49	0.24	-13.00	-54.62
320.90	-73.00	-73.36	0.69	0.33	-13.00	-60.00
600.07	-69.28	-70.40	1.62	0.50	-13.00	-56.28
945.49	-66.93	-67.06	0.77	0.64	-13.00	-53.93
1577.00	-47.28	-52.81	6.35	0.82	-13.00	-34.28
2365.50	-42.05	-46.60	5.54	0.99	-13.00	-29.05

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No :TM-2305000074P  
 Operation Band :LTE\_Band14\_CH23330\_  
 10M\_QPSK(1,0)  
 Frequency :793 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :

Test Date :2023-10-24  
 Temp./Humi. :24.6/57  
 Antenna Pol. :HORIZONTAL  
 Engineer :Tony.Chao  
 Test Chamber : 966A




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.85	-72.69	-65.12	-7.44	0.13	-13.00	-59.69
191.02	-57.95	-56.19	-1.52	0.24	-13.00	-44.95
309.55	-69.71	-69.96	0.58	0.33	-13.00	-56.71
462.72	-73.72	-73.65	0.36	0.43	-13.00	-60.72
641.29	-70.78	-71.06	0.80	0.52	-13.00	-57.78
946.07	-67.15	-67.29	0.78	0.64	-13.00	-54.15
1577.00	-45.36	-50.89	6.35	0.82	-13.00	-32.36
2365.50	-41.45	-46.00	5.54	0.99	-13.00	-28.45

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band17_CH23780_ 10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:709 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.85	-68.90	-61.33	-7.44	0.13	-13.00	-55.90
136.60	-70.62	-64.09	-6.33	0.20	-13.00	-57.62
199.85	-67.37	-64.81	-2.31	0.25	-13.00	-54.37
306.64	-72.81	-73.04	0.55	0.32	-13.00	-59.81
466.60	-72.81	-72.72	0.34	0.43	-13.00	-59.81
580.28	-70.06	-70.51	0.94	0.49	-13.00	-57.06
1409.20	-34.99	-39.05	4.83	0.77	-13.00	-21.99
2113.80	-31.32	-35.41	5.03	0.94	-13.00	-18.32

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band17_CH23780_ 10M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:709 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
135.44	-68.34	-61.56	-6.58	0.20	-13.00	-55.34
188.79	-58.81	-57.07	-1.50	0.24	-13.00	-45.81
306.64	-69.42	-69.65	0.55	0.32	-13.00	-56.42
440.31	-73.41	-73.34	0.34	0.41	-13.00	-60.41
793.20	-69.12	-69.47	0.94	0.59	-13.00	-56.12
975.36	-65.29	-65.97	1.33	0.65	-13.00	-52.29
1409.20	-26.86	-30.92	4.83	0.77	-13.00	-13.86
2113.80	-20.10	-24.19	5.03	0.94	-13.00	-7.10

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band25_CH26140_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:1860 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.23	-65.55	-40.56	-24.89	0.09	-13.00	-52.55
197.71	-66.28	-63.87	-2.16	0.25	-13.00	-53.28
307.91	-71.73	-71.97	0.56	0.33	-13.00	-58.73
392.30	-73.37	-73.77	0.78	0.38	-13.00	-60.37
595.22	-69.19	-70.25	1.55	0.50	-13.00	-56.19
766.91	-66.63	-67.17	1.11	0.57	-13.00	-53.63
3702.20	-35.60	-42.16	7.80	1.23	-13.00	-22.60
5553.30	-30.11	-38.84	10.21	1.48	-13.00	-17.11


**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band25_CH26140_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:1860 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
45.33	-61.54	-48.65	-12.79	0.11	-13.00	-48.54
92.37	-50.02	-45.04	-4.82	0.16	-13.00	-37.02
196.65	-58.50	-56.22	-2.03	0.25	-13.00	-45.50
305.67	-69.78	-70.00	0.55	0.32	-13.00	-56.78
445.94	-70.75	-70.77	0.44	0.42	-13.00	-57.75
537.12	-71.52	-72.06	1.02	0.47	-13.00	-58.52
3702.20	-39.12	-45.69	7.80	1.23	-13.00	-26.12
5553.30	-25.07	-33.80	10.21	1.48	-13.00	-12.07

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band26_CH26965_ 15M_QPSK(1,74)	Temp./Humi.	:24.6/57
Frequency	:841.5 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
63.66	-70.96	-63.36	-7.47	0.13	-13.00	-57.96
99.06	-72.18	-66.08	-5.93	0.17	-13.00	-59.18
190.44	-52.28	-50.49	-1.55	0.24	-13.00	-39.28
321.78	-73.85	-74.22	0.71	0.34	-13.00	-60.85
468.05	-75.25	-75.18	0.36	0.43	-13.00	-62.25
605.50	-70.91	-71.87	1.46	0.50	-13.00	-57.91
1696.30	-42.69	-47.36	5.52	0.85	-13.00	-29.69
2544.45	-26.43	-31.27	5.87	1.03	-13.00	-13.43

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band26_CH26965_ 15M_QPSK(1,74)	Temp./Humi.	:24.6/57
Frequency	:841.5 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
134.08	-67.21	-60.31	-6.70	0.20	-13.00	-54.21
189.86	-58.63	-56.83	-1.56	0.24	-13.00	-45.63
293.16	-71.93	-71.87	0.26	0.32	-13.00	-58.93
437.89	-73.44	-73.40	0.37	0.41	-13.00	-60.44
578.34	-71.29	-71.67	0.87	0.49	-13.00	-58.29
738.97	-60.68	-61.17	1.05	0.56	-13.00	-47.68
1696.30	-39.98	-44.65	5.52	0.85	-13.00	-26.98
2544.45	-23.46	-28.30	5.87	1.03	-13.00	-10.46

**Remark:**


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band26_CH26965_ 15M_QPSK(1,74)	Temp./Humi.	:24.6/57
Frequency	:841.5 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
134.08	-67.21	-60.31	-6.70	0.20	-13.00	-54.21
189.86	-58.63	-56.83	-1.56	0.24	-13.00	-45.63
293.16	-71.93	-71.87	0.26	0.32	-13.00	-58.93
437.89	-73.44	-73.40	0.37	0.41	-13.00	-60.44
578.34	-71.29	-71.67	0.87	0.49	-13.00	-58.29
738.97	-60.68	-61.17	1.05	0.56	-13.00	-47.68
1696.30	-39.98	-44.65	5.52	0.85	-13.00	-26.98
2544.45	-23.46	-28.30	5.87	1.03	-13.00	-10.46

Project No	:TM-2305000074P	Test Date	:2023-12-15
Operation Band	:LTE_Band26_CH26740_ 10M_QPSK(1,0)	Temp./Humi.	:24.1/53
Frequency	:819 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Jerry.Cang
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
216.05	-66.10	-66.17	0.33	0.26	-13.00	-53.10
259.21	-63.52	-63.75	0.51	0.29	-13.00	-50.52
269.98	-58.36	-57.74	-0.32	0.30	-13.00	-45.36
345.64	-66.33	-66.88	0.90	0.35	-13.00	-53.33
561.66	-64.85	-65.18	0.81	0.48	-13.00	-51.85
604.82	-63.67	-64.66	1.49	0.50	-13.00	-50.67
1629.20	-56.66	-61.84	6.01	0.83	-13.00	-43.66
2443.80	-36.94	-41.42	5.49	1.01	-13.00	-23.94
4073.00	-44.06	-51.37	8.60	1.29	-13.00	-31.06

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band41_CH40620_ 5M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:2593 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.85	-68.72	-61.15	-7.44	0.13	-13.00	-55.72
152.22	-70.69	-66.01	-4.47	0.21	-13.00	-57.69
198.88	-66.05	-63.53	-2.26	0.25	-13.00	-53.05
305.29	-71.39	-71.61	0.54	0.32	-13.00	-58.39
465.43	-73.34	-73.23	0.32	0.43	-13.00	-60.34
611.52	-69.36	-69.92	1.06	0.50	-13.00	-56.36
5181.60	-36.87	-45.44	10.00	1.43	-13.00	-23.87
7772.40	-37.11	-47.36	11.94	1.69	-13.00	-24.11

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-11-03
Operation Band	:LTE_Band41_CH40620_ 5M_QPSK(1,0)	Temp./Humi.	:24.7/58
Frequency	:2593 MHz	Antenna Pol.	:Horizontal
Operation Mode	:TX	Engineer	:Ray.Li
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
134.95	-66.26	-59.32	-6.74	0.20	-13.00	-53.26
199.94	-58.86	-56.29	-2.32	0.25	-13.00	-45.86
305.38	-69.05	-69.27	0.54	0.32	-13.00	-56.05
446.13	-71.30	-71.32	0.44	0.42	-13.00	-58.30
696.00	-69.69	-70.15	0.99	0.54	-13.00	-56.69
872.93	-67.71	-68.17	1.08	0.62	-13.00	-54.71
5181.60	-35.42	-43.99	10.00	1.43	-13.00	-22.42
7772.40	-33.43	-43.69	11.94	1.69	-13.00	-20.43

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band66_CH132322_ 20M_QPSK(1,99)	Temp./Humi.	:24.6/57
Frequency	:1745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.30	-66.55	-59.05	-7.37	0.13	-13.00	-53.55
151.15	-68.16	-63.31	-4.64	0.21	-13.00	-55.16
199.17	-63.73	-61.20	-2.28	0.25	-13.00	-50.73
305.29	-68.34	-68.56	0.54	0.32	-13.00	-55.34
457.19	-71.19	-71.24	0.47	0.42	-13.00	-58.19
609.38	-66.55	-67.25	1.20	0.50	-13.00	-53.55
3507.80	-41.16	-47.74	7.78	1.20	-13.00	-28.16
5261.70	-25.78	-34.34	10.00	1.44	-13.00	-12.78

**Remark:**


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No :TM-2305000074P  
 Operation Band :LTE\_Band66\_CH132322\_  
 20M\_QPSK(1,99)  
 Frequency :1745 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :

Test Date :2023-10-24  
 Temp./Humi. :24.6/57  
 Antenna Pol. :HORIZONTAL  
 Engineer :Tony.Chao  
 Test Chamber : 966A




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
133.69	-63.87	-56.89	-6.78	0.20	-13.00	-50.87
198.78	-56.23	-53.72	-2.26	0.25	-13.00	-43.23
259.50	-67.53	-67.73	0.49	0.29	-13.00	-54.53
305.67	-67.43	-67.66	0.55	0.32	-13.00	-54.43
446.32	-68.46	-68.49	0.45	0.42	-13.00	-55.46
595.70	-68.34	-69.40	1.56	0.50	-13.00	-55.34
3507.80	-42.11	-48.69	7.78	1.20	-13.00	-29.11
5261.70	-22.00	-30.56	10.00	1.44	-13.00	-9.00

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band71_CH133297_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:680.5 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.05	-69.20	-61.66	-7.41	0.13	-13.00	-56.20
147.76	-70.22	-65.08	-4.93	0.21	-13.00	-57.22
198.88	-66.72	-64.21	-2.26	0.25	-13.00	-53.72
306.45	-72.98	-73.21	0.55	0.32	-13.00	-59.98
491.72	-73.10	-72.98	0.33	0.45	-13.00	-60.10
970.12	-64.19	-64.93	1.39	0.65	-13.00	-51.19
1343.20	-58.96	-62.29	4.09	0.76	-13.00	-45.96
2014.80	-55.02	-58.65	4.55	0.92	-13.00	-42.02


**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.

Report No.: TMWK2305001412KR

Rev.: 01

Project No	:TM-2305000074P	Test Date	:2023-10-24
Operation Band	:LTE_Band71_CH133297_ 20M_QPSK(1,0)	Temp./Humi.	:24.6/57
Frequency	:680.5 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Tony.Chao
EUT Pol	:E2	Test Chamber	: 966A
Setting	:		



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
134.37	-69.06	-62.15	-6.71	0.20	-13.00	-56.06
192.18	-58.46	-56.63	-1.59	0.24	-13.00	-45.46
294.23	-68.35	-68.34	0.31	0.32	-13.00	-55.35
436.14	-72.97	-72.97	0.41	0.41	-13.00	-59.97
829.57	-68.38	-68.82	1.04	0.60	-13.00	-55.38
988.17	-65.74	-66.34	1.26	0.66	-13.00	-52.74
1343.20	-55.45	-58.78	4.09	0.76	-13.00	-42.45
2014.80	-48.95	-52.58	4.55	0.92	-13.00	-35.95

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with " N/A " remark, if no specific emissions from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.