

Date of Test:	<u>Mar. 27, 2013</u>	Temperature:	<u>25°C</u>
EUT:	<u>Bluetooth Audio Receiver</u>	Humidity:	<u>50%</u>
Model No.:	<u>BTR388</u>	Power Supply:	<u>Power by iPod's battery</u>
Test Mode:	<u>TX (2480MHz)</u>	Test Engineer:	<u>Apple</u>

GFSK (1Mbps)

Below 30MHz

Frequency (MHz)	Reading (dBµV/m)	Factor(dB) Corr.	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dBµV/m)	Factor Corr. (dB)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dBµV/m)		Factor Corr. (dB)	Result(dBµV/m)		Limit(dBµV/m)		Margin(dBµV/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

- Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.**
- 2. *: Denotes restricted band of operation.**
- 3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.**

Date of Test:	<u>Mar. 27, 2013</u>	Temperature:	<u>25°C</u>
EUT:	<u>Bluetooth Audio Receiver</u>	Humidity:	<u>50%</u>
Model No.:	<u>BTR388</u>	Power Supply:	<u>Power by iPod's battery</u>
Test Mode:	<u>TX (2402MHz)</u>	Test Engineer:	<u>Apple</u>

$\pi/4$ DQPSK (2Mbps)

Below 30MHz

Frequency (MHz)	Reading (dB μ V/m)	Factor(dB) Corr.	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dB μ V/m)	Factor Corr. (dB)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dB μ V/m)		Factor Corr. (dB)	Result(dB μ V/m)		Limit(dB μ V/m)		Margin(dB μ V/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.

2. *: Denotes restricted band of operation.

3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.

Date of Test: Mar. 27, 2013 Temperature: 25°C
 EUT: Bluetooth Audio Receiver Humidity: 50%
 Model No.: BTR388 Power Supply: Power by iPod's battery
 Test Mode: TX (2441MHz) Test Engineer: Apple

$\pi/4$ DQPSK (2Mbps)

Below 30MHz

Frequency (MHz)	Reading (dB μ V/m)	Factor(dB) Corr.	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dB μ V/m)	Factor Corr. (dB)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dB μ V/m)		Factor Corr. (dB)	Result(dB μ V/m)		Limit(dB μ V/m)		Margin(dB μ V/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.

2. *: Denotes restricted band of operation.

3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.

Date of Test:	<u>Mar. 27, 2013</u>	Temperature:	<u>25°C</u>
EUT:	<u>Bluetooth Audio Receiver</u>	Humidity:	<u>50%</u>
Model No.:	<u>BTR388</u>	Power Supply:	<u>Power by iPod's battery</u>
Test Mode:	<u>TX (2480MHz)</u>	Test Engineer:	<u>Apple</u>

$\pi/4$ DQPSK (2Mbps)

Below 30MHz

Frequency (MHz)	Reading (dB μ V/m)	Factor(dB) Corr.	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dB μ V/m)	Factor Corr. (dB)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dB μ V/m)		Factor Corr. (dB)	Result(dB μ V/m)		Limit(dB μ V/m)		Margin(dB μ V/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.

2. *: Denotes restricted band of operation.

3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.

Date of Test: Mar. 27, 2013Temperature: 25°CEUT: Bluetooth Audio ReceiverHumidity: 50%Model No.: BTR388Power Supply: Power by iPod's batteryTest Mode: TX (2402MHz)Test Engineer: Apple

8DPSK (3Mbps)

Below 30MHz

Frequency (MHz)	Reading (dBμV/m)	Factor(dB) Corr.	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dBμV/m)	Factor Corr. (dB)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dBμV/m)		Factor Corr. (dB)	Result(dBμV/m)		Limit(dBμV/m)		Margin(dBμV/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.

2. *: Denotes restricted band of operation.

3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.

Date of Test: Mar. 27, 2013 Temperature: 25°C
 EUT: Bluetooth Audio Receiver Humidity: 50%
 Model No.: BTR388 Power Supply: Power by iPod's battery
 Test Mode: TX (2441MHz) Test Engineer: Apple

8DPSK (3Mbps)

Below 30MHz

Frequency (MHz)	Reading (dBμV/m)	Factor(dB) Corr.	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dBμV/m)	Factor Corr. (dB)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dBμV/m)		Factor Corr. (dB)	Result(dBμV/m)		Limit(dBμV/m)		Margin(dBμV/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

- Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.**
- 2. *: Denotes restricted band of operation.**
- 3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.**

Date of Test: Mar. 27, 2013 Temperature: 25°C
 EUT: Bluetooth Audio Receiver Humidity: 50%
 Model No.: BTR388 Power Supply: Power by iPod's battery
 Test Mode: TX (2480MHz) Test Engineer: Apple

8DPSK (3Mbps)

Below 30MHz

Frequency (MHz)	Reading (dBμV/m)	Factor(dB) Corr.	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	X
-	-	-	-	-	-	Y
-	-	-	-	-	-	Z

For 30MHz-1000MHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading (dBμV/m)	Factor Corr. (dB)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Polarization
	QP		QP	QP	QP	
-	-	-	-	-	-	Vertical
-	-	-	-	-	-	Horizontal

For 1GHz-25GHz

Corrected Factor = Antenna Factor + Cable Loss – Amplifier Gain

Frequency (MHz)	Reading(dBμV/m)		Factor Corr. (dB)	Result(dBμV/m)		Limit(dBμV/m)		Margin(dBμV/m)		Polarization
	AV	PEAK		AV	PEAK	AV	PEAK	AV	PEAK	
-	-	-	-	-	-	-	-	-	-	Vertical
-	-	-	-	-	-	-	-	-	-	Horizontal

Note: 1. Emissions attenuated more than 20 dB below the permissible value are not reported.

2. *: Denotes restricted band of operation.

3. The fundamental radiated emissions were reduced by Band Reject Filter in the attached plots.

GFSK (1Mbps)




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #2	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 19/55/14
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #1	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 19/52/31
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #19	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 20/46/39
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #20	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 20/49/19
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #895	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:16:22
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #894	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:11:28
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #3
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 26 C / 55 %
EUT: Bluetooth Audio Receiver
Mode: TX 2441MHz
Model: BTR388
Manufacturer: Nosanky

Polarization: Horizontal
Power Source: Power by iPod's battery
Date: 2013/03/27
Time: 19/59/31
Engineer Signature: Ricky
Distance: 3m

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #4	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 20/02/23
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #22	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 20/56/21
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #21	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 20/52/18
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #896	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:20:20
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #897	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:23:45
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #6	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 20/08/36
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #5	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 20/05/12
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #24	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 21/07/44
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: rucky3 #23	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 20/59/58
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #899	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:29:11
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #898	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 23:26:24
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------

$\pi/4$ DQPSK (2Mbps)




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #34	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/35/43
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #33	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/32/18
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #45	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/00/01
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #46	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/03/03
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #895	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:07:31
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #894	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:04:21
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #35	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/37/29
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #36	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/39/53
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #48	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/07/35
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #47	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/05/27
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #896	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:09:38
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #897	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:12:27
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #38	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/45/25
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
	30.000	15		15	40	25				
	40	12		12	40	28				
	50	10		10	40	30				
	60	10		10	40	30				
	70	10		10	40	30				
	80	12		12	43	27				
	300	15		15	45	25				
	400	18		18	45	22				
	500	20		20	45	20				
	600	22		22	45	18				
	700	24		24	45	16				
	1000.0	28		28	55	12				




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #37	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/42/40
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #49	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/09/09
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #50	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/13/14
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #899	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:18:26
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #898	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:15:14
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------

8DPSK (3Mbps)




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #44	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/58/48
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #43	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/56/35
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #51	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/16/33
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #52	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/18/38
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #895	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:26:41
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #894	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:23:09
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2402MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #41	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/52/17
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #42	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/54/21
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #54	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/22/59
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #53	Polarization: Vertical
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/20/46
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #896	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:29:29
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #897	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:32:33
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2441MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #40	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/49/31
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #39	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 26 C / 55 %	Time: 11/47/29
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #55	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/25/47
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: RUCKY6 #56	Polarization: Horizontal
Standard: FCC 15C PK	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/27/35
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #899	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:38:39
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	

Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 966 chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Ricky #898	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: Power by iPod's battery
Test item: Radiation Test	Date: 2013/03/27
Temp.(C)/Hum.(%) 25 C / 50 %	Time: 13:35:58
EUT: Bluetooth Audio Receiver	Engineer Signature: Ricky
Mode: TX 2480MHz	Distance: 3m
Model: BTR388	
Manufacturer: Nosanky	


Note: Report No:ATE20130327



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------

12. CONDUCTED SPURIOUS EMISSION COMPLIANCE TEST

12.1. Block Diagram of Test Setup



(EUT: Bluetooth Audio Receiver)

12.2. The Requirement For Section 15.247(d)

Section 15.247(d): In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a).

12.3. EUT Configuration on Measurement

The following equipment are installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

12.3.1. Bluetooth Audio Receiver (EUT)

Model Number	:	BTR388
Serial Number	:	N/A
Manufacturer	:	Nosanky Electronic Technology Co., Ltd.

12.4. Operating Condition of EUT

12.4.1. Setup the EUT and simulator as shown as Section 12.1.

12.4.2. Turn on the power of all equipment.

12.4.3. Let the EUT work in TX (Hopping off) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, 2480MHz TX frequency to transmit.

12.5. Test Procedure

12.5.1. The transmitter output was connected to the spectrum analyzer via a low loss cable.

12.5.2. Set RBW of spectrum analyzer to 100kHz and VBW to 300kHz (below 1GHz).

Set RBW of spectrum analyzer to 1MHz and VBW to 3MHz (above 1GHz).


12.5.3. The Conducted Spurious Emission was measured and recorded.

12.6. Test Result


Pass.

The spectrum analyzer plots are attached as below.


"Spectrum analyzer" is Agilent
 GFSK (1Mbps)
 TX 2402GHz (30MHz-1GHz)




(1GHz-25GHz)




TX 2441GHz (30MHz-1GHz)




(1GHz-25GHz)




TX 2480GHz (30MHz-1GHz)




(1GHz-25GHz)




$\pi/4$ DQPSK (2Mbps)
TX 2402GHz (30MHz-1GHz)




(1GHz-25GHz)




TX 2441GHz (30MHz-1GHz)




(1GHz-25GHz)




TX 2480GHz (30MHz-1GHz)




(1GHz-25GHz)




8DPSK (3Mbps)
TX 2402GHz (30MHz-1GHz)




(1GHz-25GHz)




TX 2441GHz (30MHz-1GHz)




(1GHz-25GHz)



TX 2480GHz (30MHz-1GHz)



(1GHz-25GHz)




13.ANTENNA REQUIREMENT

13.1.The Requirement

According to Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

13.2.Antenna Construction

Device is equipped with unique antenna, which isn't displaced by other antenna. Therefore, the equipment complies with the antenna requirement of Section 15.203.



Antenna