

RFI-9256

900MHz ISM BAND FREQUENCY HOPPING DATA RADIO

FCC ID: P5M92560EM

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	MODE 1 MODE 2 MODE 3		
	RADIO STATUS	RX SIGNAL	TX PWR
1 ●	NETWORK LINK	-60dBm	+30dBm
2 ●	CARRIER DETECT	-70dBm	+27dBm
3 ●	TRANSMIT DATA	-80dBm	+24dBm
4 ●	RECEIVE DATA	-90dBm	+21dBm
5 ●	ONLINE	-100dBm	+18dBm
CFG ●	POWER / FAULT	-110dBm	+15dBm

PRESS TO VIEW CURRENT MODE OR CONTINUE
PRESSING UNTIL DESIRED MODE IS INDICATED




RF INNOVATIONS PTY LTD
LEADERS IN WIRELESS DATA


www.rfinnovations.com.au



N161







RFI-9256 900MHz ISM BAND FREQUENCY HOPPING DATA RADIO

MODE 3	MODE 2	MODE 1
TX PWR	RX SIGNAL	RADIO STATUS
+30dBm	-60dBm	NETWORK LINK
+27dBm	-70dBm	CARRIER DETECT
+24dBm	-80dBm	TRANSMIT DATA
+21dBm	-90dBm	RECEIVE DATA
+18dBm	-100dBm	ON LINE
+15dBm	-110dBm	POWER / FAULT

PRESS TO VIEW CURRENT MODE OR CONTINUE
PRESSING UNTIL DESIRED MODE IS INDICATED

FCC ID: P5M9256OEM
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF INNOVATIONS PTY LTD
LEADERS IN WIRELESS DATA
www.rfinnovations.com.au

TYPE: RFI 9256 OEM
FREQUENCY: 915MHz-928MHz
SERIAL No. 407221CB3825
APPROVAL No. N161



