FCC ID: P6T1901

PLOT #57


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1851 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 1910 MHz
Frequency: 1857 MHz, Modualtion: COMA
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #58

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1851 MHz

MODULATION: CDMA







FCC ID: P6T1901


PLOT #59

RF INPUT FITTED INTO EMISSION MASK **CARRIER FREQUENCY: 1851 MHz**

MODULATION: CDMA



Date: Feb. // 2002 Tested by: Hung Trinh



PG ELECTRONICS LIMITED

EMISSION MASK

FCC ID: P6T1901


PLOT #60

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1851 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 180-1910 MHz
Frequency: 181 MHz, Modualtion: 7044
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #61

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1851 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: (850-1010 MHz
Frequency: 1851 MHz, Modualtion: 7044
EMISSION MASK



FCC ID: P6T1901


PLOT #62

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1851 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 - 1910 MHz
Frequency 1851 MHz Modualtion: 4614
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #63

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1851 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 1910 MHz
Frequency: 1851 MHz, Modulition: 2604
EMISSION MASK



FCC ID: P6T1901


PLOT #64

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1880 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 - 1910 MHz
Frequency 1850 MHz, Modulation: Comma



FCC ID: P6T1901


PLOT #65

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1880 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 18 - 19 MHz
Frequency: 1890 MHz, Modualtion: Change
EMISSION MASK



FCC ID: P6T1901


PLOT #66

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1880 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 - 1910 MHz
Frequency: 1850 MHz, Modualtion: 7040
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901

PLOT #67


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1880 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: /850 - MHz
Frequency: /890 MHz, Modualtion: _______
EMISSION MASK



FCC ID: P6T1901


PLOT #68

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1880 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1900 - 1910 MHz
Frequency: 1800 MHz, Modualtion: 1801
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #69

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1880 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 1910 MHz
Frequency: 1850 MHz, Modualtion: GGM
EMISSION MASK



FCC ID: P6T1901


PLOT #70

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1909 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 MHz
Frequency: 1909 MHz, Modualtion: 00000
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901

PLOT #71


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1909 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: /8500- | G100 MHz
Frequency MHz, Modualtion: 2044
EMISSION MASK




FCC ID: P6T1901

PLOT #72

RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1909 MHz

MODULATION: CDMA



FCC ID: P6T1901


PLOT #73

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1909 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1850 - 1970 MHz
Frequency: 1850 - 1970 MHz
Frequency: 1850 - 1970 MHz
FREQUENCY: 1850 MHz
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #74

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1909 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: | 9 = 0 - | 70 O MHz
Frequency: | 9 = 0 MHz, Modualtion: | 70 MHz
EMISSION MASK



FCC ID: P6T1901

PLOT #75


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1909 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1880-1910 MHz
Frequency: 1880 MHz, Modulation: 4640
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #76

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1909 MHz

MODULATION: GSM







FCC ID: P6T1901

PLOT #77


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1931 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1990 MHz
Frequency: 1931 MHz, Modualtion: 2004
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #78

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1931 MHz

MODULATION: CDMA







FCC ID: P6T1901


PLOT #79

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1931 MHz

MODULATION: CDMA







FCC ID: P6T1901


PLOT #80

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1931 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1930 MHz
Frequency: 1931 MHz, Modualtion: 7044
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #81

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1931 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1930 MHz
Frequency: 1931 MHz, Modualtion: 7044
EMISSION MASK



FCC ID: P6T1901

PLOT #82


RF INPUT FITTED INTO EMISSION MASK

CARRIER FREQUENCY: 1931 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1930 MHz
Frequency Jos MHz, Modulation: Good
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #83

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1931 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1900 MHz
Frequency: 1931 MHz, Modualtion: G.M.
EMISSION MASK



FCC ID: P6T1901


PLOT #84

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1730 MHz Modualtion: 1800 MHz
Frequency: 1800 MHz Modualtion: 1800 MHz MISSION MASK



FCC ID: P6T1901


PLOT #85

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: CDMA







FCC ID: P6T1901


PLOT #86

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 MHz
Frequency: 1960 MHz, Modualtion: 7040
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #87

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 MHz
Frequency: 1920 MHz, Modualtion: DMA
EMISSION MASK



FCC ID: P6T1901


PLOT #88

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 19 30 - 1930 MHz
Frequency: 1960 MHz, Modualtion: Gam
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #89

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1960 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1990 MHz
Frequency: 1990 MHz, Modualtion: 4994
EMISSION MASK



FCC ID: P6T1901


PLOT #90

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 10.30 1970 MHz
Frequency: 19.30 MHz, Modualtion: 0.0004
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #91

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: CDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1990 MHz
Frequency: 1939 MHz Modualtion: 00 AM
EMISSION MASK




FCC ID: P6T1901

PLOT #92

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: CDMA



FCC ID: P6T1901


PLOT #93

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1930 MHz
Frequency: 1939 MHz, Modualtion: 7044
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901


PLOT #94

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: TDMA



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1830 - MHz
Frequency: 1830 - MHz MHz Modualtion
EMISSION MASK



FCC ID: P6T1901


PLOT #95

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1990 MHz
Frequency: 1989 MHz, Modulation: 6344
RF INPUT SIGNAL FITTED IN THE EMISSION MASK



FCC ID: P6T1901

PLOT #96

RF INPUT FITTED INTO EMISSION MASK CARRIER FREQUENCY: 1989 MHz

MODULATION: GSM



PG ELECTRONICS LIMITED
PCS REPEATER, MODEL R231
Frequency Band: 1930 - 1990 MHz
Frequency: 1939 MHz, Modualtion: 6500
EMISSION MASK

