



---

**DRB-25**

**Digital Mobile Radio  
Repeater and Radio Base Station**

**Installation and  
Operator Handbook**

AMX-MA-00400

Issue 0.09A (USA)

Date of Issue: 22 Jul 03

---

---

As part of its ongoing commitment to product improvement, The Westel Group reserves the right to alter at any time the equipment and specifications described in this publication.

All performance figures quoted are typical and are subject to normal manufacturing and service tolerances.

The purchaser is warned that the statements made in this publication may be inaccurate due to typographical or other errors or subsequent modification of the products described herein. Whilst every care has been taken in the preparation of this publication, no warranty of accuracy or reliability is given in relation to any advice or information contained in this publication and no responsibility for any loss or damage whatsoever arising in any way for any representation, act or omission whether express or implied (including responsibility to any person by reasons of negligence) is accepted by The Westel Group or any officer, agent, or employee of it.

© The Westel Group, 2000.

This work is copyright. Other than as permitted by law, no part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any process without prior written permission.

---

This device made under license under one or more of the following US patents: 5,164,986; 5,146,497; 5,185,795, 4,636,791; 4,590,473; 5,185,796; 5,148,482; 5,271,017; 5,377,229; 4,833,701; 4,972,460; 5,651,030.

Other worldwide patents pending.

The IMBE™ voice coding technology embodied in this product is protected by intellectual property rights including patent rights, copyrights and trade secrets of Digital Voice Systems, Inc. The voice coding technology can be used only as part of the North American land mobile communications system for APCO Project 25. The user of this technology is explicitly prohibited from attempting to decompile, reverse engineer, or disassemble the Object Code, or in any other way convert the Object Code into a human readable form.

---

# PREFACE

This manual provides the information personnel will need to install and operate the DRB-25 Dual Channel Radio Base Station.

The manual consists of nine documents, as described below:

	<b>Title</b>	<b>Document Ref</b>	<b>Issue</b>	<b>Date</b>
	Preliminary Pages	AMX-MA-00400	0.09A	22 July 03
<b>1</b>	Introduction	AMX-MA-00651	0.02	30 March 00
<b>2</b>	Equipment Description	AMX-MA-00652	0.02	30 March 00
<b>3</b>	Installation Instructions	AMX-MA-00653	0.03	22 July 03
<b>4</b>	Operating Instructions	AMX-MA-00654	0.02	30 March 00
<b>5</b>	Programming and Configuration	AMX-MA-00657	1.02	13 November 01
<b>6</b>	Diagnostics Monitor	AMX-MA-00656	0.02	30 March 00
<b>Appendix A</b>	Box ID and Transceiver Default Channel Settings	AMX-MA-00658	0.02	30 March 00
<b>Appendix B</b>	Module Error Codes and Recommended Actions	AMX-MA-00659	0.02	30 March 00

Definitions of warnings, cautions and notes are shown on the next page. Safety of personnel and equipment depends upon adherence to these precautions.

## FCC Interference Warning

This device complies with Part 15 of the FCC rules. Operation is subject to the condition that this device does not cause harmful interference.

---

# **PRECAUTIONARY NOTATIONS**

Where it is necessary to highlight a potentially hazardous situation, a critical procedure or requirement, or an important fact, the appropriate precautionary notation is used:




## **WARNING**

**A WARNING PRECEDES A PRACTICE OR PROCEDURE WHICH, IF NOT CORRECTLY FOLLOWED, COULD RESULT IN PERSONAL INJURY OR LOSS OF LIFE.**



## **CAUTION**

**A caution precedes a practice or procedure which, if not strictly observed, could result in damage to or destruction of the equipment, or corruption of data.**



**A caution for static devices precedes a practice or procedure which, if not strictly observed, could result in damage to or destruction of the equipment, or corruption of data.**

## **NOTE**

**A note either precedes or follows a practice, procedure or condition which requires highlighting.**

---

## ***LIST OF ABBREVIATIONS***

AC	Alternating Current
APCO	Association of Public-Safety Communications Officials - International, Inc.
BER	Bit Error Rate
CAI	Common Air Interface
CM	Controller Module
CDCSS	Continuous Digital Carrier Squelch System
Comms	Communications
CTCSS	Continuous Tone Carrier Squelch System
DC	Direct Current
DMR	Digital Mobile Radio
DTMF	Dual Tone Multiple Frequency
EMC	Electromagnetic Compatibility
EMI	Electromagnetic Interference
IAC	Interface Adapter Card
IM	Interface Module
kHz	Kilohertz
LCD	Liquid Crystal Display
LED	Light Emitting Diode
MHz	Megahertz
PAM	Power Amplifier Module
PA PSM	Power Amplifier Power Supply Module
PABX	Private Automatic Branch Exchange
PBX	Private Branch Exchange
PC	Personal Computer
PCA	Printed Circuit Assembly
PSTN	Public Switched Telephone Network
PTT	Press-to-talk
RF	Radio Frequency
RU	Rack Unit
Rx	Receive
TM	Transceiver Module
TMP	Transceiver Module Programmer
Tx	Transmit
UHF	Ultra High Frequency
V	Volt
VHF	Very High Frequency
W	Watt