



WiFi Module IEEE 802.11b/g/n 1T/1R

Model Number: WF71RL1500C

Product Description

TCL WF71RL1500C is a high-gain and low power consumption wifi module . It fully complies with IEEE 802.11n and IEEE 802.11b/g feature rich wireless connectivity at high standards, delivers reliable, cost-effective, throughput from an extended distance. When 3.3V, USB bus and GND were connected, This module is working.

Product Features

- ◆ Complies with IEEE 802.11g; 802.11b; 802.11n standard for 2.4GHz Wireless LAN.
- ◆ One Transmit and One Receive path(1T1R)
- ◆ Supports Ad-Hoc/Infrastructure modes
- ◆ Works with all existing network infrastructure.
- ◆ Capable of up to 128-Bit WEP Encryption.
- ◆ Freedom to roam while staying connected.
- ◆ UP to 150 Mbps High-Speed Transfer Rate in 802.11n mode of operation.
- ◆ Operating Systems: Windows XP 32/64,2000,Windows 7,Vista 32/64, Linux,Macintosh
- ◆ Low power consumption.
- ◆ Easy to install and configure.

Product Specification

Model	WF71RL1500C
Product Name	WiFi USB module
Standard	802.11b/g/n
Interface	4pin Interface
Data Transfer Rate	1,2,5.5,6,11,12,18,22,24,30,36,48,54,60,90,120 and maximum of 150Mbps
Modulation Method	QPSK , BPSK , CCK(802.11b) QPSK , BPSK , 16QAM ,64QAM with OFDM (802.11g) BPSK , QPSK , 16QAM ,64QAM with OFDM(802.11n)
Frequency Band	802.11b/g/n(HT20) CH 1~CH11 for FCC 802.11n(HT40) CH3~CH9 for FCC
Transmit Power	< 18dBm
Operation Mode	Ad hoc, Infrastructure
Operation Range	Up to 300 meters in open space
OS Support	Windows XP 32/64,2000,Windows 7,Vista 32/64, Linux,Macintosh
Security	WEP, TKIP, AES, WPA, WPA2
Operating Voltage	3.3V±10%
Operating Temperature	-10 ~ 70°C ambient temperature
Storage Temperature	-55 ~ 125°C ambient temperature
Humidity	5 to 90 % maximum (non-condensing)



FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference

to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body and must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

The devices must be installed and used in strict accordance with the manufacturer's instructions as described in the user documentation that comes with the product. Modular could be only used in mobile or fix device, and could not be used in any portable device.

Caution!

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user authority to operate the equipment.

Regulation information

- (1) This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.
- (2) This compliance to FCC radiation exposure limits for an uncontrolled environment, and minimum of 20cm separation between antenna and body.
- (3) Only the type of chip antenna tested may be used.
- (4) The end product must carry a label stating "Contains TX FCC ID: P96WF71RL".

Additional Information for Module integration (FCC):

This device is restricted to host products which can provide necessary shielding. All host products incorporating this device are required to test for all emissions, conducted mains, radiated spurious emissions and radiated fundamental emissions, and conclude by submitting an appropriate Class II Permissive Change. Only devices which are able to provide necessary shielding are qualified to utilize this transmitter. Final device configurations must always be retested with a qualified host for radiated and conducted emissions. Failure to abide by this requirement will result in a device which is considered uncertified.