










Tropes Networks
ASSY 100453 Rev
© 2004





CLASS I, DIVISION 2,
GROUPS A, B, C & D, T4
SUITABILITY OF FINAL USE TO BE
DETERMINED BY AUTHORITY
HAVING JURISDICTION.



WARNING: DO NOT DISCONNECT
WHILE CIRCUITS ARE LIVE
UNLESS AREA IS KNOWN TO
BE NON-HAZARDOUS.
SUBSTITUTION OF COMPONENTS
MAY IMPAIR SUITABILITY FOR
CLASS I, DIVISION 2.

MAX. AMBIENT +50°C (+122°F)

Ex nA IIC T6 X -20°C ≤ Tamb. ≤ +50°C



CLASS 1 DIVISION 1
GROUPS A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
SUITABILITY OF FINAL PRODUCT
DETERMINED BY A
HAVING JURISDICTION
WARNING: DO NOT DISPOSE OF
WHILE CIRCUITS ARE
UNLESS AREA IS KNOWN
BE NON-HAZARDOUS
SUBSTITUTION OF COMPONENTS
MAY IMPAIR SUITABILITY
CLASS 1 DIVISION 1
MAX. AMBIENT +50°C

