

FCC ID: PANWA6212

Report No: ER/2012/10002 Issue Date: Jan. 19, 2012

Page: 1 of 17

RADIO FREQUENCY RADIATION EXPOSURE REPORT

Mobiles /Fixed Base Station Maximum Permissible Exposure (MPE)

OF

Product Name: WLAN 11n Router

Brand Name: CC&C

Model Name: WA-6212

Model Different: N/A

FCC ID: PANWA6212

Report No.: ER/2012/10002

Issue Date: Jan. 19, 2012

Prepared for: CC&C Technologies, Inc.

8F, No. 150, Jian Yi Road, Zhonghe District,

New Taipei City, Taiwan 235, R.O.C.

Prepared by: SGS Taiwan Ltd.

Electronics & Communication Laboratory

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.tw.sgs.com

台灣檢驗科技股份有限公司t (886-2) 2299-3279 f (886-2) 2298-0488



FCC ID: PANWA6212

Report No: ER/2012/10002 Issue Date: Jan. 19, 2012

Page: 2 of 17

VERIFICATION OF COMPLIANCE

Applicant: CC&C Technologies, Inc.

8F, No. 150, Jian Yi Road, Zhonghe District, New Taipei City, Taiwan

235, R.O.C.

Product Name: WLAN 11n Router

Brand Name: CC&C

FCC ID: PANWA6212

Model No.: 3G36W-V

Model Difference: N/A

File Number: ER/2011/10002

Date of test: Jan. 02, 2012 ~ Jan. 18, 2012

Date of EUT Received: Jan. 02, 2012

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd., Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in FCC OET Bulletin 65 Supplement C and 47 CFR §2.1091 and RSS102.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Lion Wang	Date	Jan. 19, 2012	
Prepared By:	Lion Wang / Engineer Gigi Jeh	Date	Jan. 19, 2012	
Approved By:	Gigi Yeh / Clerk Jim Chang / Supervisor	Date — —	Jan. 19, 2012	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

陳子芳有説明・正報古紹米[聖]到凱之(株面里具 「同時民株面里大田)人で、年報古木松平公司曹国正明・不可能が復聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 3 of 20

Report Version

Version No.	Date	Description
00	Jan. 19, 2012	Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 4 of 20

Table of Contents

1.	GEN	ERAL INFORMATION	
	1.1	STANDARD APPLICABLE	
	1.2	MAXIMUM PERMISSIBLE EXPOSURE (MPE) EVALUATION	8
APP	PENDI	X 1 PHOTOGRPHS OF EUT	. 1 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 5 of 20

1. GENERAL INFORMATION

General:

Product Name:	WLAN 11n Router
Brand Name:	CC&C
Model No.:	WA-6212
Model Difference:	N/A
Hardware Version:	289G129704-B0
Software Version:	00-029700-01[F/W,WA-6212]
Power Supply:	5V from AC/DC adapter, model: DSC-6PFC-05FUS, Supplier: DVE

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。 This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 6 of 20

WLAN: 802.11 b/g/n

WLAN: 802.11 D/g/II	
Frequency Range:	802.11b / g / n_20MHz: 2412 – 2462 MHz
	802.11 n_40MHz: 2422 – 2452 MHz
Channel number:	802.11b/g/n_20MHz: 11 channels
	802.11 n_40MHz: 9 channels
	802.11 b: 20.09 dBm (Peak)
	802.11 g: 18.25 dBm (Peak)
Max. Output Power:	802.11 n _20MHz: 13.23dBm (Peak) 802.11 n _40MHz: 13.57dBm (Peak)
	802.11 n 20MHz(MIMO): 16.04dBm (Peak)
	802.11 n _40MHz(MIMO): 16.40dBm (Peak)
Modulation Technology:	DSSS, OFDM
36.11.0	CCK, DQPSK, DBPSK for DSSS
Modulation type:	64QAM. 16QAM, QPSK, BPSK for OFDM
	802.11 b: 1/2/5.5/11 Mbps;
Transition Rate:	802.11 g: 6/9/12/18/24/36/48/54 Mbps
Transition Rate.	802.11 n_20MHz: 7.2 – 144.4Mbps
	802.11 n_40MHz: 15 – 300Mbps
	2.4G Dipole Antenna
Antenna Spec:	30G000036-00 Antenna 80mm: 2 dBi
	30G000025-07 Antenna 140mm: 2 dBi
Antonno Docionatione	2.4G Dipole Antenna
Antenna Designation:	2dBi+10log(2)=5.01 dBi
	802.11 b : 15M0G1D
Type of Emission:	802.11 g : 16M5G1D
Type of Emission.	802.11 n_20MHz : 17M7G1D
	802.11 n_40MHz : 36M0G1D
	·

The EUT is compliance with IEEE 802.11 b/g/n Standard. This report applies for frequency IEEE 802.11 b/g/n

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。 This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 7 of 20

1.1 Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)	
,	Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30	
1.34-30	824/f	2.19/f	$*(180/f^2)$	30	
30-300	27.5	0.073	0.2	30	
300-1500	/	/	F/1500	30	
1500-15000	/	/	1.0	30	

F = frequency in MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{* =} Plane-wave equipment power density



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 8 of 20

1.2 Maximum Permissible Exposure (MPE) Evaluation

MPE Prediction (802.11b/g)

Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4 \pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

2412MHz

Maximum peak output power at antenna input terminal:	20.09	(dBm)
Maximum peak output power at antenna input terminal:	102.0939484	(mW)
Duty cycle:	100	(%)
Maximum Pav :	102.0939484	(mW)
Antenna gain (typical):	5.01	(dBi)
Maximum antenna gain:	3.169567463	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	2462	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.0644096	(mW/cm^2)
Measurement Result:		
The predicted power density level at 20 cm is	0.644095655	(W/m^2)
This is below the uncontrolled exposure limit of 1 mW/cm	2462	MHz

Measurement Result

The predicted power density level at 20 cm is $0.64409565~\text{W/cm}^2$. This is below the uncontrolled exposure limit of $1~\text{mW/cm}^2$ at 2462MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms_and Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 9 of 20

MPE Prediction (802.11n_20M) (MIMO mode)

Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4 \pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

The worst case: 802.11n_20M MIMO mode

Maximum peak output power at antenna input terminal:	16.04	(dBm)
Maximum peak output power at antenna input terminal:	40.17908108	(mW)
Duty cycle:	100	(%)
Maximum Pav :	40.17908108	(mW)
Antenna gain (typical):	5.01	(dBi)
Maximum antenna gain:	3.169567463	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	2412	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.0253484	(mW/cm^2)
Measurement Result:		
The predicted power density level at 20 cm is	0.253483894	(W/m^2)
This is below the uncontrolled exposure limit of 1 mW/cm	2412	MHz

1.

Measurement Result

The predicted power density level at 20 cm is 0.0253484 W/cm2. This is below the uncontrolled exposure limit of 1 mW/cm2 at 2412MHz.

Note: directional gain = Gain + 10 Log (N) dBi = 2 + 3.0103 = 5.01 dBi, where n is number of antenna used with host, is employed as Max. Gain as per 662911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms_and Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 10 of 20

MPE Prediction (802.11n_40mM (MIMO mode)

Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4 \pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

The worst case: 802.11n_40M MIMO mode

Maximum peak output power at antenna input terminal:	16.4	(dBm)
Maximum peak output power at antenna input terminal:	43.65158322	(mW)
Duty cycle:	100	(%)
Maximum Pav :	43.65158322	(mW)
Antenna gain (typical):	5.01	(dBi)
Maximum antenna gain:	3.169567463	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	2.422	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.0275391	(mW/cm^2)
Measurement Result:		
The predicted power density level at 20 cm is	0.275391397	(W/m^2)
This is below the uncontrolled exposure limit of 1 mW/cm	2.422	MHz

Measurement Result

The predicted power density level at 20 cm is 0.0275391 W/cm2. This is below the uncontrolled exposure limit of 1 mW/cm2 at 2422MHz.

Note: directional gain = Gain + 10 Log (N) dBi = 2 + 3.0103 = 5.01 dBi, where n is number of antenna used with host, is employed as Max. Gain as per 662911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms_and Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 11 of 20

APPENDIX 1 PHOTOGRPHS OF EUT

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 12 of 20

All of EUT



Front View of EUT



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台 関系五段工業基五工路 34號



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 13 of 20

Back View of EUT



Side View of EUT - 1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台博和股工業區五工路134號



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 14 of 20

Side View of EUT – 2



Side View of EUT - 3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台博和股工業區五工路134號



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 15 of 20

Side View of EUT - 4



Adapter



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offereders may be prosecuted to the fullest extent of the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台 関系五段工業基五工路 34號



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 16 of 20

Open View of EUT - 1



Internal View of EUT - 1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。 This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台 関系五段工業基五工路 34號



Report No: EH/2011/80029 Issue Date: Sep. 26, 2011

Page: 17 of 20

Internal View of EUT - 2



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。
This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台 関系五段工業基五工路 34號

f (886-2) 2298-0488