


0 cm separation



SPORTON INTERNATIONAL INC.  
 Haw Ya 1st.Road, Qui Shan, Tao Yuan  
 Taiwan, R.O.C  
 Tel : +886-3-3273456 Fax : +886-3-3180055  
 www.sporton.com.tw

Data# 44 File# D:\2004案件\452108.EMI



Site : 03CH03-HY  
 Condition : FCC CLASS-B 3m HORN-ANT-6821 HORIZONTAL  
 EUT : WLAN 11b USB MODULE 12x71  
 Power : FOR SYSTEM  
 Model : WL-1205  
 Memo : TX CH11 2462MHz  
 : 平放


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	1000.000	50.77	-3.23	54.00	65.96	23.80	1.11	40.10	Peak	---	---
2	1164.000	46.73	-27.27	74.00	61.49	24.29	1.22	40.27	Peak	---	---
3	1596.000	48.49	-25.51	74.00	62.03	25.61	1.51	40.66	Peak	---	---
4	1660.000	44.91	-29.09	74.00	58.22	25.85	1.54	40.70	Peak	---	---
5 X	2462.000	101.32	27.32	74.00	112.38	28.33	1.79	41.18	Peak	---	---

## 2 cm separation



SPORTON INTERNATIONAL INC.  
 Haw Ya 1st.Road, Qui Shan, Tao Yuan  
 Taiwan, R.O.C  
 Tel : +886-3-3273456 Fax : +886-3-3180055  
 www.sporton.com.tw

Data#: 49 File#: D:\2004案件\452108.EMI



Site : 03CH03-HY  
 Condition : FCC CLASS-B 3m HORN-ANT-6821 HORIZONTAL  
 EUT : WLAN 11b USB MODULE 12x71  
 Power : FOR SYSTEM  
 Model : WL-1205  
 Memo : TX CH11 2462MHz  
 : 墊高


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	1000.000	50.82	-3.18	54.00	66.01	23.80	1.11	40.10	Peak	---	---
2	1596.000	49.18	-24.82	74.00	62.72	25.61	1.51	40.66	Peak	---	---
3	1956.000	50.65	-23.35	74.00	63.04	26.95	1.54	40.88	Peak	---	---
4 X	2460.000	101.55	27.55	74.00	112.62	28.33	1.78	41.18	Peak	---	---
5	2894.000	49.40	-24.60	74.00	58.83	29.83	1.94	41.20	Peak	---	---

# 0 cm separation



SPORTON INTERNATIONAL INC.  
 Haw Ya 1st.Road, Qui Shan, Tao Yuan  
 Taiwan, R.O.C  
 Tel : +886-3-3273456 Fax : +886-3-3180055  
 www.sporton.com.tw

Data#: 45 File#: D:\2004案件\452108.EMI



Site : 03CH03-HY  
 Condition : FCC CLASS-B 3m HORN-ANT-6821 HORIZONTAL  
 EUT : WLAN 11b USB MODULE 12x71  
 Power : FOR SYSTEM  
 Model : WL-1205  
 Memo : TX CH11 2462MHz  
 : 平放


	Freq	Level	Over Limit	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	4926.000	57.56	-16.44	74.00	64.14	33.46	2.47	42.51	Peak	---	---
2	4926.000	46.75	-7.25	54.00	53.33	33.46	2.47	42.51	Average	---	---

## 2 cm separation



SPORTON INTERNATIONAL INC.  
 Haw Ya 1st.Road, Qui Shan, Tao Yuan  
 Taiwan, R. O. C  
 Tel : +886-3-3273456 Fax : +886-3-3180055  
 www.sporton.com.tw

Data#: 48 File#: D:\2004案件\452108.EMI



Site : 03CH03-HY  
 Condition : FCC CLASS-B 3m HORN-ANT-6821 HORIZONTAL  
 EUT : WLAN 11b USB MODULE 12x71  
 Power : FOR SYSTEM  
 Model : WL-1205  
 Memo : TX CH11 2462MHz  
 : 墊高

	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	4924.000	53.00	-21.00	74.00	59.58	33.46	2.47	42.51	Peak	---	---
2	4924.000	41.83	-12.17	54.00	48.41	33.46	2.47	42.51	Average	---	---