

20dB bandwidth

802.11a


TX chain : 0

Frequency : 5580MHz

Right edge = 5570.13 + 19.58 = 5589.71 < 5600MHz

RBW 300 kHz [T1] MK VIEW
VBW 1 MHz
SWT 20 ms

Marker 1 [T1] -17.92 dBm
5.57013 GHz
Delta 2 [T1] 0.00 dB
19.58 MHz




Frequency : 5660MHz

Left edge = 5650.15 > 5650 MHz

RBW 300 kHz [T1] MK VIEW
VBW 1 MHz
SWT 20 ms

Marker 1 [T1] -17.98 dBm
5.65015 GHz
Delta 2 [T1] 0.00 dB
19.55 MHz




20dB bandwidth

802.11an 20MHz

TX chain : 0


Frequency : 5580MHz

Right edge = 5570.15 + 19.79 = 5589.94 < 5600MHz



Frequency : 5660MHz

Left edge = 5650.1 > 5650 MHz



20dB bandwidth

802.11an 20MHz


TX chain : 1

Frequency : 5580MHz

Right edge = 55570.06 + 19.9 = 55589.96 < 5600MHz

RBW 300 kHz [T1] MK VIEW
VBW 1 MHz
SWT 20 ms

Marker 1 [T1] -19.61 dBm
5.57006 GHz
Delta 2 [T1] 0.00 dB
19.90 MHz




Frequency : 5660MHz

Left edge = 5650.07 > 5650 MHz

RBW 300 kHz [T1] MK VIEW
VBW 1 MHz
SWT 20 ms

Marker 1 [T1] -19.67 dBm
5.65007 GHz
Delta 2 [T1] 0.00 dB
19.90 MHz




20dB bandwidth

802.11an 40MHz

TX chain : 0


Frequency : 5550MHz

Right edge = 5530.73 + 38.65 = 5569.38 < 5600MHz



Frequency : 5670MHz

Left edge = 5650.87 > 5650 MHz




20dB bandwidth

802.11an 40MHz

TX chain : 1

Frequency : 5550MHz

Right edge = 5530.88 + 38.28 = 5569.16 < 5600MHz



Frequency : 5670MHz

Left edge = 5650.92 > 5650 MHz

