

Annex F. Photographs

F.1 Test Sample

Sample Front





Sample Back






Laptop Mode



F.2 Test positions

Laptop Mode	Laptop Mode – Side View
 A photograph showing the front view of a test setup. A laptop is positioned on a table, and a measurement probe is suspended above it. A transparent acrylic shield is placed between the probe and the laptop. The probe is connected to a device on the ceiling. The background shows a white wall and a red ceiling.	 A photograph showing the side view of the test setup. The measurement probe is suspended vertically above the laptop. The transparent acrylic shield is visible, and the probe is connected to a device on the ceiling. The background shows a white wall and a red ceiling.

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform Location	Antenna dimensional information for SAR evaluation
 <p>The diagram shows a top-down view of a laptop chassis. Two rectangular boxes labeled 'Tx1' and 'Tx2' are positioned side-by-side on the upper portion of the chassis, representing the antenna host platform. Arrows point from these boxes to the keyboard area below.</p>	 <p>The diagram shows a side profile of a person sitting at a desk. A laptop is open in front of them. A vertical antenna is shown extending from the laptop. A dimension line indicates a 4mm distance between the antenna and the person's body. The antenna is labeled 'ANTENNA'.</p>
Co-location antenna separation	
 <p>The diagram shows a top-down view of a laptop chassis, similar to the first diagram. Two rectangular boxes labeled 'Tx1' and 'Tx2' are positioned side-by-side. A dimension line above them indicates an 88mm distance between the centers of the two boxes.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01

