

APPLICATION		REVISION				
NEXT ASSY	PROJECT NO.	ECN NO.	REV	DESCRIPTION	DATE	APPROVED
	12736	---	A	PRODUCTION RELEASE	07/XX/08	C. MOORE

REFERENCE DOCUMENTS

- 109893 "Specification, Supplier Packaging/Material Handling."
- 137124 "Specification, Label Orientation and Liner Format."
- 453669 "Specification, Cosmetic Requirements."
- HX-00011-00 "General Specification for the Environment."
- CSA "List of Accepted Adhesive Type Name Plates." Canadian Standards Association
- UL 969 "Standard for Safety of Marking and Labeling Systems." Underwriters Laboratories, Inc. (U.L.)

REQUIREMENTS

MATERIAL

- **FACESTOCK:** .002 ±5% Thick Polyester film.
- **ADHESIVE:** Permanent bonding pressure-sensitive acrylic adhesive (min. thickness .0007 ±10%). Suitable for bonding to a polycarbonate/ABS blend surface. Minimum service temperature range shall be -20°C to +80°C.
- **OVERLAMINATE:** .003 thick SP Pacific LTD #FR88 Velvet Matte Lexan.
- **LINER:** 40# to 60# (basis weight) removable, release coated paper liner.

NOTES:

1. Compliance to the latest revision of Hewlett-Packard General Specification for the Environment (GSE Document number HX-00011-00), including the RoHS Compliance Specification in the GSE, is required. <http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf>
2. Alternate material (facestock, adhesive, overlaminate or liner) must be pre-approved for production compatibility by Procurement and/or Product Engineering Groups.

MECHANICAL

- **LABEL ORIENTATION ON LINER:** Unwind will be chosen based on economy of producibility and to ensure delivery of unblemished labels. Reference document 137124.
- **MAXIMUM ROLL DIAMETER:** 8.00 [203.2]

INK

Pantone Process Black C.

COSMETIC REQUIREMENTS

The label will conform to document 453669. Artwork files specify content only. Labels should match notebook color as specified by HP Industrial Design. Label content must follow HP Regulatory Worldwide Technical Regulations Label Guidelines.

AGENCY REQUIREMENTS


UL Recognized Component Marking and Labeling System (PGDQ2 or PGJI2)
 Canadian Standards Association (CSA) Approved Manufacturer of Accepted Adhesive Type Name Plates (CSA Identifier will appear on the label.)

SHIPPING AND QUALITY REQUIREMENTS

Refer to document 109893 and 137124.

ARTWORK AVAILABILITY


Electronic artwork files are controlled by and available from Documentation Control Group (Houston). See Table 1 for part number cross reference.


HP RESTRICTED THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAIN RESTRICTED INFORMATION THAT IS HEWLETT-PACKARD (HP) PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY HP.	APPROVALS		DATE	 invent		
	DRAWN	C. MOORE	07/02/08	LBL, SYS REG SP1x2 AGN		
	CHECKED	C. MOORE	xx/xx/xx			
	DSGN ENGR	A. ST. CYR	xx/xx/xx			
	ENG	C. MOORE	xx/xx/xx			
MFG						
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [MILLIMETERS]. TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/32 .XX ±.02 [0.5] ±1° .XXX ±.010 [0.25]	QA			SIZE	DRAWING NO.	REV
	LEGAL			A	486553	A
	AGENCY	W. OVERCASH	xx/xx/xx			
DO NOT SCALE DRAWING			SUPPLEMENTS: EF, EF-EPS, EF-PDF		SHEET	1 OF 4

TYPICAL -001/00A LABEL

This Line Does Not Print

Square Corner
4 Places





	SIZE	DRAWING NO.		REV
	A	486553		A
DRAWN: J.L.		SCALE 1/1	SHEET 2 OF 4	

TYPICAL -002/00B LABEL

This Line Does Not Print

Square Corner
4 Places




	SIZE	DRAWING NO.		REV
	A	486553		A
DRAWN: J.L.		SCALE 1/1	SHEET 3 OF 4	

TYPICAL -003/00C LABEL

This Line Does Not Print

Square Corner
4 Places



SIZE
A

DRAWING NO.

486553

REV

A

DRAWN: J.L.

SCALE 1/1

SHEET 4 OF 4